


Properties						
Application	High pressure hydraulics and as supply line for technical media.					
Special features	favourable flow properties high resistance to light, weathering, aging, chemical media					
Inner layer	Polyamide					
Insert	one polyester braided insert					
Outer layer	NW 4: Polyamide; from NW 6: Polyurethane					
Colour	black					
Temp. min.	-60 °C					
Temp. max.	100 °C					
Elongation	+ 3 % to - 1 %					



Note

Fitting with press-fit and screw connections.

The change in length of the hose is determined at max. working pressure during testing to EN ISO 1402.

ltem											
Identification	DN*	Size	Inches	Internal Ø	External Ø	BD* at 20°C (bar)	BD* at 50°C (bar)	BD* at 80°C (bar)	Min. bending radius		
TAF 104	4	3	3/16"	4,0	8,4	370,0	325	280	40		
TAF 106	6	4	1/4"	6,3	11,2	255,0	225	190	63		
TAF 108	8	5	5/16"	8,0	13,3	225,0	200	170	80		
TAF 110	10	6	3/8"	10,0	16,7	190,0	170	145	100		
TAF 113	12	8	1/2"	13,0	21,4	160,0	140	120	130		

DN = Nominal diameter, nominal width - BD = Working pressure