GAR ABS Wiper GA-R

HANSA/FLEX

Properties		
Design	Wipers	8.68
Sliding speed max.	0,5 m/s	
Temp. min.	-30 °C	
Temp. max.	100 °C	
Media	Mineral oils Water emulsions	To
Installation	is pressed into an open groove	h
Material	(1) Sleeve: Steel (2) Wiper: NBR 90° Shore A	
Application	Hydraulics	





Description

Low spatial requirement. No penetration of dirt via the outer metal ring. Simple solution.

Ordering information

For special operating conditions (fluid, temperature, pressure ...) please contact us. Alternative material possible: FPM.

Item

Identification	d	D	L	Н
	(mm)	(mm)	(mm)	(mm)
GA 12 18-3-R	12	18,0	3,5	5,0
GA 14 20-3-R	14	20,0	3,5	5,0
GA 15 21-3-R	15	21,0	3,5	5,0
GA 16 22-3-R	16	22,0	3,5	5,0
GA 18 28-5-R	18	28,0	5,0	7,0
GA 20 30-5-R	20	30,0	5,0	7,0
GA 22 32-5-R	22	32,0	5,0	7,0
GA 25 35-5-R	25	35,0	5,0	7,0
GA 28 38-5-R	28	38,0	5,0	7,0
GA 30 40-5-R	30	40,0	5,0	7,0
GA 30 40-7-R	30	40,0	7,0	10,0
GA 32 42-5-R	32	42,0	5,0	7,0
GA 36 46-5-R	36	46,0	5,0	7,0
GA 40 50-5-R	40	50,0	5,0	8,0
GA 42 52-5-R	42	52,0	5,0	7,0
GA 45 55-5-R	45	55,0	5,0	7,0
GA 50 60-5-R	50	60,0	5,0	7,0
GA 55 65-5-R	55	65,0	5,0	7,0
GA 56 66-5-R	56	66,0	5,0	7,0
GA 60 70-5-R	60	70,0	5,0	7,0
GA 63 73-5-R	63	73,0	5,0	7,0
GA 65 75-5-R	65	75,0	5,0	7,0
GA 70 80-5-R	70	80,0	5,0	7,0
GA 75 83-7-R	75	83,0	7,0	10,0
GA 80 88-7-R	80	88,0	7,0	10,0
GA 80 90-7-R	80	90,0	7,0	10,0