CH3 FPM-C Chevron piston ring CH3

HANSA/FLEX

Properties			B
Design	Chevron piston ring		(Å -
Operating pressure	up to 400 bar		
Sliding speed max.	0,5 m/s		
Temp. min.	-30 °C		
Temp. max.	150 °C		
Media	Mineral oils Water emulsions	Toleranz / Tolerance D d d1 L	
Installation	on multi-part pistons	H9 / e8 h11 0/-0,30 0/+0,30	



Description

High temperature resistance.

for difficult working conditions such as hydraulic shocks, Strong vibrations or poor surfaces.

Ordering information

For special operating conditions (fluid, temperature, pressure ...) please contact us.

Item				
Identification	D	d	L	
	(mm)	(mm)	(mm)	
CH3-100 FPM-C	100	80	21,2	
CH3-140 FPM-C	140	115	25,8	