


Properties

Connection 1	metric nut thread
Sealing form 1	24° outer cone with O-ring
Connection 2	metric cylindrical outer thread
Sealing form 2	24° inner cone
Design	Reducing fitting
Construction	straight
Standard	DIN 2353 ISO 8434-1
Scope of supply	Socket (without union nut and cutting ring)
Material	Steel
Surface	electro galvanised



Note

Information about fitting, installation, pressure loads and permissible operating temperatures can be found in the technical information for pipe fittings.

Item

Identification	Series	Operating pressure	Ø d1 (mm)	Ø d2 (mm)	G1	G2	L2 (mm)	AF (mm)	S1	OR
XAOH NW 04 LL 04	L / LL	PN 100	6	4	M 12 x 1.5	M 8 x 1	24,5	9	14	4.0 x 1.5
XAOH NW 04 L	L	PN 315	6	6	M 12 x 1.5	M 12 x 1.5	27,5	14	14	4.0 x 1.5
XAOH NW 04 L 06	L	PN 315	6	8	M 12 x 1.5	M 14 x 1.5	24,5	14	14	4.0 x 1.5
XAOH NW 04 L 08	L	PN 315	6	10	M 12 x 1.5	M 16 x 1.5	25,5	17	14	4.0 x 1.5
XAOH NW 04 L 10	L	PN 315	6	12	M 12 x 1.5	M 18 x 1.5	25,5	19	14	4.0 x 1.5
XAOH NW 04 L 13	L	PN 315	6	15	M 12 x 1.5	M 22 x 1.5	27,5	24	14	4.0 x 1.5
XAOH NW 06 L 04	L	PN 315	8	6	M 14 x 1.5	M 12 x 1.5	24,5	12	17	6.0 x 1.5
XAOH NW 06 L	L	PN 315	8	8	M 14 x 1.5	M 14 x 1.5	37,0	14	17	6.0 x 1.5
XAOH NW 06 L 08	L	PN 315	8	10	M 14 x 1.5	M 16 x 1.5	26,0	17	17	6.0 x 1.5
XAOH NW 06 L 10	L	PN 315	8	12	M 14 x 1.5	M 18 x 1.5	27,0	19	17	6.0 x 1.5
XAOH NW 06 L 13	L	PN 315	8	15	M 14 x 1.5	M 22 x 1.5	28,0	24	17	4.0 x 1.5
XAOH NW 08 L 04	L	PN 315	10	6	M 16 x 1.5	M 12 x 1.5	25,0	14	19	7.5 x 1.5
XAOH NW 08 L 06	L	PN 315	10	8	M 16 x 1.5	M 14 x 1.5	25,0	14	19	7.5 x 1.5
XAOH NW 08 L	L	PN 315	10	10	M 16 x 1.5	M 16 x 1.5	37,0	17	19	7.5 x 1.5
XAOH NW 08 L 10	L	PN 315	10	12	M 16 x 1.5	M 18 x 1.5	28,0	19	19	7.5 x 1.5
XAOH NW 08 L 13	L	PN 315	10	15	M 16 x 1.5	M 22 x 1.5	29,0	24	19	7.5 x 1.5
XAOH NW 08 L 16	L	PN 315	10	18	M 16 x 1.5	M 26 x 1.5	33,0	27	19	7.5 x 1.5
XAOH NW 10 L 04	L	PN 315	12	6	M 18 x 1.5	M 12 x 1.5	26,5	17	22	9.0 x 1.5
XAOH NW 10 L 06	L	PN 315	12	8	M 18 x 1.5	M 14 x 1.5	26,5	17	22	9.0 x 1.5
XAOH NW 10 L 08	L	PN 315	12	10	M 18 x 1.5	M 16 x 1.5	27,5	17	22	9.0 x 1.5
XAOH NW 10 L	L	PN 315	12	12	M 18 x 1.5	M 18 x 1.5	37,0	19	22	9.0 x 1.5
XAOH NW 10 L 13	L	PN 315	12	15	M 18 x 1.5	M 22 x 1.5	29,0	24	22	9.0 x 1.5
XAOH NW 10 L 16	L	PN 315	12	18	M 18 x 1.5	M 26 x 1.5	29,5	27	22	9.0 x 1.5
XAOH NW 13 L 04	L	PN 315	15	6	M 22 x 1.5	M 12 x 1.5	28,5	19	27	12.0 x 2.0
XAOH NW 13 L 06	L	PN 315	15	8	M 22 x 1.5	M 14 x 1.5	28,5	19	27	12.0 x 2.0
XAOH NW 13 L 08	L	PN 315	15	10	M 22 x 1.5	M 16 x 1.5	29,5	19	27	12.0 x 2.0
XAOH NW 13 L 10	L	PN 315	15	12	M 22 x 1.5	M 18 x 1.5	29,5	19	27	12.0 x 2.0
XAOH NW 13 L	L	PN 315	15	15	M 22 x 1.5	M 22 x 1.5	37,0	24	27	12.0 x 2.0
XAOH NW 13 L 16	L	PN 315	15	18	M 22 x 1.5	M 26 x 1.5	31,5	27	27	12.0 x 2.0
XAOH NW 13 L 20	L	PN 160	15	22	M 22 x 1.5	M 30 x 2	33,5	32	27	12.0 x 2.0
XAOH NW 16 L 04	L	PN 315	18	6	M 26 x 1.5	M 12 x 1.5	29,5	24	32	15.0 x 2.0
XAOH NW 16 L 06	L	PN 315	18	8	M 26 x 1.5	M 14 x 1.5	29,5	24	32	15.0 x 2.0
XAOH NW 16 L 08	L	PN 315	18	10	M 26 x 1.5	M 16 x 1.5	30,5	24	32	15.0 x 2.0
XAOH NW 16 L 10	L	PN 315	18	12	M 26 x 1.5	M 18 x 1.5	30,5	24	32	15.0 x 2.0
XAOH NW 16 L 13	L	PN 315	18	15	M 26 x 1.5	M 22 x 1.5	31,5	24	32	15.0 x 2.0
XAOH NW 16 L	L	PN 315	18	18	M 26 x 1.5	M 26 x 1.5	36,0	27	32	15.0 x 2.0
XAOH NW 16 L 20	L	PN 160	18	22	M 26 x 1.5	M 30 x 2	33,0	32	32	15.0 x 2.0
XAOH NW 16 L 25	L	PN 160	18	28	M 26 x 1.5	M 36 x 2	34,0	41	32	15.0 x 2.0
XAOH NW 20 L 04	L	PN 160	22	6	M 30 x 2	M 12 x 1.5	32,0	27	36	20.0 x 2.0
XAOH NW 20 L 06	L	PN 160	22	8	M 30 x 2	M 14 x 1.5	32,0	27	36	20.0 x 2.0
XAOH NW 20 L 08	L	PN 160	22	10	M 30 x 2	M 16 x 1.5	33,0	27	36	20.0 x 2.0



Item	Identification	Series	Operating pressure	Ø d1 (mm)	Ø d2 (mm)	G1	G2	L2 (mm)	AF (mm)	S1	OR
	XAOH NW 20 L 10	L	PN 160	22	12	M 30 x 2	M 18 x 1.5	33,0	27	36	20.0 x 2.0
	XAOH NW 20 L 13	L	PN 160	22	15	M 30 x 2	M 22 x 1.5	34,0	27	36	20.0 x 2.0
	XAOH NW 20 L 16	L	PN 160	22	18	M 30 x 2	M 26 x 1.5	33,5	27	36	20.0 x 2.0
	XAOH NW 20 L	L	PN 160	22	22	M 30 x 2	M 30 x 2	42,5	32	36	20.0 x 2.0
	XAOH NW 20 L 25	L	PN 160	22	28	M 30 x 2	M 36 x 2	38,0	41	36	20.0 x 2.0
	XAOH NW 20 L 32	L	PN 160	22	35	M 30 x 2	M 45 x 2	39,0	46	36	20.0 x 2.0
	XAOH NW 25 L 04	L	PN 160	28	6	M 36 x 2	M 12 x 1.5	34,0	32	41	26.0 x 2.0
	XAOH NW 25 L 06	L	PN 160	28	8	M 36 x 2	M 14 x 1.5	34,0	32	41	26.0 x 2.0
	XAOH NW 25 L 08	L	PN 160	28	10	M 36 x 2	M 16 x 1.5	35,0	32	41	26.0 x 2.0
	XAOH NW 25 L 10	L	PN 160	28	12	M 36 x 2	M 18 x 1.5	35,0	32	41	26.0 x 2.0
	XAOH NW 25 L 13	L	PN 160	28	15	M 36 x 2	M 22 x 1.5	36,0	32	41	26.0 x 2.0
	XAOH NW 25 L 16	L	PN 160	28	18	M 36 x 2	M 26 x 1.5	35,5	32	41	26.0 x 2.0
	XAOH NW 25 L 20	L	PN 160	28	22	M 36 x 2	M 30 x 2	37,5	32	41	26.0 x 2.0
	XAOH NW 25 L	L	PN 160	28	28	M 36 x 2	M 36 x 2	41,5	41	41	26.0 x 2.0
	XAOH NW 25 L 32	L	PN 160	28	35	M 36 x 2	M 45 x 2	39,5	46	41	26.0 x 2.0
	XAOH NW 25 L 40	L	PN 160	28	42	M 36 x 2	M 52 x 2	41,0	55	41	26.0 x 2.0
	XAOH NW 32 L 04	L	PN 160	35	6	M 45 x 2	M 12 x 1.5	37,0	41	50	32.0 x 2.5
	XAOH NW 32 L 06	L	PN 160	35	8	M 45 x 2	M 14 x 1.5	37,0	41	50	32.0 x 2.5
	XAOH NW 32 L 08	L	PN 160	35	10	M 45 x 2	M 16 x 1.5	38,0	41	50	32.0 x 2.5
	XAOH NW 32 L 10	L	PN 160	35	12	M 45 x 2	M 18 x 1.5	38,0	41	50	32.0 x 2.5
	XAOH NW 32 L 13	L	PN 160	35	15	M 45 x 2	M 22 x 1.5	39,5	41	50	32.0 x 2.5
	XAOH NW 32 L 16	L	PN 160	35	18	M 45 x 2	M 26 x 1.5	38,5	41	50	32.0 x 2.5
	XAOH NW 32 L 20	L	PN 160	35	22	M 45 x 2	M 30 x 2	41,5	41	50	32.0 x 2.5
	XAOH NW 32 L 25	L	PN 160	35	28	M 45 x 2	M 36 x 2	41,5	41	50	32.0 x 2.5
	XAOH NW 32 L	L	PN 160	35	35	M 45 x 2	M 45 x 2	50,0	46	50	32.0 x 2.5
	XAOH NW 32 L 40	L	PN 160	35	42	M 45 x 2	M 52 x 2	42,0	55	50	32.0 x 2.5
	XAOH NW 40 L 04	L	PN 160	42	6	M 52 x 2	M 12 x 1.5	40,5	50	60	38.0 x 2.5
	XAOH NW 40 L 06	L	PN 160	42	8	M 52 x 2	M 14 x 1.5	40,5	50	60	38.0 x 2.5
	XAOH NW 40 L 08	L	PN 160	42	10	M 52 x 2	M 16 x 1.5	41,5	50	60	38.0 x 2.5
	XAOH NW 40 L 10	L	PN 160	42	12	M 52 x 2	M 18 x 1.5	41,5	50	60	38.0 x 2.5
	XAOH NW 40 L 13	L	PN 160	42	15	M 52 x 2	M 22 x 1.5	42,5	50	60	38.0 x 2.5
	XAOH NW 40 L 16	L	PN 160	42	18	M 52 x 2	M 26 x 1.5	42,0	50	60	38.0 x 2.5
	XAOH NW 40 L 20	L	PN 160	42	22	M 52 x 2	M 30 x 2	44,0	50	60	38.0 x 2.5
	XAOH NW 40 L 25	L	PN 160	42	28	M 52 x 2	M 36 x 2	44,0	50	60	38.0 x 2.5
	XAOH NW 40 L 32	L	PN 160	42	35	M 52 x 2	M 45 x 2	43,0	50	60	38.0 x 2.5
	XAOH NW 40 L	L	PN 160	42	42	M 52 x 2	M 52 x 2	42,0	55	60	38.0 x 2.5
	XAOH NW 04 L 03 S	L / S	PN 315	6	6	M 12 x 1.5	M 14 x 1.5	29,5	17	14	4.0 x 1.5
	XAOH NW 04 L 04 S	L / S	PN 315	6	8	M 12 x 1.5	M 16 x 1.5	29,5	17	14	4.0 x 1.5
	XAOH NW 04 L 06 S	L / S	PN 315	6	10	M 12 x 1.5	M 18 x 1.5	29,0	19	14	4.0 x 1.5
	XAOH NW 04 L 08 S	L / S	PN 315	6	12	M 12 x 1.5	M 20 x 1.5	31,0	22	14	4.0 x 1.5
	XAOH NW 06 L 04 S	L / S	PN 315	8	8	M 14 x 1.5	M 16 x 1.5	30,0	17	17	6.0 x 1.5
	XAOH NW 06 L 06 S	L / S	PN 315	8	10	M 14 x 1.5	M 18 x 1.5	29,5	19	17	6.0 x 1.5
	XAOH NW 06 L 08 S	L / S	PN 315	8	12	M 14 x 1.5	M 20 x 1.5	31,5	22	17	6.0 x 1.5
	XAOH NW 08 L 06 S	L / S	PN 315	10	10	M 16 x 1.5	M 18 x 1.5	32,5	19	19	7.5 x 1.5
	XAOH NW 08 L 08 S	L / S	PN 315	10	12	M 16 x 1.5	M 20 x 1.5	32,5	22	19	7.5 x 1.5
	XAOH NW 08 L 10 S	L / S	PN 315	10	14	M 16 x 1.5	M 22 x 1.5	34,0	24	19	7.5 x 1.5
	XAOH NW 08 L 13 S	L / S	PN 315	10	16	M 16 x 1.5	M 24 x 1.5	33,5	27	19	7.5 x 1.5
	XAOH NW 10 L 04 S	L / S	PN 315	12	8	M 18 x 1.5	M 16 x 1.5	31,0	19	22	9.0 x 1.5
	XAOH NW 10 L 06 S	L / S	PN 315	12	10	M 18 x 1.5	M 18 x 1.5	30,5	19	22	9.0 x 1.5
	XAOH NW 10 L 08 S	L / S	PN 315	12	12	M 18 x 1.5	M 20 x 1.5	33,0	22	22	9.0 x 1.5
	XAOH NW 10 L 10 S	L / S	PN 315	12	14	M 18 x 1.5	M 22 x 1.5	35,5	24	22	9.0 x 1.5
	XAOH NW 10 L 13 S	L / S	PN 315	12	16	M 18 x 1.5	M 24 x 1.5	33,5	27	22	9.0 x 1.5
	XAOH NW 10 L 16 S	L / S	PN 315	12	20	M 18 x 1.5	M 30 x 2	29,5	32	22	9.0 x 1.5
	XAOH NW 13 L 13 S	L / S	PN 315	15	16	M 22 x 1.5	M 24 x 1.5	35,5	27	27	12.0 x 2.0
	XAOH NW 13 L 16 S	L / S	PN 315	15	20	M 22 x 1.5	M 30 x 2	32,5	32	27	12.0 x 2.0
	XAOH NW 16 L 13 S	L / S	PN 315	18	16	M 26 x 1.5	M 24 x 1.5	31,5	27	32	16.0 x 2.0
	XAOH NW 16 L 16 S	L / S	PN 315	18	20	M 26 x 1.5	M 30 x 2	37,0	32	32	16.0 x 2.0
	XAOH NW 16 L 20 S	L / S	PN 315	18	25	M 26 x 1.5	M 36 x 2	33,5	41	32	16.0 x 2.0
	XAOH NW 20 L 13 S	L / S	PN 160	22	16	M 30 x 2	M 24 x 1.5	34,0	27	36	20.0 x 2.0
	XAOH NW 20 L 16 S	L / S	PN 160	22	20	M 30 x 2	M 30 x 2	41,0	32	36	20.0 x 2.0
	XAOH NW 20 L 20 S	L / S	PN 160	22	25	M 30 x 2	M 36 x 2	43,5	41	36	20.0 x 2.0
	XAOH NW 20 L 25 S	L / S	PN 160	22	30	M 30 x 2	M 42 x 2	43,5	46	36	20.0 x 2.0



Item	Series	Operating pressure	Ø d1 (mm)	Ø d2 (mm)	G1	G2	L2 (mm)	AF (mm)	S1	OR
XAOH NW 25 L 13 S	L / S	PN 160	28	16	M 36 x 2	M 24 x 2	36,5	32	41	26.0 x 2.0
XAOH NW 25 L 20 S	L / S	PN 160	28	25	M 36 x 2	M 36 x 2	44,0	41	41	26.0 x 2.0
XAOH NW 25 L 25 S	L / S	PN 160	28	30	M 36 x 2	M 42 x 2	43,5	46	41	26.0 x 2.0
XAOH NW 25 L 32 S	L / S	PN 160	28	38	M 26 x 2	M 52 x 2	47,0	55	41	26.0 x 2.0
XAOH NW 32 L 20 S	L / S	PN 160	35	25	M 45 x 2	M 36 x 2	40,0	41	50	32.0 x 2.5
XAOH NW 32 L 25 S	L / S	PN 160	35	30	M 45 x 2	M 42 x 2	40,5	46	50	32.0 x 2.5
XAOH NW 32 L 32 S	L / S	PN 160	35	38	M 45 x 2	M 52 x 2	50,0	55	50	32.0 x 2.5
XAOH NW 40 L 25 S	L / S	PN 160	42	30	M 52 x 2	M 42 x 2	42,5	50	60	38.0 x 2.5
XAOH NW 40 L 32 S	L / S	PN 160	42	38	M 52 x 2	M 52 x 2	45,5	55	60	38.0 x 2.5
XAOH NW 03 S	S	PN 630	6	6	M 14 x 1.5	M 14 x 1.5	36,0	14	17	4.0 x 1.5
XAOH NW 03 S 04	S	PN 630	6	8	M 14 x 1.5	M 16 x 1.5	30,0	17	17	4.0 x 1.5
XAOH NW 03 S 06	S	PN 630	6	10	M 14 x 1.5	M 18 x 1.5	29,5	19	17	4.0 x 1.5
XAOH NW 04 S 03	S	PN 630	8	6	M 16 x 1.5	M 14 x 1.5	28,0	14	19	6.0 x 1.5
XAOH NW 04 S	S	PN 630	8	8	M 16 x 1.5	M 16 x 1.5	37,5	17	19	6.0 x 1.5
XAOH NW 04 S 06	S	PN 630	8	10	M 16 x 1.5	M 18 x 1.5	30,0	19	19	6.0 x 1.5
XAOH NW 04 S 08	S	PN 630	8	12	M 16 x 1.5	M 20 x 1.5	32,0	22	19	6.0 x 1.5
XAOH NW 04 S 13	S	PN 400	8	16	M 16 x 1.5	M 24 x 1.5	31,5	27	19	6.0 x 1.5
XAOH NW 06 S 03	S	PN 630	10	6	M 18 x 1.5	M 14 x 1.5	29,5	17	22	7.5 x 1.5
XAOH NW 06 S 04	S	PN 630	10	8	M 18 x 1.5	M 16 x 1.5	29,5	17	22	7.5 x 1.5
XAOH NW 06 S	S	PN 630	10	10	M 18 x 1.5	M 18 x 1.5	36,5	19	22	7.5 x 1.5
XAOH NW 06 S 08	S	PN 630	10	12	M 18 x 1.5	M 20 x 1.5	32,5	22	22	7.5 x 1.5
XAOH NW 06 S 10	S	PN 630	10	14	M 18 x 1.5	M 22 x 1.5	34,0	24	22	7.5 x 1.5
XAOH NW 06 S 13	S	PN 400	10	16	M 18 x 1.5	M 24 x 1.5	33,5	27	22	7.5 x 1.5
XAOH NW 08 S 03	S	PN 630	12	6	M 20 x 1.5	M 14 x 1.5	30,0	17	24	9.0 x 1.5
XAOH NW 08 S 04	S	PN 630	12	8	M 20 x 1.5	M 16 x 1.5	30,0	17	24	9.0 x 1.5
XAOH NW 08 S 06	S	PN 630	12	10	M 20 x 1.5	M 18 x 1.5	30,5	19	24	9.0 x 1.5
XAOH NW 08 S	S	PN 630	12	12	M 20 x 1.5	M 20 x 1.5	32,5	22	24	9.0 x 1.5
XAOH NW 08 S 10	S	PN 630	12	14	M 20 x 1.5	M 22 x 1.5	34,0	24	24	9.0 x 1.5
XAOH NW 08 S 13	S	PN 400	12	16	M 20 x 1.5	M 24 x 1.5	33,5	27	24	9.0 x 1.5
XAOH NW 08 S 16	S	PN 400	12	20	M 20 x 1.5	M 30 x 2	37,0	32	24	9.0 x 1.5
XAOH NW 10 S 03	S	PN 630	14	6	M 22 x 1.5	M 14 x 1.5	33,0	19	27	10.0 x 2.0
XAOH NW 10 S 04	S	PN 630	14	8	M 22 x 1.5	M 16 x 1.5	33,0	19	27	10.0 x 2.0
XAOH NW 10 S 06	S	PN 630	14	10	M 22 x 1.5	M 18 x 1.5	32,5	19	27	10.0 x 2.0
XAOH NW 10 S 08	S	PN 630	14	12	M 22 x 1.5	M 20 x 1.5	32,5	22	27	10.0 x 2.0
XAOH NW 10 S	S	PN 630	14	14	M 22 x 1.5	M 22 x 1.5	40,0	24	27	10.0 x 2.0
XAOH NW 10 S 13	S	PN 400	14	16	M 22 x 1.5	M 24 x 1.5	36,0	27	27	10.0 x 2.0
XAOH NW 10 S 16	S	PN 400	14	20	M 22 x 1.5	M 30 x 2	38,0	32	27	10.0 x 2.0
XAOH NW 13 S 03	S	PN 400	16	6	M 24 x 1.5	M 14 x 1.5	34,0	22	30	12.0 x 2.0
XAOH NW 13 S 04	S	PN 400	16	8	M 24 x 1.5	M 16 x 1.5	34,0	22	30	12.0 x 2.0
XAOH NW 13 S 06	S	PN 400	16	10	M 24 x 1.5	M 18 x 1.5	33,5	22	30	12.0 x 2.0
XAOH NW 13 S 08	S	PN 400	16	12	M 24 x 1.5	M 20 x 1.5	33,5	22	30	12.0 x 2.0
XAOH NW 13 S 10	S	PN 400	16	14	M 24 x 1.5	M 22 x 1.5	35,5	24	30	12.0 x 2.0
XAOH NW 13 S	S	PN 400	16	16	M 24 x 1.5	M 24 x 1.5	40,0	27	30	12.0 x 2.0
XAOH NW 13 S 16	S	PN 400	16	20	M 24 x 1.5	M 30 x 2	39,0	32	30	12.0 x 2.0
XAOH NW 13 S 20	S	PN 400	16	25	M 24 x 1.5	M 36 x 2	41,5	41	30	12.0 x 2.0
XAOH NW 16 S 03	S	PN 400	20	6	M 30 x 2	M 14 x 1.5	39,0	27	36	16.3 x 2.4
XAOH NW 16 S 04	S	PN 400	20	8	M 30 x 2	M 16 x 1.5	39,0	27	36	16.3 x 2.4
XAOH NW 16 S 06	S	PN 400	20	10	M 30 x 2	M 18 x 1.5	38,5	27	36	16.3 x 2.4
XAOH NW 16 S 08	S	PN 400	20	12	M 30 x 2	M 20 x 1.5	38,5	27	36	16.3 x 2.4
XAOH NW 16 S 10	S	PN 400	20	14	M 30 x 2	M 22 x 1.5	40,0	27	36	16.3 x 2.4
XAOH NW 16 S 13	S	PN 400	20	16	M 30 x 2	M 24 x 1.5	39,5	27	36	16.3 x 2.4
XAOH NW 16 S	S	PN 400	20	20	M 30 x 2	M 30 x 2	46,0	32	36	16.3 x 2.4
XAOH NW 16 S 20	S	PN 400	20	25	M 30 x 2	M 36 x 2	44,5	41	36	16.3 x 2.4
XAOH NW 16 S 25	S	PN 400	20	30	M 30 x 2	M 42 x 2	45,0	46	36	16.3 x 2.4
XAOH NW 16 S 32	S	PN 315	20	38	M 30 x 2	M 52 x 2	41,5	55	36	16.3 x 2.4
XAOH NW 20 S 03	S	PN 400	25	6	M 36 x 2	M 14 x 1.5	41,5	32	46	20.3 x 2.4
XAOH NW 20 S 04	S	PN 400	25	8	M 36 x 2	M 16 x 1.5	41,5	32	46	20.3 x 2.4
XAOH NW 20 S 06	S	PN 400	25	10	M 36 x 2	M 18 x 1.5	41,0	32	46	20.3 x 2.4
XAOH NW 20 S 08	S	PN 400	25	12	M 36 x 2	M 20 x 1.5	41,0	32	46	20.3 x 2.4
XAOH NW 20 S 10	S	PN 400	25	14	M 36 x 2	M 22 x 1.5	42,5	32	46	20.3 x 2.4
XAOH NW 20 S 13	S	PN 400	25	16	M 36 x 2	M 24 x 1.5	42,0	32	46	20.3 x 2.4
XAOH NW 20 S 16	S	PN 400	25	20	M 36 x 2	M 30 x 2	42,0	32	46	20.3 x 2.4



Item	Identification	Series	Operating pressure	Ø d1 (mm)	Ø d2 (mm)	G1	G2	L2 (mm)	AF (mm)	S1	OR
	XAOH NW 20 S	S	PN 400	25	25	M 36 x 2	M 36 x 2	50,0	41	46	20.3 x 2.4
	XAOH NW 20 S 25	S	PN 400	25	30	M 36 x 2	M 42 x 2	48,0	46	46	20.3 x 2.4
	XAOH NW 20 S 32	S	PN 315	25	38	M 36 x 2	M 52 x 2	50,5	55	46	20.3 x 2.4
	XAOH NW 25 S 03	S	PN 400	30	6	M 42 x 2	M 14 x 1.5	44,0	41	50	25.3 x 2.4
	XAOH NW 25 S 04	S	PN 400	30	8	M 42 x 2	M 16 x 1.5	46,0	41	50	25.3 x 2.4
	XAOH NW 25 S 06	S	PN 400	30	10	M 42 x 2	M 18 x 2	45,5	41	50	25.3 x 2.4
	XAOH NW 25 S 08	S	PN 400	30	12	M 42 x 2	M 20 x 2	45,5	41	50	25.3 x 2.4
	XAOH NW 25 S 10	S	PN 400	30	14	M 42 x 2	M 22 x 1.5	45,0	41	50	25.3 x 2.4
	XAOH NW 25 S 13	S	PN 400	30	16	M 42 x 2	M 24 x 1.5	46,5	41	50	25.3 x 2.4
	XAOH NW 25 S 16	S	PN 400	30	20	M 42 x 2	M 30 x 2	46,5	41	50	25.3 x 2.4
	XAOH NW 25 S 20	S	PN 400	30	25	M 42 x 2	M 36 x 2	47,0	41	50	25.3 x 2.4
	XAOH NW 25 S	S	PN 400	30	30	M 42 x 2	M 42 x 2	53,5	46	50	25.3 x 2.4
	XAOH NW 25 S 32	S	PN 315	30	38	M 42 x 2	M 52 x 2	56,5	55	50	25.3 x 2.4
	XAOH NW 32 S 03	S	PN 315	38	6	M 52 x 2	M 14 x 1.5	47,5	50	60	33.3 x 2.4
	XAOH NW 32 S 04	S	PN 315	38	8	M 52 x 2	M 16 x 1.5	47,5	50	60	33.3 x 2.4
	XAOH NW 32 S 06	S	PN 315	38	10	M 52 x 2	M 18 x 1.5	47,0	50	60	33.3 x 2.4
	XAOH NW 32 S 08	S	PN 315	38	12	M 52 x 2	M 20 x 1.5	50,0	50	60	33.3 x 2.4
	XAOH NW 32 S 10	S	PN 315	38	14	M 52 x 2	M 22 x 1.5	48,5	50	60	33.3 x 2.4
	XAOH NW 32 S 13	S	PN 315	38	16	M 52 x 2	M 24 x 1.5	51,0	50	60	33.3 x 2.4
	XAOH NW 32 S 16	S	PN 315	38	20	M 52 x 2	M 30 x 2	51,0	50	60	33.3 x 2.4
	XAOH NW 32 S 20	S	PN 315	38	25	M 52 x 2	M 36 x 2	51,5	50	60	33.3 x 2.4
	XAOH NW 32 S 25	S	PN 315	38	30	M 52 x 2	M 42 x 2	52,0	50	60	33.3 x 2.4
	XAOH NW 32 S	S	PN 315	38	38	M 52 x 2	M 52 x 2	57,0	55	60	33.3 x 2.4
	XAOH NW 03 S 04 L	S / L	PN 315	6	6	M 14 x 1.5	M 12 x 1.5	24,5	12	17	4.0 x 1.5
	XAOH NW 03 S 06 L	S / L	PN 315	6	8	M 14 x 1.5	M 14 x 1.5	23,5	14	17	4.0 x 1.5
	XAOH NW 04 S 04 L	S / L	PN 315	8	6	M 16 x 1.5	M 12 x 1.5	24,0	12	19	6.0 x 1.5
	XAOH NW 04 S 06 L	S / L	PN 315	8	8	M 16 x 1.5	M 14 x 1.5	24,5	14	19	6.0 x 1.5
	XAOH NW 04 S 08 L	S / L	PN 315	8	10	M 16 x 1.5	M 16 x 1.5	36,0	17	19	6.0 x 1.5
	XAOH NW 04 S 10 L	S / L	PN 315	8	12	M 16 x 1.5	M 18 x 1.5	27,5	19	19	6.0 x 1.5
	XAOH NW 06 S 06 L	S / L	PN 315	10	8	M 18 x 1.5	M 14 x 1.5	26,0	17	22	7.5 x 1.5
	XAOH NW 06 S 08 L	S / L	PN 315	10	10	M 18 x 1.5	M 16 x 1.5	27,0	17	22	7.5 x 1.5
	XAOH NW 06 S 10 L	S / L	PN 315	10	12	M 18 x 1.5	M 18 x 1.5	27,5	19	22	7.5 x 1.5
	XAOH NW 06 S 13 L	S / L	PN 315	10	15	M 18 x 1.5	M 22 x 1.5	29,0	24	22	7.5 x 1.5
	XAOH NW 08 S 06 L	S / L	PN 315	12	8	M 20 x 1.5	M 14 x 1.5	27,0	17	24	9.0 x 1.5
	XAOH NW 08 S 08 L	S / L	PN 315	12	10	M 20 x 1.5	M 16 x 1.5	29,5	17	24	9.0 x 1.5
	XAOH NW 08 S 10 L	S / L	PN 315	12	12	M 20 x 1.5	M 18 x 1.5	29,5	19	24	9.0 x 1.5
	XAOH NW 08 S 13 L	S / L	PN 315	12	15	M 20 x 1.5	M 22 x 1.5	30,5	24	24	9.0 x 1.5
	XAOH NW 08 S 16 L	S / L	PN 315	12	18	M 20 x 1.5	M 26 x 1.5	34,0	27	24	9.0 x 1.5
	XAOH NW 10 S 10 L	S / L	PN 315	14	12	M 22 x 1.5	M 18 x 1.5	30,5	19	27	10.0 x 2.0
	XAOH NW 10 S 13 L	S / L	PN 315	14	15	M 22 x 1.5	M 22 x 1.5	42,5	24	27	10.0 x 2.0
	XAOH NW 10 S 16 L	S / L	PN 315	14	18	M 22 x 1.5	M 26 x 1.5	35,0	27	27	10.0 x 2.0
	XAOH NW 13 S 13 L	S / L	PN 315	16	15	M 24 x 1.5	M 22 x 1.5	32,5	24	30	12.0 x 2.0
	XAOH NW 13 S 16 L	S / L	PN 315	16	18	M 24 x 1.5	M 26 x 1.5	33,0	27	30	12.0 x 2.0
	XAOH NW 13 S 20 L	S / L	PN 160	16	22	M 24 x 1.5	M 30 x 2	35,0	32	30	12.0 x 2.0
	XAOH NW 16 S 13 L	S / L	PN 315	20	15	M 30 x 2	M 22 x 1.5	38,0	27	36	16.3 x 2.4
	XAOH NW 16 S 16 L	S / L	PN 315	20	18	M 30 x 2	M 26 x 1.5	35,5	27	36	16.3 x 2.4
	XAOH NW 16 S 20 L	S / L	PN 160	20	22	M 30 x 2	M 30 x 2	38,0	32	36	16.3 x 2.4
	XAOH NW 16 S 25 L	S / L	PN 160	20	28	M 30 x 2	M 36 x 2	39,0	41	36	16.3 x 2.4
	XAOH NW 20 S 13 L	S / L	PN 315	25	15	M 36 x 2	M 22 x 1.5	40,5	32	46	20.3 x 2.4
	XAOH NW 20 S 16 L	S / L	PN 315	25	18	M 36 x 2	M 26 x 1.5	38,0	32	46	20.3 x 2.4
	XAOH NW 20 S 20 L	S / L	PN 160	25	22	M 36 x 2	M 30 x 2	42,0	32	46	20.3 x 2.4
	XAOH NW 20 S 25 L	S / L	PN 160	25	28	M 36 x 2	M 36 x 2	42,0	41	46	20.3 x 2.4
	XAOH NW 20 S 32 L	S / L	PN 160	25	35	M 36 x 2	M 45 x 2	42,0	46	46	20.3 x 2.4
	XAOH NW 25 S 20 L	S / L	PN 160	30	22	M 42 x 2	M 30 x 2	45,0	41	50	25.3 x 2.4
	XAOH NW 25 S 25 L	S / L	PN 160	30	28	M 42 x 2	M 36 x 2	45,5	41	50	25.3 x 2.4
	XAOH NW 25 S 32 L	S / L	PN 160	30	35	M 42 x 2	M 45 x 2	45,5	46	50	25.3 x 2.4
	XAOH NW 25 S 40 L	S / L	PN 160	30	42	M 42 x 2	M 52 x 2	47,0	55	50	25.3 x 2.4
	XAOH NW 32 S 25 L	S / L	PN 160	38	28	M 52 x 2	M 36 x 2	50,0	50	60	33.3 x 2.4
	XAOH NW 32 S 32 L	S / L	PN 160	38	35	M 52 x 2	M 45 x 2	48,0	50	60	33.3 x 2.4
	XAOH NW 32 S 40 L	S / L	PN 160	38	42	M 52 x 2	M 52 x 2	50,5	55	60	33.3 x 2.4

Series: LL = Very light L = Light S = Heavy - PN = Nominal pressure PB = Max. operating pressure - Ø d1 = External pipe diameter - Ø d2 = External pipe diameter



Product versions

XAOH VA	Reducing fitting, Socket (without union nut and cutting ring)
---------	---

AOH	Reducing fitting, Socket with union nut and cutting ring
-----	--