HFM VK

Сар

HANSA/FLEX

Properties

suitable for	Measuring technology screw couplings
Temp. min.	-20 °C
Temp. max.	100 °C
Material	Steel
Surface	electro galvanised



Item

Max. working pressure
(bar)
630
630
630

Spare part for following products

opare part for following producto			
HFM KL 12 / HFM KS 12	Measuring connection, S12.65 x 1.5 series		
HFM KL 16 / HFM KS 16	Measuring connection, M16 x 1.5 series		
HFM KL / HFM KS	Measuring connection, M16 x 2 series		
HFM MKN	Measuring connection, M16 x 2 series		
HFM MKN 12	Measuring connection, S12.65 x 1.5 series		
HFM MKN 16	Measuring connection, M16 x 1.5 series		
HFM T HL 16 / HFM T HS 16	Measuring connection, M16 x 1.5 series		
HFM T HL 12 / HFM T HS 12	Measuring connection, S12.65 x 1.5 series		
HFM T HL / HFM T HS	Measuring connection, M16 x 2 series		
HFM T AJ HJ	Measuring connection, M16 x 2 series		
НЕМ МК	Measuring connection, M16 x 2 series		
HFM MK ED	Measuring connection, M16 x 2 series		
HFM MK 16	Measuring connection, M16 x 1.5 series		
XHFM T HL / XHFM T HS	Measuring connection, M16 x 2 series		
HFM MK 16 ED	Measuring connection, M16 x 1.5 series		
HFM MK 12 ED	Measuring connection, S12.65 x 1.5 series		
HFM MK 12	Measuring connection, S12.65 x 1.5 series		
HFM MKRK 12	Measuring connection, S12.65 x 1.5 series		
HFM MK 16 OR	Measuring connection, M16 x 1.5 series		
HFM MKU-16	Measuring connection, M16 x 1.5 series		
HFM MKU	Measuring connection, M16 x 2 series		
HFM MKR ED	Measuring connection, M16 x 2 series		
HFM MKR 16 ED	Measuring connection, M16 x 1.5 series		
HFM MKR 16	Measuring connection, M16 x 1.5 series		
HFM MKR	Measuring connection, M16 x 2 series		
HFM MKR 12 ED	Measuring connection, S12.65 x 1.5 series		
HFM MKR 12	Measuring connection, S12.65 x 1.5 series		