
MU
U-ring MU

Properties

Design	U-ring
Operating pressure	up to 400 bar
Sliding speed max.	0,5 m/s
Temp. min.	-30 °C
Temp. max.	80 °C
Media	Mineral oils
Installation	in closed grooves A in open grooves B on a B or multi-part A piston
Material	PUR
Application	Hydraulics



Spaltmaß / Clearance		
Druck	e (mm)	
bar	d < 60 mm	d >60 mm
50	< 0,40	< 0,50
100	< 0,30	> 0,40
200	< 0,20	> 0,30
300	< 0,15	> 0,20
400	< 0,10	> 0,15



Description

For rods and pistons.
High abrasion resistance.
Use for new designs TS, TS-L, RS-L and EU profiles (rod seals).

Ordering information

We are able to produce seals with diameters of 20 to 510 mm with short lead times.

Item

Identification	d (mm)	D (mm)	L (mm)
MU 09 03	3,00	9,0	5,0
MU 10 04	4,00	10,0	4,5
MU 10 04-1	4,00	10,0	5,0
MU 11 04	4,50	11,0	5,5
MU 12 04	4,00	12,0	4,5
MU 12 05-1	5,00	12,0	5,5
MU 12 05-2	5,00	12,0	6,5
MU 12 05	5,00	12,0	7,0
MU 12 06	6,00	12,0	4,5
MU 12 06-4	6,00	12,0	6,0
MU 12 06-5	6,00	12,0	6,5
MU 12 06-2	6,00	12,0	9,0
MU 12 08	8,00	12,0	3,5
MU 13 06	6,00	12,7	6,5
MU 13 05	5,00	13,0	4,5
MU 14 07	7,00	14,0	4,2
MU 14 08	8,00	14,0	7,0
MU 15 06	6,00	15,0	9,0
MU 15 07-1	7,00	15,0	8,0
MU 15 08	8,00	15,0	6,3
MU 15 08-2	8,00	15,0	9,0
MU 15 09	9,00	15,0	9,0
MU 16 06	6,00	16,0	5,5
MU 16 08	8,00	16,0	4,5
MU 16 08-2	8,00	16,0	6,3
MU 16 10	10,00	16,0	6,5
MU 18 08	8,00	18,0	5,5
MU 18 08-1	8,00	18,0	8,0
MU 18 08-2	8,00	18,0	11,0
MU 18 10-3	10,00	18,0	4,5
MU 18 10-1	10,00	18,0	6,0
MU 18 10	10,00	18,0	7,0
MU 18 10-4	10,00	18,0	9,0
MU 18 12	12,00	18,0	5,5
MU 18 12-1	12,00	18,0	7,0
MU 19 09-1	9,00	19,0	7,0
MU 20 10	10,00	20,0	5,5
MU 20 10-1	10,00	20,0	9,0

Despite careful checking, we cannot guarantee the accuracy of all information included on this site, and we accept no liability.

HANSA-FLEX

Item

Identification	d (mm)	D (mm)	L (mm)
MU 20 12-1	12,00	20,0	4,5
MU 20 12-2	12,00	20,0	8,0
MU 20 12	12,00	20,0	9,0
MU 20 14	14,00	20,0	5,3
MU 21 11	11,00	20,5	7,0
MU 22 08	8,00	22,0	9,0
MU 22 10	10,00	22,0	7,0
MU 22 10-1	10,00	22,0	9,0
MU 22 12	12,00	22,0	5,5
MU 22 12-4	12,00	22,0	8,0
MU 22 12-1	12,00	22,0	9,0
MU 22 14-1	14,00	22,0	7,0
MU 22 14-2	14,00	22,0	9,0
MU 22 16	16,00	22,0	4,5
MU 22 16-2	16,00	22,0	5,5
MU 24 12-1	12,00	24,0	9,0
MU 24 14	14,00	24,0	9,0
MU 24 16-1	16,00	24,0	4,5
MU 24 16-2	16,00	24,0	6,0
MU 24 16-3	16,00	24,0	9,0
MU 24 16	16,00	24,0	10,0
MU 25 10	10,00	25,0	8,0
MU 25 12-1	12,00	25,0	9,0
MU 25 15-1	15,00	25,0	5,5
MU 25 15-2	15,00	25,0	9,0
MU 25 15	15,00	25,0	11,0
MU 25 16-1	16,00	25,0	9,0
MU 25 17-2	17,00	25,0	11,0
MU 25 18	18,00	25,0	5,5
MU 25 19-1	19,00	25,0	3,5
MU 25 19	19,00	25,0	7,0
MU 25 16	15,90	25,4	7,0
MU 26 16	16,00	26,0	6,0
MU 26 16-1	16,00	26,0	9,0
MU 26 16-2	16,00	26,0	11,0
MU 26 18-1	18,00	26,0	4,5
MU 26 18	18,00	26,0	7,5
MU 26 18-4	18,00	26,0	9,0
MU 27 15	15,00	27,0	7,0
MU 28 15	15,00	28,0	11,0
MU 28 16	16,00	28,0	7,0
MU 28 18	18,00	28,0	5,5
MU 28 18-1	18,00	28,0	9,0
MU 28 20	20,00	28,0	5,0
MU 28 20-1	20,00	28,0	5,5
MU 28 20-3	20,00	28,0	9,0
MU 28 22	22,00	28,0	9,0
MU 30 18-1	18,00	30,0	9,0
MU 30 20-1	20,00	30,0	5,5
MU 30 20-3	20,00	30,0	8,0
MU 30 20-2	20,00	30,0	9,0
MU 30 20	20,00	30,0	11,0
MU 30 22-1	22,00	30,0	4,5
MU 30 22-2	22,00	30,0	7,0
MU 30 22	22,00	30,0	7,5
MU 30 22-3	22,00	30,0	11,0
MU 30 23	23,00	30,0	7,5
MU 32 16	16,00	32,0	9,0
MU 32 20-2	20,00	32,0	8,5
MU 32 20-1	20,00	32,0	10,0
MU 32 22-1	22,00	32,0	5,5
MU 32 22	22,00	32,0	9,0
MU 32 22-2	22,00	32,0	11,0

Despite careful checking, we cannot guarantee the accuracy of all information included on this site, and we accept no liability.

Item

Identification	d (mm)	D (mm)	L (mm)
MU 32 24-3	24,00	32,0	6,5
MU 32 24-1	24,00	32,0	7,5
MU 32 24-4	24,00	32,0	8,0
MU 33 25-1	25,00	33,0	4,5
MU 33 25-2	25,00	33,0	5,5
MU 33 25	25,00	33,0	7,5
MU 34 22	22,00	34,0	6,5
MU 34 26	26,00	34,0	4,5
MU 35 20	20,00	35,0	13,0
MU 35 22-1	22,00	35,0	6,0
MU 35 22	22,00	35,0	11,0
MU 35 25-1	25,00	35,0	5,5
MU 35 25-2	25,00	35,0	9,0
MU 35 25	25,00	35,0	11,0
MU 35 27	27,00	35,0	6,5
MU 35 28	28,00	35,0	5,5
MU 36 22	22,00	36,0	11,0
MU 36 24	24,00	36,0	6,5
MU 36 26-1	26,00	36,0	8,0
MU 36 28	28,00	36,0	7,5
MU 37 30	30,00	37,0	7,0
MU 38 25	25,00	38,0	9,0
MU 38 25-2	25,00	38,0	11,0
MU 38 28-1	28,00	38,0	9,0
MU 38 30	30,00	38,0	8,0
MU 38 30-2	30,00	38,0	6,5
MU 38 25-1	25,00	38,1	7,0
MU 39 20	20,00	39,0	11,0
MU 40 20-1	20,00	40,0	11,0
MU 40 20	20,00	40,0	12,0
MU 40 20-2	20,00	40,0	13,0
MU 40 22	22,00	40,0	11,0
MU 40 24	24,00	40,0	9,0
MU 40 25	25,00	40,0	8,0
MU 40 25-1	25,00	40,0	11,0
MU 40 28	28,00	40,0	6,5
MU 40 28-1	28,00	40,0	11,0
MU 40 30-1	30,00	40,0	5,5
MU 40 30	30,00	40,0	11,0
MU 40 32-1	32,00	40,0	4,5
MU 40 32	32,00	40,0	6,0
MU 40 32-3	32,00	40,0	9,0
MU 42 30-1	30,00	42,0	6,5
MU 42 30	30,00	42,0	10,0
MU 42 30-2	30,00	42,0	11,0
MU 42 32-1	32,00	42,0	5,5
MU 42 32-2	32,00	42,0	8,0
MU 42 32	32,00	42,0	11,0
MU 42 34	34,00	42,0	6,5
MU 45 25	25,00	45,0	11,0
MU 45 30	30,00	45,0	10,0
MU 45 30-1	30,00	45,0	11,0
MU 45 32	32,00	45,0	11,0
MU 45 34-1	34,00	45,0	8,0
MU 45 34	34,00	45,0	10,0
MU 45 35	35,00	45,0	5,5
MU 45 35-2	35,00	45,0	9,0
MU 45 35-3	35,00	45,0	11,0
MU 45 35-4	35,00	45,0	7,0
MU 45 38	38,00	45,0	5,5
MU 46 36	36,00	46,0	8,0
MU 46 38	38,00	46,0	7,5
MU 48 35	35,00	48,0	11,0

Despite careful checking, we cannot guarantee the accuracy of all information included on this site, and we accept no liability.

Item

Identification	d (mm)	D (mm)	L (mm)
MU 48 36	36,00	48,0	9,0
MU 48 40-1	40,00	48,0	12,0
MU 50 30	30,00	50,0	11,0
MU 50 30-1	30,00	50,0	13,0
MU 50 32-1	32,00	50,0	13,0
MU 50 34-1	34,00	50,0	15,0
MU 50 35	35,00	50,0	8,0
MU 50 35-1	35,00	50,0	11,0
MU 50 38	38,00	50,0	6,5
MU 50 38-1	38,00	50,0	10,0
MU 50 40-2	40,00	50,0	5,5
MU 50 40	40,00	50,0	7,5
MU 50 40-3	40,00	50,0	9,0
MU 50 40-1	40,00	50,0	11,0
MU 50 44	44,00	50,0	9,5
MU 51 41	40,80	50,8	7,7
MU 52 32	32,00	52,0	11,0
MU 52 40	40,00	52,0	9,0
MU 52 40-2	40,00	52,0	11,0
MU 52 42-1	42,00	52,0	10,0
MU 53 45	45,00	53,0	7,5
MU 54 42	42,00	54,0	6,5
MU 55 35	35,00	55,0	11,0
MU 55 35-1	35,00	55,0	13,0
MU 55 38	38,00	55,0	11,0
MU 55 40	40,00	55,0	11,0
MU 55 45	45,00	55,0	7,5
MU 55 45-3	45,00	55,0	9,0
MU 55 45-1	45,00	55,0	11,0
MU 56 40	40,00	56,0	11,0
MU 58 38	38,00	58,0	11,0
MU 58 48	48,00	58,0	11,0
MU 60 35	35,00	60,0	13,0
MU 60 40-1	40,00	60,0	11,0
MU 60 40-2	40,00	60,0	14,0
MU 60 40-3	40,00	60,0	19,0
MU 60 45	45,00	60,0	11,0
MU 60 48	48,00	60,0	6,5
MU 60 50-2	50,00	60,0	5,5
MU 60 50	50,00	60,0	11,0
MU 60 50-1	50,00	60,0	12,0
MU 62 42	42,00	62,0	13,0
MU 62 50	50,00	62,0	10,0
MU 62 52	52,00	62,0	13,0
MU 63 45	45,00	63,0	11,0
MU 63 48	48,00	63,0	11,0
MU 63 50	50,00	63,0	7,0
MU 63 53-1	53,00	63,0	5,5
MU 63 53	53,00	63,0	7,5
MU 63 53-2	53,00	63,0	8,0
MU 65 40	40,00	65,0	13,0
MU 65 45	45,00	65,0	11,0
MU 65 45-1	45,00	65,0	13,0
MU 65 50-1	50,00	65,0	11,0
MU 65 55-1	55,00	65,0	11,0
MU 65 55	55,00	65,0	13,0
MU 70 36	26,00	70,0	11,0
MU 70 40	40,00	70,0	16,0
MU 70 50-1	50,00	70,0	11,0
MU 70 50	50,00	70,0	13,0
MU 70 50-2	50,00	70,0	16,0
MU 70 55-1	55,00	70,0	8,0
MU 70 55	55,00	70,0	11,0

Despite careful checking, we cannot guarantee the accuracy of all information included on this site, and we accept no liability.

Item			
Identification	d (mm)	D (mm)	L (mm)
MU 70 55-3	55,00	70,0	12,0
MU 70 55-2	55,00	70,0	13,0
MU 70 60-2	60,00	70,0	5,5
MU 70 60	60,00	70,0	9,0
MU 70 60-3	60,00	70,0	11,0
MU 70 60-1	60,00	70,0	13,0
MU 72 50	50,00	72,0	13,0
MU 75 50	50,00	75,0	13,0
MU 75 55	55,00	75,0	11,0
MU 75 55-1	55,00	75,0	13,0
MU 75 60-1	60,00	75,0	8,0
MU 75 60-2	60,00	75,0	11,0
MU 75 60	60,00	75,0	13,0
MU 75 63	63,00	75,0	11,0
MU 75 65	85,00	75,0	13,0
MU 76 56	56,00	76,0	13,0
MU 76 66	66,00	76,0	9,0
MU 78 63	63,00	78,0	11,0
MU 80 50	50,00	80,0	11,0
MU 80 55-3	55,00	80,0	11,0
MU 80 55	55,00	80,0	13,0
MU 80 55-1	55,00	80,0	20,0
MU 80 60	60,00	80,0	11,0
MU 80 60-1	60,00	80,0	13,0
MU 80 60-2	60,00	80,0	16,0
MU 80 60-3	60,00	80,0	19,0
MU 80 65-1	65,00	80,0	8,0
MU 80 65-3	65,00	80,0	11,0
MU 80 65-2	65,00	80,0	12,0
MU 80 65	65,00	80,0	13,0
MU 80 66	66,00	80,0	11,0
MU 80 70-2	70,00	80,0	5,5
MU 80 70	70,00	80,0	9,0
MU 80 70-3	70,00	80,0	11,0
MU 80 70-1	70,00	80,0	13,0
MU 83 63	63,00	83,0	16,0
MU 85 55	55,00	85,0	16,0
MU 85 60-2	60,00	85,0	11,0
MU 85 65-1	65,00	85,0	11,0
MU 85 65	65,00	85,0	13,0
MU 85 70	70,00	85,0	11,0
MU 85 70-1	70,00	85,0	12,0
MU 85 70-2	70,00	85,0	13,0
MU 85 75	75,00	85,0	13,0
MU 90 60	60,00	90,0	16,0
MU 90 70-1	70,00	90,0	11,0
MU 90 70	70,00	90,0	13,0
MU 90 70-2	70,00	90,0	16,0
MU 90 70-3	70,00	90,0	19,0
MU 90 75-1	75,00	90,0	8,5
MU 90 75	75,00	90,0	11,0
MU 90 75-2	75,00	90,0	13,0
MU 90 80	80,00	90,0	5,5
MU 90 80-2	80,00	90,0	11,0
MU 90 80-3	80,00	90,0	13,0
MU 93 78	78,00	93,0	11,5
MU 95 70-2	70,00	95,0	11,0
MU 95 70	70,00	95,0	13,0
MU 95 75-3	75,00	95,0	11,0
MU 95 75-1	75,00	95,0	13,0
MU 95 75	75,00	95,0	14,5
MU 95 80	80,00	95,0	8,0
MU 95 80-2	80,00	95,0	11,0

Despite careful checking, we cannot guarantee the accuracy of all information included on this site, and we accept no liability.

Item

Identification	d (mm)	D (mm)	L (mm)
MU 95 80-1	80,00	95,0	13,0
MU 95 85-1	85,00	95,0	5,5
MU 95 85	85,00	95,0	9,5
MU 95 85-3	85,00	95,0	13,0
MU 96 76	76,50	96,5	13,0
MU 100 70	70,00	100,0	16,0
MU 100 75	75,00	100,0	13,0
MU 100 75-1	75,00	100,0	20,0
MU 100 80-1	80,00	100,0	11,0
MU 100 80	80,00	100,0	13,0
MU 100 85-3	85,00	100,0	10,0
MU 100 85-2	85,00	100,0	12,0
MU 100 85	85,00	100,0	13,0
MU 100 90-2	90,00	100,0	5,5
MU 100 90-4	90,00	100,0	8,0
MU 100 90	90,00	100,0	9,0
MU 100 90-3	90,00	100,0	13,0
MU 105 80-3	80,00	105,0	23,0
MU 105 85-1	85,00	105,0	13,0
MU 105 85-2	85,00	105,0	19,0
MU 105 90-1	90,00	105,0	8,0
MU 105 90	90,00	105,0	13,0
MU 110 80	80,00	110,0	16,0
MU 110 85	85,00	110,0	13,0
MU 110 90-1	90,00	110,0	11,0
MU 110 90	90,00	110,0	13,0
MU 110 90-3	90,00	110,0	19,0
MU 110 95-1	95,00	110,0	13,0
MU 110 95-2	95,00	110,0	16,0
MU 110 100	100,00	110,0	5,5
MU 112 095-1	95,00	112,0	12,0
MU 115 085	85,00	115,0	16,0
MU 115 090-2	90,00	115,0	16,0
MU 115 095	95,00	115,0	13,0
MU 115 095-3	95,00	115,0	19,0
MU 115 100	100,00	115,0	13,0
MU 120 090	90,00	120,0	16,0
MU 120 100-1	100,00	120,0	11,0
MU 120 100	100,00	120,0	13,0
MU 120 100-3	100,00	120,0	19,0
MU 120 105-3	105,00	120,0	9,0
MU 120 105-1	105,00	120,0	12,0
MU 120 105-2	105,00	120,0	16,0
MU 125 100	100,00	125,0	13,0
MU 125 100-1	100,00	125,0	16,0
MU 125 105	105,00	125,0	13,0
MU 125 105-2	105,00	125,0	16,0
MU 125 110-1	110,00	125,0	13,0
MU 125 110-2	110,00	125,0	16,0
MU 126 115	115,00	126,0	16,0
MU 130 100	100,00	130,0	13,0
MU 130 110-2	110,00	130,0	11,0
MU 130 110-1	110,00	130,0	13,0
MU 130 110	110,00	130,0	16,0
MU 130 110-3	110,00	130,0	19,0
MU 130 120	120,00	130,0	15,0
MU 135 115	115,00	135,0	16,0
MU 135 120	120,00	135,0	16,0
MU 140 115-1	115,00	140,0	16,0
MU 140 120-1	120,00	140,0	11,0
MU 140 120	120,00	140,0	13,0
MU 140 120-2	120,00	140,0	16,0
MU 140 125	125,00	140,0	12,0

Despite careful checking, we cannot guarantee the accuracy of all information included on this site, and we accept no liability.

Item			
Identification	d (mm)	D (mm)	L (mm)
MU 140 125-2	125,00	140,0	16,0
MU 145 125	125,00	145,0	16,0
MU 145 125-1	125,00	145,0	19,0
MU 150 130-1	1301,00	150,0	16,0
MU 150 135-1	135,00	150,0	16,0
MU 155 125	125,00	155,0	16,0
MU 155 135	135,00	155,0	16,0
MU 160 135-1	135,00	160,0	16,0
MU 160 140	140,00	160,0	11,0
MU 160 140-2	140,00	160,0	13,0
MU 160 140-1	140,00	160,0	16,0
MU 165 145	145,00	165,0	16,0
MU 170 150-2	150,00	170,0	16,0
MU 175 160	160,00	175,0	12,0
MU 180 160	160,00	180,0	16,0
MU 190 170	170,00	190,0	16,0
MU 200 170-1	170,00	200,0	19,0
MU 200 175-1	175,00	200,0	16,0
MU 200 180	180,00	200,0	16,0
MU 220 180-1	180,00	220,0	21,0
MU 220 190	190,00	220,0	23,0
MU 225 200-2	200,00	225,0	19,0
MU 240 210	210,00	240,0	18,0
MU 250 220	220,00	250,0	19,0
MU 250 220-1	220,00	250,0	22,0
MU 320 305	305,00	320,0	18,0
MU 390 360	360,00	390,0	23,0

Despite careful checking, we cannot guarantee the accuracy of all information included on this site, and we accept no liability.