


# K-KURZH ZYL DOPPELW IG ASQ

Short-stroke cylinders, double-acting, with magnet, non-cushioned, with female thread, »ACQ« Series

**HANSA FLEX**

## Características

|                                  |                                                                                                     |
|----------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Medios</b>                    | Filtered, unlubricated or lubricated compressed air. If lubrication is used, it must be continuous. |
| <b>Presión de funcionamiento</b> | 1 - 10 bar (double-acting); 2 - 10 bar (single-acting)                                              |
| <b>Rango de temperatura</b>      | -20 °C to +80 °C                                                                                    |
| <b>Vást.pistón</b>               | Hardened steel, thick-chromed                                                                       |
| <b>Pistón</b>                    | Brass (12 to 16 mm); Aluminium (20 to 100 mm)                                                       |
| <b>Material obturador</b>        | NBR                                                                                                 |
| <b>T.cilíndrico</b>              | Aluminium                                                                                           |



## Nota

Otras especificaciones a petición.

## Descripción

Specially for use where space is in short supply. Version with magnetic piston. Short-stroke cylinder in two different versions: Series "ACQ", double-acting, Ø 12 – 100

## Información adicional

Important: The scope of supply does not include a connector. Please order separately.  
Other piston-Ø and stroke versions available on request.

## Artículo

| Denominación   | Ø pistón | Carrera (mm) | Forma constructiva | Ø Vást.pistón (mm) | Vást. pistón de rosca interior |
|----------------|----------|--------------|--------------------|--------------------|--------------------------------|
| K- 07 15 12 15 | 12 mm    | 5            | 1                  | 6                  | M 3 x 0.5                      |
| K- 07 15 12 16 | 12 mm    | 10           | 1                  | 6                  | M 3 x 0.5                      |
| K- 07 15 12 17 | 12 mm    | 20           | 1                  | 6                  | M 3 x 0.5                      |
| K- 07 15 12 18 | 12 mm    | 25           | 1                  | 6                  | M 3 x 0.5                      |
| K- 07 15 12 19 | 12 mm    | 30           | 1                  | 6                  | M 3 x 0.5                      |
| K- 07 15 12 20 | 12 mm    | 35           | 1                  | 6                  | M 3 x 0.5                      |
| K- 07 15 12 21 | 12 mm    | 40           | 1                  | 6                  | M 3 x 0.5                      |
| K- 07 15 12 22 | 12 mm    | 45           | 1                  | 6                  | M 3 x 0.5                      |
| K- 07 15 12 23 | 12 mm    | 50           | 1                  | 6                  | M 3 x 0.5                      |
| K- 07 15 12 24 | 16 mm    | 5            | 1                  | 8                  | M 4 x 0.7                      |
| K- 07 15 12 25 | 16 mm    | 10           | 1                  | 8                  | M 4 x 0.7                      |
| K- 07 15 12 26 | 16 mm    | 20           | 1                  | 8                  | M 4 x 0.7                      |
| K- 07 15 12 27 | 16 mm    | 25           | 1                  | 8                  | M 4 x 0.7                      |
| K- 07 15 12 28 | 16 mm    | 30           | 1                  | 8                  | M 4 x 0.7                      |
| K- 07 15 12 29 | 16 mm    | 35           | 1                  | 8                  | M 4 x 0.7                      |
| K- 07 15 12 30 | 16 mm    | 40           | 1                  | 8                  | M 4 x 0.7                      |
| K- 07 15 12 31 | 16 mm    | 45           | 1                  | 8                  | M 4 x 0.7                      |
| K- 07 15 12 32 | 16 mm    | 50           | 1                  | 8                  | M 4 x 0.7                      |
| K- 07 15 12 33 | 16 mm    | 55           | 1                  | 8                  | M 4 x 0.7                      |
| K- 07 15 12 34 | 16 mm    | 60           | 1                  | 8                  | M 4 x 0.7                      |
| K- 07 15 12 35 | 20 mm    | 5            | 2                  | 10                 | M 5 x 0.8                      |
| K- 07 15 12 36 | 20 mm    | 10           | 2                  | 10                 | M 5 x 0.8                      |
| K- 07 15 12 37 | 20 mm    | 20           | 2                  | 10                 | M 5 x 0.8                      |
| K- 07 15 12 38 | 20 mm    | 25           | 2                  | 10                 | M 5 x 0.8                      |
| K- 07 15 12 39 | 20 mm    | 30           | 2                  | 10                 | M 5 x 0.8                      |
| K- 07 15 12 40 | 20 mm    | 35           | 2                  | 10                 | M 5 x 0.8                      |
| K- 07 15 12 41 | 20 mm    | 40           | 2                  | 10                 | M 5 x 0.8                      |
| K- 07 15 12 42 | 20 mm    | 45           | 2                  | 10                 | M 5 x 0.8                      |
| K- 07 15 12 43 | 20 mm    | 50           | 2                  | 10                 | M 5 x 0.8                      |
| K- 07 15 12 44 | 20 mm    | 55           | 2                  | 10                 | M 5 x 0.8                      |
| K- 07 15 12 45 | 20 mm    | 60           | 2                  | 10                 | M 5 x 0.8                      |
| K- 07 15 12 46 | 20 mm    | 70           | 2                  | 10                 | M 5 x 0.8                      |
| K- 07 15 12 47 | 20 mm    | 75           | 2                  | 10                 | M 5 x 0.8                      |
| K- 07 15 12 48 | 20 mm    | 80           | 2                  | 10                 | M 5 x 0.8                      |



Hemos revisado cuidadosamente esta publicación, pero no obstante no podemos excluir los errores y no garantizamos los datos que constan aquí.

# K-KURZH ZYL DOPPELW IG ASQ

Short-stroke cylinders, double-acting, with magnet, non-cushioned, with female thread, »ACQ« Series

**HANSA FLEX**

## Artículo

| Denominación   | Ø pistón | Carrera (mm) | Forma constructiva | Ø Vást.pistón (mm) | Vást. pistón de rosca interior |
|----------------|----------|--------------|--------------------|--------------------|--------------------------------|
| K- 07 15 12 49 | 25 mm    | 5            | 2                  | 12                 | M 6 x 1                        |
| K- 07 15 12 50 | 25 mm    | 10           | 2                  | 12                 | M 6 x 1                        |
| K- 07 15 12 51 | 25 mm    | 20           | 2                  | 12                 | M 6 x 1                        |
| K- 07 15 12 52 | 25 mm    | 25           | 2                  | 12                 | M 6 x 1                        |
| K- 07 15 12 53 | 25 mm    | 30           | 2                  | 12                 | M 6 x 1                        |
| K- 07 15 12 54 | 25 mm    | 35           | 2                  | 12                 | M 6 x 1                        |
| K- 07 15 12 55 | 25 mm    | 40           | 2                  | 12                 | M 6 x 1                        |
| K- 07 15 12 56 | 25 mm    | 45           | 2                  | 12                 | M 6 x 1                        |
| K- 07 15 12 57 | 25 mm    | 50           | 2                  | 12                 | M 6 x 1                        |
| K- 07 15 12 58 | 25 mm    | 55           | 2                  | 12                 | M 6 x 1                        |
| K- 07 15 12 59 | 25 mm    | 60           | 2                  | 12                 | M 6 x 1                        |
| K- 07 15 12 60 | 25 mm    | 70           | 2                  | 12                 | M 6 x 1                        |
| K- 07 15 12 61 | 25 mm    | 75           | 2                  | 12                 | M 6 x 1                        |
| K- 07 15 12 62 | 25 mm    | 80           | 2                  | 12                 | M 6 x 1                        |
| K- 07 15 12 63 | 32 mm    | 5            | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 64 | 32 mm    | 10           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 65 | 32 mm    | 20           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 66 | 32 mm    | 25           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 67 | 32 mm    | 30           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 68 | 32 mm    | 35           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 69 | 32 mm    | 40           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 70 | 32 mm    | 45           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 71 | 32 mm    | 50           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 72 | 32 mm    | 55           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 73 | 32 mm    | 60           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 74 | 32 mm    | 70           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 75 | 32 mm    | 75           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 76 | 32 mm    | 80           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 77 | 40 mm    | 5            | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 78 | 40 mm    | 10           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 79 | 40 mm    | 20           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 80 | 40 mm    | 25           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 81 | 40 mm    | 30           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 82 | 40 mm    | 35           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 83 | 40 mm    | 40           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 84 | 40 mm    | 45           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 85 | 40 mm    | 50           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 86 | 40 mm    | 55           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 87 | 40 mm    | 60           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 88 | 40 mm    | 70           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 89 | 40 mm    | 75           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 90 | 40 mm    | 80           | 3                  | 16                 | M 8 x 1.25                     |
| K- 07 15 12 91 | 50 mm    | 5            | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 12 92 | 50 mm    | 10           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 12 93 | 50 mm    | 20           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 12 94 | 50 mm    | 25           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 12 95 | 50 mm    | 30           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 12 96 | 50 mm    | 35           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 12 97 | 50 mm    | 40           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 12 98 | 50 mm    | 45           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 12 99 | 50 mm    | 50           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 00 | 50 mm    | 55           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 01 | 50 mm    | 60           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 02 | 50 mm    | 70           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 03 | 50 mm    | 75           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 04 | 50 mm    | 80           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 05 | 63 mm    | 5            | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 06 | 63 mm    | 10           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 07 | 63 mm    | 20           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 08 | 63 mm    | 25           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 09 | 63 mm    | 30           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 10 | 63 mm    | 35           | 3                  | 20                 | M 10 x 1.5                     |



Hemos revisado cuidadosamente esta publicación, pero no obstante no podemos excluir los errores y no garantizamos los datos que constan aquí.

11.02.2025

HANSA-FLEX AG

www.hansa-flex.com

# K-KURZH ZYL DOPPELW IG ASQ

Short-stroke cylinders, double-acting, with magnet, non-cushioned, with female thread, »ACQ« Series



## Artículo

| Denominación   | Ø pistón | Carrera (mm) | Forma constructiva | Ø Vást.pistón (mm) | Vást. pistón de rosca interior |
|----------------|----------|--------------|--------------------|--------------------|--------------------------------|
| K- 07 15 13 11 | 63 mm    | 40           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 12 | 63 mm    | 45           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 13 | 63 mm    | 50           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 14 | 63 mm    | 55           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 15 | 63 mm    | 60           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 16 | 63 mm    | 70           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 17 | 63 mm    | 75           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 18 | 63 mm    | 80           | 3                  | 20                 | M 10 x 1.5                     |
| K- 07 15 13 19 | 80 mm    | 5            | 3                  | 25                 | M 16 x 2                       |
| K- 07 15 13 20 | 80 mm    | 10           | 3                  | 25                 | M 16 x 2                       |
| K- 07 15 13 21 | 80 mm    | 20           | 3                  | 25                 | M 16 x 2                       |
| K- 07 15 13 22 | 80 mm    | 25           | 3                  | 25                 | M 16 x 2                       |
| K- 07 15 13 23 | 80 mm    | 30           | 3                  | 25                 | M 16 x 2                       |
| K- 07 15 13 24 | 80 mm    | 35           | 3                  | 25                 | M 16 x 2                       |
| K- 07 15 13 25 | 80 mm    | 40           | 3                  | 25                 | M 16 x 2                       |
| K- 07 15 13 26 | 80 mm    | 45           | 3                  | 25                 | M 16 x 2                       |
| K- 07 15 13 27 | 80 mm    | 50           | 3                  | 25                 | M 16 x 2                       |
| K- 07 15 13 28 | 80 mm    | 55           | 3                  | 25                 | M 16 x 2                       |
| K- 07 15 13 29 | 80 mm    | 60           | 3                  | 25                 | M 16 x 2                       |
| K- 07 15 13 30 | 80 mm    | 70           | 3                  | 25                 | M 16 x 2                       |
| K- 07 15 13 31 | 80 mm    | 75           | 3                  | 25                 | M 16 x 2                       |
| K- 07 15 13 32 | 80 mm    | 80           | 3                  | 25                 | M 16 x 2                       |
| K- 07 15 12 01 | 100 mm   | 5            | 3                  | 32                 | M 20 x 2.5                     |
| K- 07 15 12 02 | 100 mm   | 10           | 3                  | 32                 | M 20 x 2.5                     |
| K- 07 15 12 03 | 100 mm   | 20           | 3                  | 32                 | M 20 x 2.5                     |
| K- 07 15 12 04 | 100 mm   | 25           | 3                  | 32                 | M 20 x 2.5                     |
| K- 07 15 12 05 | 100 mm   | 30           | 3                  | 32                 | M 20 x 2.5                     |
| K- 07 15 12 06 | 100 mm   | 35           | 3                  | 32                 | M 20 x 2.5                     |
| K- 07 15 12 07 | 100 mm   | 40           | 3                  | 32                 | M 20 x 2.5                     |
| K- 07 15 12 08 | 100 mm   | 45           | 3                  | 32                 | M 20 x 2.5                     |
| K- 07 15 12 09 | 100 mm   | 50           | 3                  | 32                 | M 20 x 2.5                     |
| K- 07 15 12 10 | 100 mm   | 55           | 3                  | 32                 | M 20 x 2.5                     |
| K- 07 15 12 11 | 100 mm   | 60           | 3                  | 32                 | M 20 x 2.5                     |
| K- 07 15 12 12 | 100 mm   | 70           | 3                  | 32                 | M 20 x 2.5                     |
| K- 07 15 12 13 | 100 mm   | 75           | 3                  | 32                 | M 20 x 2.5                     |
| K- 07 15 12 14 | 100 mm   | 80           | 3                  | 32                 | M 20 x 2.5                     |

## Accesorios

|                                |                                                     |
|--------------------------------|-----------------------------------------------------|
| K-FUSSBEFESTIGUNG TYP LB 3     | Foot model, »LB« type                               |
| K-FLANSCHBEFESTIGUNG TYP FA2   | Flange model, »FA« type                             |
| K-SCHWENKGABELBEFESTIG CB 1    | Female hinge model, »CB« type                       |
| K-GABELKOEPFEN TYP Y SET 1     | Fork model, »Y« type (incl. threaded adapter)       |
| K-GELENKAUGEN TYP UNIT SET 1   | Rod eye model, »UNIT« type (incl. threaded adapter) |
| K-SENSOREN CS1 KH MIT STECKER  | Sensors »CS1« type, cable with M8 plug              |
| K-SENSOREN CS1 KH OHNE STECKER | Sensors »CS1« type, cable without plug              |