

Omadused

| | |
|----------------|------------------------|
| Töörõhk | see operating pressure |
| Töötemperatuur | -10 °C to +200 °C |
| Tihendid | FKM |
| Survevedru | C steel |
| Korpus | Brass |



Vihje

G thread acc. to DIN EN ISO 228-1, with ISO flange plate (acc. to ISO 5211)
 Lisaandmed saate soovi korral.

Kirjeldus

For compressed air and non-toxic, non-flammable gases, cannot be used for liquids due to free blow-off, not suitable for steam. These valves are TÜV approved and have a TÜV type test number.

Lisateave

Important information: These valves are type-tested and are only allowed to be delivered with a fixed setting.

Artikkel

| Märgistus | Keere | Rõhk | a (mm) | do (mm) | H (mm) | SW (mm) |
|----------------|--------|----------|-----------|------------|-----------|------------|
| K- 07 30 25 53 | G 1/2" | 0.2 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 54 | G 1/2" | 0.3 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 55 | G 1/2" | 0.4 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 56 | G 1/2" | 0.45 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 57 | G 1/2" | 0.5 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 58 | G 1/2" | 0.55 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 59 | G 1/2" | 0.6 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 60 | G 1/2" | 0.7 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 61 | G 1/2" | 0.8 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 62 | G 1/2" | 0.9 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 63 | G 1/2" | 1.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 64 | G 1/2" | 1.1 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 65 | G 1/2" | 1.2 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 66 | G 1/2" | 1.5 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 83 | G 1/2" | 2.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 84 | G 1/2" | 2.2 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 85 | G 1/2" | 2.4 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 86 | G 1/2" | 2.5 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 87 | G 1/2" | 2.6 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 93 | G 1/2" | 3.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 94 | G 1/2" | 3.5 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 95 | G 1/2" | 3.8 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 96 | G 1/2" | 4.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 97 | G 1/2" | 4.1 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 98 | G 1/2" | 4.3 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 99 | G 1/2" | 4.5 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 26 00 | G 1/2" | 5.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 26 01 | G 1/2" | 5.5 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 26 02 | G 1/2" | 5.8 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 26 03 | G 1/2" | 6.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 26 04 | G 1/2" | 6.3 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 26 05 | G 1/2" | 6.5 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 26 06 | G 1/2" | 6.8 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 26 07 | G 1/2" | 7.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 26 08 | G 1/2" | 7.7 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 26 09 | G 1/2" | 7.8 bar | 14,0 | 12,0 | 93,0 | 27 |



Artikkel

| Märgistus | Keere | Rõhk | a (mm) | do (mm) | H (mm) | SW (mm) |
|----------------|--------|----------|-----------|------------|-----------|------------|
| K- 07 30 26 10 | G 1/2" | 8.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 26 11 | G 1/2" | 8.5 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 26 12 | G 1/2" | 9.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 26 13 | G 1/2" | 9.5 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 67 | G 1/2" | 10.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 68 | G 1/2" | 10.5 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 69 | G 1/2" | 11.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 70 | G 1/2" | 11.5 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 71 | G 1/2" | 12.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 72 | G 1/2" | 12.5 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 73 | G 1/2" | 13.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 74 | G 1/2" | 14.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 75 | G 1/2" | 14.5 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 76 | G 1/2" | 15.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 77 | G 1/2" | 15.5 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 78 | G 1/2" | 16.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 79 | G 1/2" | 17.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 80 | G 1/2" | 17.5 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 81 | G 1/2" | 18.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 82 | G 1/2" | 18.5 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 88 | G 1/2" | 20.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 89 | G 1/2" | 22.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 90 | G 1/2" | 23.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 91 | G 1/2" | 24.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 25 92 | G 1/2" | 25.0 bar | 14,0 | 12,0 | 93,0 | 27 |
| K- 07 30 26 14 | G 3/4" | 0.2 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 15 | G 3/4" | 0.27 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 16 | G 3/4" | 0.5 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 17 | G 3/4" | 0.7 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 18 | G 3/4" | 0.8 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 19 | G 3/4" | 0.9 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 20 | G 3/4" | 1.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 21 | G 3/4" | 1.1 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 22 | G 3/4" | 1.5 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 23 | G 3/4" | 1.8 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 38 | G 3/4" | 2.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 39 | G 3/4" | 2.3 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 40 | G 3/4" | 2.5 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 41 | G 3/4" | 2.7 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 44 | G 3/4" | 3.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 45 | G 3/4" | 3.5 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 46 | G 3/4" | 4.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 47 | G 3/4" | 4.5 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 48 | G 3/4" | 5.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 49 | G 3/4" | 5.5 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 50 | G 3/4" | 6.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 51 | G 3/4" | 6.5 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 52 | G 3/4" | 6.7 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 53 | G 3/4" | 7.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 54 | G 3/4" | 7.5 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 55 | G 3/4" | 8.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 56 | G 3/4" | 8.5 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 57 | G 3/4" | 8.8 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 58 | G 3/4" | 9.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 59 | G 3/4" | 9.3 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 60 | G 3/4" | 9.5 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 24 | G 3/4" | 10.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 25 | G 3/4" | 10.5 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 26 | G 3/4" | 11.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 27 | G 3/4" | 11.5 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 28 | G 3/4" | 12.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 29 | G 3/4" | 13.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 30 | G 3/4" | 13.5 bar | 16,0 | 15,0 | 110,0 | 32 |



| Artikkel | Keere | Rõhk | a (mm) | do (mm) | H (mm) | SW (mm) |
|----------------|--------|----------|-----------|------------|-----------|------------|
| K- 07 30 26 31 | G 3/4" | 14.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 32 | G 3/4" | 14.5 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 33 | G 3/4" | 15.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 34 | G 3/4" | 16.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 35 | G 3/4" | 16.5 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 36 | G 3/4" | 18.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 37 | G 3/4" | 18.5 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 42 | G 3/4" | 20.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 43 | G 3/4" | 21.0 bar | 16,0 | 15,0 | 110,0 | 32 |
| K- 07 30 26 61 | G 1" | 0.2 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 62 | G 1" | 0.3 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 63 | G 1" | 0.4 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 64 | G 1" | 0.5 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 65 | G 1" | 0.6 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 66 | G 1" | 0.7 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 67 | G 1" | 0.8 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 68 | G 1" | 0.9 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 69 | G 1" | 1.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 70 | G 1" | 1.2 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 71 | G 1" | 1.3 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 72 | G 1" | 1.5 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 73 | G 1" | 1.6 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 74 | G 1" | 1.7 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 75 | G 1" | 1.8 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 76 | G 1" | 1.9 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 92 | G 1" | 2.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 93 | G 1" | 2.3 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 94 | G 1" | 2.5 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 95 | G 1" | 2.9 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 99 | G 1" | 3.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 00 | G 1" | 3.3 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 01 | G 1" | 3.5 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 02 | G 1" | 3.9 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 03 | G 1" | 4.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 04 | G 1" | 4.5 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 05 | G 1" | 5.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 06 | G 1" | 5.3 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 07 | G 1" | 5.5 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 08 | G 1" | 6.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 09 | G 1" | 6.5 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 10 | G 1" | 6.6 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 11 | G 1" | 7.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 12 | G 1" | 7.3 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 13 | G 1" | 7.5 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 14 | G 1" | 7.7 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 15 | G 1" | 7.8 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 16 | G 1" | 8.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 17 | G 1" | 8.5 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 18 | G 1" | 8.9 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 19 | G 1" | 9.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 20 | G 1" | 9.3 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 21 | G 1" | 9.5 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 77 | G 1" | 10.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 78 | G 1" | 10.5 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 79 | G 1" | 11.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 80 | G 1" | 11.7 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 81 | G 1" | 12.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 82 | G 1" | 12.5 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 83 | G 1" | 13.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 84 | G 1" | 14.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 85 | G 1" | 14.5 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 86 | G 1" | 15.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 87 | G 1" | 15.5 bar | 18,0 | 20,0 | 132,0 | 41 |



Artikkel

| Märgistus | Keere | Rõhk | a (mm) | do (mm) | H (mm) | SW (mm) |
|----------------|----------|----------|-----------|------------|-----------|------------|
| K- 07 30 26 88 | G 1" | 16.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 89 | G 1" | 16.5 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 90 | G 1" | 17.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 91 | G 1" | 18.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 96 | G 1" | 20.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 97 | G 1" | 25.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 26 98 | G 1" | 26.0 bar | 18,0 | 20,0 | 132,0 | 41 |
| K- 07 30 27 22 | G 1 1/4" | 0.2 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 23 | G 1 1/4" | 0.5 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 24 | G 1 1/4" | 0.6 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 25 | G 1 1/4" | 0.8 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 26 | G 1 1/4" | 1.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 27 | G 1 1/4" | 1.1 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 28 | G 1 1/4" | 1.5 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 39 | G 1 1/4" | 2.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 40 | G 1 1/4" | 2.3 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 41 | G 1 1/4" | 2.5 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 43 | G 1 1/4" | 3.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 44 | G 1 1/4" | 4.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 45 | G 1 1/4" | 4.5 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 46 | G 1 1/4" | 5.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 47 | G 1 1/4" | 6.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 48 | G 1 1/4" | 6.3 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 49 | G 1 1/4" | 6.5 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 50 | G 1 1/4" | 7.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 51 | G 1 1/4" | 7.5 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 52 | G 1 1/4" | 8.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 53 | G 1 1/4" | 8.5 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 54 | G 1 1/4" | 8.8 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 55 | G 1 1/4" | 9.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 56 | G 1 1/4" | 9.5 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 29 | G 1 1/4" | 10.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 30 | G 1 1/4" | 10.5 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 31 | G 1 1/4" | 11.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 32 | G 1 1/4" | 12.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 33 | G 1 1/4" | 13.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 34 | G 1 1/4" | 14.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 35 | G 1 1/4" | 15.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 36 | G 1 1/4" | 16.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 37 | G 1 1/4" | 17.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 38 | G 1 1/4" | 18.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 42 | G 1 1/4" | 22.0 bar | 20,0 | 25,0 | 152,0 | 50 |
| K- 07 30 27 57 | G 1 1/2" | 0.2 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 58 | G 1 1/2" | 0.4 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 59 | G 1 1/2" | 0.5 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 60 | G 1 1/2" | 0.6 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 61 | G 1 1/2" | 0.65 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 62 | G 1 1/2" | 0.75 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 63 | G 1 1/2" | 0.8 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 64 | G 1 1/2" | 0.9 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 65 | G 1 1/2" | 1.0 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 66 | G 1 1/2" | 1.5 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 67 | G 1 1/2" | 1.6 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 77 | G 1 1/2" | 2.0 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 78 | G 1 1/2" | 2.1 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 79 | G 1 1/2" | 2.3 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 80 | G 1 1/2" | 2.5 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 81 | G 1 1/2" | 2.6 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 82 | G 1 1/2" | 3.0 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 83 | G 1 1/2" | 3.2 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 84 | G 1 1/2" | 4.0 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 85 | G 1 1/2" | 4.5 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 86 | G 1 1/2" | 5.0 bar | 22,0 | 32,0 | 178,0 | 55 |



| Artikkel | | | | | | |
|----------------|----------|----------|-----------|------------|-----------|------------|
| Märgistus | Keere | Rõhk | a (mm) | do (mm) | H (mm) | SW (mm) |
| K- 07 30 27 87 | G 1 1/2" | 5.8 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 88 | G 1 1/2" | 6.0 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 89 | G 1 1/2" | 6.5 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 90 | G 1 1/2" | 7.0 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 91 | G 1 1/2" | 7.5 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 92 | G 1 1/2" | 7.7 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 93 | G 1 1/2" | 8.0 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 94 | G 1 1/2" | 8.5 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 95 | G 1 1/2" | 9.0 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 96 | G 1 1/2" | 9.5 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 68 | G 1 1/2" | 10.0 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 69 | G 1 1/2" | 10.5 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 70 | G 1 1/2" | 11.0 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 71 | G 1 1/2" | 12.0 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 72 | G 1 1/2" | 13.0 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 73 | G 1 1/2" | 14.0 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 74 | G 1 1/2" | 14.5 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 75 | G 1 1/2" | 15.0 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 76 | G 1 1/2" | 16.0 bar | 22,0 | 32,0 | 178,0 | 55 |
| K- 07 30 27 97 | G 2" | 0.2 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 27 98 | G 2" | 0.3 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 27 99 | G 2" | 0.4 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 00 | G 2" | 0.5 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 01 | G 2" | 0.6 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 02 | G 2" | 0.7 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 03 | G 2" | 0.8 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 04 | G 2" | 1.0 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 05 | G 2" | 1.2 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 06 | G 2" | 1.25 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 07 | G 2" | 1.3 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 08 | G 2" | 1.4 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 09 | G 2" | 1.5 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 10 | G 2" | 1.7 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 11 | G 2" | 1.8 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 15 | G 2" | 2.0 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 16 | G 2" | 2.1 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 17 | G 2" | 2.2 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 18 | G 2" | 2.5 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 20 | G 2" | 3.0 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 21 | G 2" | 4.0 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 22 | G 2" | 5.0 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 23 | G 2" | 6.0 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 24 | G 2" | 6.5 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 25 | G 2" | 7.0 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 26 | G 2" | 7.5 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 27 | G 2" | 8.0 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 28 | G 2" | 8.8 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 29 | G 2" | 9.0 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 30 | G 2" | 9.3 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 31 | G 2" | 9.5 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 12 | G 2" | 10.0 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 13 | G 2" | 11.0 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 14 | G 2" | 12.0 bar | 25,0 | 40,0 | 203,0 | 70 |
| K- 07 30 28 19 | G 2" | 25.0 bar | 25,0 | 40,0 | 203,0 | 70 |