K-BALGSAUGER 1,5 NBR

Bellows suction pads, round, 1.5 folds, material NBR

Właściwości

Właściwości	high rigidity of the upper fold Soft, tapered sealing lips Support surfaces on the bottom high suction power optimum damping effect very good adaptation to curved or uneven material
Zakres stosowania	Handling of highly uneven parts (e.g.tubes) \nHandling of highly sensitive parts



Wskazówka

Mini-sensor with housing and connection cable, analogue or digital output signal. Minimum size and low weight combined with high measuring accuracy. Dalsze informacje na zapytanie.

Opis

Robust and hard-wearing suction pad with a single sealing lip. Used wherever objects (parts, packing materials, etc.) need to be lifted, transported, turned over or handled in some other manner. It is also ideal when it is necessary to compensate varying workpiece heights or uneven surfaces or to handle easily damaged parts. It acts as the connecting element between the vacuum generator and the workpiece.

Dodatkowe informacje

Attention: The price does not include connection nipples. Please order separately.

Artykuł

Oznaczenie	Łącznik gwint zewnętrzny	Łącznik gwint wewnętrzny	Wysokość montażowa ze złączką, gwint zewnętrzny	Wysokość montażowa ze złączką, gwint wewnętrzny	Ø (mm)
K- 07 45 00 29	K-07450002 / K-07450004	K-07450007	21 / 22	28	11,0
K- 07 45 00 31	K-07450002 / K-07450004	K-07450007	21 / 22	28	14,0
K- 07 45 00 33	K-07450002 / K-07450004	K-07450007	24 / 25	31	16,0
K- 07 45 00 35	K-07450002 / K-07450004	K-07450007	20,5 / 21,5	27,5	20,0
K- 07 45 00 37	K-07450004	K-07450007	29	35	25,0
K- 07 45 00 39	K-07450003	K-07450006	31	42	33,0
K- 07 45 00 41	K-07450003	K-07450006	32	43	43,0
K- 07 45 00 43	K-07450003	K-07450006	38	49	53,0

Akcesoria

K-ANSCHLUSSNIP BALGSAUGER	Connection nipples for bellows suction pads, round, 1.5 and 2.5 folds

Mimo starannego sprawdzenia nie możemy wykluczyć błędów i nie gwarantujemy prawidłowości podanych informacji.