


# DUM N

Žlebasti prsten, DUM-N


**HANSA FLEX**

## Osobine

|                  |   |
|------------------|---|
| Konstrukcija     | Žlebasti prsten   |
| Radni pritisak   | maks. do 120 bara                                       |
| Brzina max.      | 0,5 m/s   |
| Temperatura min. | -30 °C  |
| Temperatura max. | 100 °C  |
| Mediji           | Mineralna ulja<br>Voda vazduh                           |
| Montaža          | na jednodelnim klipovima A<br>na višedelnim klipovima B |
| Materijal        | Zaptivka: 90° Shore A NBR                               |
| Primena          | Hidraulika + pneumatika                                 |



| Toleranz / Tolerance |    |           |
|----------------------|----|-----------|
| d                    | D  | L         |
| H8 / f7              | H9 | +0,5<br>0 |



## Opis

zaptivka sa malim koeficijentom trenja.

Jednostavno rešenje.

za šipke i klipove

## Napomene u vezi porudžbine

U mogućnosti smo da kratkoročno izradimo zaptivke prečnika 20 do 510 mm.

## Artikal

| Naziv       | D<br>(mm) | d<br>(mm) | L<br>(mm) | H<br>(mm) |
|-------------|-----------|-----------|-----------|-----------|
| DUM 12 04-N | 12        | 4         | 4,5       | 4,0       |
| DUM 13 05-N | 13        | 5         | 4,5       | 4,0       |
| DUM 14 06-N | 14        | 6         | 4,5       | 4,0       |
| DUM 15 05-N | 15        | 5         | 5,5       | 5,0       |
| DUM 15 07-N | 15        | 7         | 4,5       | 4,0       |
| DUM 16 06-N | 16        | 6         | 5,5       | 5,0       |
| DUM 16 08-N | 16        | 8         | 4,5       | 4,0       |
| DUM 18 08-N | 18        | 8         | 5,5       | 5,0       |
| DUM 18 10-N | 18        | 10        | 4,5       | 4,0       |
| DUM 20 08-N | 20        | 8         | 6,6       | 6,0       |
| DUM 20 10-N | 20        | 10        | 5,5       | 5,0       |
| DUM 20 12-N | 20        | 12        | 4,5       | 4,0       |
| DUM 22 10-N | 22        | 10        | 6,6       | 6,0       |
| DUM 22 12-N | 22        | 12        | 5,5       | 5,0       |
| DUM 22 14-N | 22        | 14        | 4,5       | 4,0       |
| DUM 24 12-N | 24        | 12        | 6,6       | 6,0       |
| DUM 24 14-N | 24        | 14        | 5,5       | 5,0       |
| DUM 24 16-N | 24        | 16        | 4,5       | 4,0       |
| DUM 25 15-N | 25        | 15        | 5,5       | 5,0       |
| DUM 25 17-N | 25        | 17        | 4,5       | 4,0       |
| DUM 26 16-N | 26        | 16        | 5,5       | 5,0       |
| DUM 26 18-N | 26        | 18        | 4,5       | 4,0       |
| DUM 27 15-N | 27        | 15        | 6,6       | 6,0       |
| DUM 28 16-N | 28        | 16        | 6,6       | 6,0       |
| DUM 28 18-N | 28        | 18        | 5,5       | 5,0       |
| DUM 28 20-N | 28        | 20        | 4,5       | 4,0       |
| DUM 30 15-N | 30        | 15        | 8,3       | 7,5       |
| DUM 30 18-N | 30        | 18        | 6,6       | 6,0       |
| DUM 30 20-N | 30        | 20        | 5,5       | 5,0       |
| DUM 30 22-N | 30        | 22        | 4,5       | 4,0       |
| DUM 32 20-N | 32        | 20        | 6,6       | 6,0       |
| DUM 32 22-N | 32        | 22        | 5,5       | 5,0       |
| DUM 32 24-N | 32        | 24        | 4,5       | 4,0       |
| DUM 33 21-N | 33        | 21        | 6,6       | 6,0       |
| DUM 33 25-N | 33        | 25        | 4,5       | 4,0       |
| DUM 34 22-N | 34        | 22        | 6,6       | 6,0       |
| DUM 34 24-N | 34        | 24        | 5,5       | 5,0       |
| DUM 34 26-N | 34        | 26        | 4,5       | 4,0       |

### Artikal

| Naziv         | D<br>(mm) | d<br>(mm) | L<br>(mm) | H<br>(mm) |
|---------------|-----------|-----------|-----------|-----------|
| DUM 35 20-N   | 35        | 20        | 8,3       | 7,5       |
| DUM 35 23-N   | 35        | 23        | 6,6       | 6,0       |
| DUM 35 25-N   | 35        | 25        | 5,5       | 5,0       |
| DUM 35 27-N   | 35        | 27        | 4,5       | 4,0       |
| DUM 36 24-N   | 36        | 24        | 6,6       | 6,0       |
| DUM 36 26-N   | 36        | 26        | 5,5       | 5,0       |
| DUM 36 28-N   | 36        | 28        | 4,5       | 4,0       |
| DUM 37 25-N   | 37        | 25        | 6,6       | 6,0       |
| DUM 37 29-N   | 37        | 29        | 4,5       | 4,0       |
| DUM 38 26-N   | 38        | 26        | 6,6       | 6,0       |
| DUM 38 28-N   | 38        | 28        | 5,5       | 5,0       |
| DUM 38 30-N   | 38        | 30        | 4,5       | 4,0       |
| DUM 40 25-N   | 40        | 25        | 8,3       | 7,5       |
| DUM 40 28-N   | 40        | 28        | 6,6       | 6,0       |
| DUM 40 30-N   | 40        | 30        | 5,5       | 5,0       |
| DUM 40 32-N   | 40        | 32        | 4,5       | 4,0       |
| DUM 42 32-N   | 42        | 32        | 5,5       | 5,0       |
| DUM 43 33-N   | 43        | 33        | 5,5       | 5,0       |
| DUM 44 32-N   | 44        | 32        | 6,6       | 6,0       |
| DUM 45 30-N   | 45        | 30        | 8,3       | 7,5       |
| DUM 45 33-N   | 45        | 33        | 6,6       | 6,0       |
| DUM 45 35-N   | 45        | 35        | 5,5       | 5,0       |
| DUM 46 36-N   | 46        | 36        | 5,5       | 5,0       |
| DUM 48 38-N   | 48        | 38        | 5,5       | 5,0       |
| DUM 50 35-N   | 50        | 35        | 8,3       | 7,5       |
| DUM 50 38-N   | 50        | 38        | 6,6       | 6,0       |
| DUM 50 40-N   | 50        | 40        | 5,5       | 5,0       |
| DUM 52 40-N   | 52        | 40        | 6,6       | 6,0       |
| DUM 52 42-N   | 52        | 42        | 5,5       | 5,0       |
| DUM 55 40-N   | 55        | 40        | 8,3       | 7,5       |
| DUM 55 43-N   | 55        | 43        | 6,6       | 6,0       |
| DUM 55 45-N   | 55        | 45        | 5,5       | 5,0       |
| DUM 56 46-N   | 56        | 46        | 5,5       | 5,0       |
| DUM 58 46-N   | 58        | 46        | 6,6       | 6,0       |
| DUM 60 45-N   | 60        | 45        | 8,3       | 7,5       |
| DUM 60 48-N   | 60        | 48        | 6,6       | 6,0       |
| DUM 60 50-N   | 60        | 50        | 5,5       | 5,0       |
| DUM 62 50-N   | 62        | 50        | 6,6       | 6,0       |
| DUM 63 51-N   | 63        | 51        | 6,6       | 6,0       |
| DUM 63 53-N   | 63        | 53        | 5,5       | 5,0       |
| DUM 65 50-N   | 65        | 50        | 8,3       | 7,5       |
| DUM 65 53-N   | 65        | 53        | 6,6       | 6,0       |
| DUM 65 55-N   | 65        | 55        | 5,5       | 5,0       |
| DUM 66 54-N   | 66        | 54        | 6,6       | 6,0       |
| DUM 70 55-N   | 70        | 55        | 8,3       | 7,5       |
| DUM 70 60-N   | 70        | 60        | 5,5       | 5,0       |
| DUM 73 63-N   | 73        | 63        | 5,5       | 5,0       |
| DUM 75 60-N   | 75        | 60        | 8,3       | 7,5       |
| DUM 75 65-N   | 75        | 65        | 5,5       | 5,0       |
| DUM 80 65-N   | 80        | 65        | 8,3       | 7,5       |
| DUM 80 70-N   | 80        | 70        | 5,5       | 5,0       |
| DUM 85 70-N   | 85        | 70        | 8,3       | 7,5       |
| DUM 90 75-N   | 90        | 75        | 8,3       | 7,5       |
| DUM 90 80-N   | 90        | 80        | 5,5       | 5,0       |
| DUM 95 80-N   | 95        | 80        | 8,3       | 7,5       |
| DUM 95 85-N   | 95        | 85        | 5,5       | 5,0       |
| DUM 100 085-N | 100       | 85        | 8,3       | 7,5       |
| DUM 100 090-N | 100       | 90        | 5,5       | 5,0       |
| DUM 105 090-N | 105       | 90        | 8,3       | 7,5       |
| DUM 105 095-N | 105       | 95        | 5,5       | 5,0       |
| DUM 110 095-N | 110       | 95        | 8,3       | 7,5       |
| DUM 110 100-N | 110       | 100       | 5,5       | 5,0       |
| DUM 115 100-N | 115       | 100       | 8,3       | 7,5       |



# DUM N

Žlebasti prsten, DUM-N

## Artikal

| Naziv         | D<br>(mm) | d<br>(mm) | L<br>(mm) | H<br>(mm) |
|---------------|-----------|-----------|-----------|-----------|
| DUM 120 105-N | 120       | 105       | 8,3       | 7,5       |
| DUM 125 110-N | 125       | 110       | 8,3       | 7,5       |
| DUM 140 125-N | 140       | 125       | 8,3       | 7,5       |

## Varijante proizvoda

DUM N Žlebasti prsten, DUM-N, Zaptivka: 90° Shore A NBR