


Savybės	
Darbinis slėgis	see operating pressure
Darbinė temperatūra	-25 °C to +180 °C
Tarpikliai	FKM
Slėginė spyruoklė	Stainless steel
Korpusas	Brass
Daugiau duomenų	User manual on request





Nuoroda

G thread acc. to DIN EN ISO 228-1, with ISO flange plate (acc. to ISO 5211)

Aprašas

For compressed air and non-toxic, non-flammable gases, cannot be used for liquids due to free blow-off, not suitable for steam. These valves are TÜV approved and have a TÜV type test number.

Papildoma informacija

Important information: These valves are type-tested and are only allowed to be delivered with a fixed setting.

Prekė						
Pavadinimas	Sriegis	Atsako slėgis	Α	С	D	SW
=			(mm)	(mm)	(mm)	(mm)
K- 07 30 03 60	G 3/8"	0.2 bar	22,0	75,0	12,0	27
K- 07 30 03 61	G 3/8"	0.25 bar	22,0	75,0	12,0	27
K- 07 30 03 62	G 3/8"	0.3 bar	22,0	75,0	12,0	27
K- 07 30 03 63	G 3/8"	0.4 bar	22,0	75,0	12,0	27
K- 07 30 03 64	G 3/8"	0.5 bar	22,0	75,0	12,0	27
K- 07 30 03 65	G 3/8"	0.6 bar	22,0	75,0	12,0	27
K- 07 30 03 66	G 3/8"	0.7 bar	22,0	75,0	12,0	27
K- 07 30 03 67	G 3/8"	0.8 bar	22,0	75,0	12,0	27
K- 07 30 03 68	G 3/8"	1.0 bar	22,0	75,0	12,0	27
K- 07 30 03 69	G 3/8"	1.1 bar	22,0	75,0	12,0	27
K- 07 30 03 70	G 3/8"	1.2 bar	22,0	75,0	12,0	27
K- 07 30 03 71	G 3/8"	1.3 bar	22,0	75,0	12,0	27
K- 07 30 03 72	G 3/8"	1.5 bar	22,0	75,0	12,0	27
K- 07 30 03 73	G 3/8"	1.7 bar	22,0	75,0	12,0	27
K- 07 30 03 74	G 3/8"	1.8 bar	22,0	75,0	12,0	27
K- 07 30 03 97	G 3/8"	2.0 bar	22,0	75,0	12,0	27
K- 07 30 03 98	G 3/8"	2.1 bar	22,0	75,0	12,0	27
K- 07 30 03 99	G 3/8"	2.3 bar	22,0	75,0	12,0	27
K- 07 30 04 00	G 3/8"	2.5 bar	22,0	75,0	12,0	27
K- 07 30 04 01	G 3/8"	2.6 bar	22,0	75,0	12,0	27
K- 07 30 04 02	G 3/8"	2.8 bar	22,0	75,0	12,0	27
K- 07 30 04 19	G 3/8"	3.0 bar	22,0	75,0	12,0	27
K- 07 30 04 20	G 3/8"	3.2 bar	22,0	75,0	12,0	27
K- 07 30 04 21	G 3/8"	3.3 bar	22,0	75,0	12,0	27
K- 07 30 04 22	G 3/8"	3.4 bar	22,0	75,0	12,0	27
K- 07 30 04 23	G 3/8"	3.5 bar	22,0	75,0	12,0	27
K- 07 30 04 24	G 3/8"	3.6 bar	22,0	75,0	12,0	27
K- 07 30 04 25	G 3/8"	3.8 bar	22,0	75,0	12,0	27
K- 07 30 04 26	G 3/8"	3.9 bar	22,0	75,0	12,0	27
K- 07 30 04 38	G 3/8"	4.0 bar	22,0	75,0	12,0	27
K- 07 30 04 40	G 3/8"	4.2 bar	22,0	75,0	12,0	27
K- 07 30 04 41	G 3/8"	4.4 bar	22,0	75,0	12,0	27
K- 07 30 04 42	G 3/8"	4.5 bar	22,0	75,0	12,0	27
K- 07 30 04 43	G 3/8"	4.6 bar	22,0	75,0	12,0	27
K- 07 30 04 44	G 3/8"	4.7 bar	22,0	75,0	12,0	27
K- 07 30 04 45	G 3/8"	4.9 bar	22,0	75,0	12,0	27
K- 07 30 04 51	G 3/8"	5.0 bar	22,0	75,0	12,0	27




Prekė	Odenie	Atasta altara				0)//
Pavadinimas	Sriegis	Atsako slėgis	A (mm)	C (mm)	D (mm)	SW (mm)
K- 07 30 04 52	G 3/8"	5.5 bar	22,0	75,0	12,0	27
K- 07 30 04 53	G 3/8"	5.7 bar	22,0	75,0	12,0	27
K- 07 30 04 54	G 3/8"	5.8 bar	22,0	75,0	12,0	27
K- 07 30 04 56	G 3/8"	6.0 bar	22,0	75,0	12,0	27
K- 07 30 04 57	G 3/8"	6.2 bar	22,0	75,0	12,0	27
K- 07 30 04 58	G 3/8"	6.4 bar	22,0	75,0	12,0	27
K- 07 30 04 59	G 3/8"	6.5 bar	22,0	75,0	12,0	27
K- 07 30 04 60	G 3/8" G 3/8"	6.6 bar 7.0 bar	22,0	75,0	12,0	27 27
K- 07 30 04 61 K- 07 30 04 62	G 3/8"	7.5 bar	22,0 22,0	75,0 75,0	12,0 12,0	27
K- 07 30 04 62	G 3/8"	7.7 bar	22,0	75,0	12,0	27
K- 07 30 04 64	G 3/8"	7.8 bar	22,0	75,0	12,0	27
K- 07 30 04 65	G 3/8"	8.0 bar	22,0	75,0	12,0	27
K- 07 30 04 66	G 3/8"	8.1 bar	22,0	75,0	12,0	27
K- 07 30 04 67	G 3/8"	8.4 bar	22,0	75,0	12,0	27
K- 07 30 04 68	G 3/8"	8.5 bar	22,0	75,0	12,0	27
K- 07 30 04 69	G 3/8"	8.7 bar	22,0	95,0	12,0	27
K- 07 30 04 70	G 3/8"	8.8 bar	22,0	95,0	12,0	27
K- 07 30 04 71	G 3/8"	9.0 bar	22,0	95,0	12,0	27
K- 07 30 04 72	G 3/8"	9.1 bar	22,0	95,0	12,0	27
K- 07 30 04 73	G 3/8"	9.3 bar	22,0	95,0	12,0	27
K- 07 30 04 74	G 3/8"	9.5 bar	22,0	95,0	12,0	27
K- 07 30 04 75	G 3/8"	9.8 bar	22,0	95,0	12,0	27
K- 07 30 04 76 K- 07 30 03 75	G 3/8" G 3/8"	9.9 bar 10.0 bar	22,0 22,0	95,0 95,0	12,0 12,0	27 27
K- 07 30 03 76	G 3/8"	10.0 bar	22,0	95,0	12,0	27
K- 07 30 03 70	G 3/8"	10.4 bar	22,0	95,0	12,0	27
K- 07 30 03 78	G 3/8"	10.5 bar	22,0	95,0	12,0	27
K- 07 30 03 79	G 3/8"	10.8 bar	22,0	95,0	12,0	27
K- 07 30 03 80	G 3/8"	11.0 bar	22,0	95,0	12,0	27
K- 07 30 03 81	G 3/8"	11.3 bar	22,0	95,0	12,0	27
K- 07 30 03 82	G 3/8"	11.5 bar	22,0	95,0	12,0	27
K- 07 30 03 83	G 3/8"	12.0 bar	22,0	95,0	12,0	27
K- 07 30 03 84	G 3/8"	12.5 bar	22,0	95,0	12,0	27
K- 07 30 03 86	G 3/8"	13.5 bar	22,0	95,0	12,0	27
K- 07 30 03 85	G 3/8"	13.0 bar	22,0	95,0	12,0	27
K- 07 30 03 87	G 3/8"	14.0 bar	22,0	95,0	12,0	27
K- 07 30 03 88	G 3/8"	15.0 bar	22,0	95,0	12,0	27 27
K- 07 30 03 89 K- 07 30 03 90	G 3/8" G 3/8"	15.5 bar 15.8 bar	22,0 22,0	95,0 95,0	12,0 12,0	27
K- 07 30 03 90	G 3/8"	16.0 bar	22,0	95,0	12,0	27
K- 07 30 03 92	G 3/8"	16.5 bar	22,0	95,0	12,0	27
K- 07 30 03 93	G 3/8"	17.0 bar	22,0	95,0	12,0	27
K- 07 30 03 94	G 3/8"	17.5 bar	22,0	95,0	12,0	27
K- 07 30 03 95	G 3/8"	18.0 bar	22,0	95,0	12,0	27
K- 07 30 03 96	G 3/8"	19.0 bar	22,0	95,0	12,0	27
K- 07 30 04 03	G 3/8"	20.0 bar	22,0	95,0	12,0	27
K- 07 30 04 04	G 3/8"	20.5 bar	22,0	95,0	12,0	27
K- 07 30 04 05	G 3/8"	21.0 bar	22,0	95,0	12,0	27
K- 07 30 04 06	G 3/8"	21.5 bar	22,0	95,0	12,0	27
K- 07 30 04 07	G 3/8"	22.0 bar	22,0	95,0	12,0	27
K- 07 30 04 08	G 3/8"	22.5 bar	22,0	95,0	12,0	27
K- 07 30 04 09	G 3/8" G 3/8"	23.5 bar	22,0	95,0	12,0	27 27
K- 07 30 04 10 K- 07 30 04 11	G 3/8"	24.5 bar 25.0 bar	22,0 22,0	95,0 95,0	12,0 12,0	27
K- 07 30 04 11 K- 07 30 04 12	G 3/8"	25.5 bar	22,0	95,0 95,0	12,0	27
K- 07 30 04 12	G 3/8"	26.0 bar	22,0	95,0	12,0	27
K- 07 30 04 13	G 3/8"	26.6 bar	22,0	95,0	12,0	27
K- 07 30 04 15	G 3/8"	27.0 bar	22,0	95,0	12,0	27
K- 07 30 04 16	G 3/8"	27.5 bar	22,0	95,0	12,0	27
K- 07 30 04 17	G 3/8"	28.0 bar	22,0	95,0	12,0	27
K- 07 30 04 18	G 3/8"	28.5 bar	22,0	95,0	12,0	27
K- 07 30 04 27	G 3/8"	30.0 bar	22,0	95,0	12,0	27



Prekė						
Pavadinimas	Sriegis	Atsako slėgis	A	С	D	SW
avadiminas	Silegis	Alsaku siegis	(mm)	(mm)	(mm)	(mm)
K- 07 30 04 28	G 3/8"	30.5 bar	22,0	95,0	12,0	27
K- 07 30 04 29	G 3/8"	31.0 bar	22,0	95,0	12,0	27
K- 07 30 04 30	G 3/8"	32.0 bar	22,0	95,0	12,0	27
K- 07 30 04 31	G 3/8"	32.5 bar	22,0	95,0	12,0	27
K- 07 30 04 32	G 3/8"	35.0 bar	22,0	95,0	12,0	27
K- 07 30 04 33	G 3/8" G 3/8"	35.5 bar 36.0 bar	22,0	95,0	12,0	27 27
K- 07 30 04 34 K- 07 30 04 35	G 3/8"	36.5 bar	22,0 22,0	95,0 95,0	12,0 12,0	27
K- 07 30 04 36	G 3/8"	37.0 bar	22,0	95,0	12,0	27
K- 07 30 04 37	G 3/8"	38.0 bar	22,0	95,0	12,0	27
K- 07 30 04 46	G 3/8"	40.0 bar	22,0	95,0	12,0	27
K- 07 30 04 47	G 3/8"	41.0 bar	22,0	120,0	12,0	27
K- 07 30 04 48	G 3/8"	42.0 bar	22,0	120,0	12,0	27
K- 07 30 04 49	G 3/8"	45.0 bar	22,0	120,0	12,0	27
K- 07 30 04 50	G 3/8"	46.0 bar	22,0	120,0	12,0	27
K- 07 30 04 55	G 3/8"	50.0 bar	22,0	120,0	12,0	27
K- 07 30 04 77	G 1/2"	0.2 bar	26,0	75,0	14,0	27
K- 07 30 04 78	G 1/2" G 1/2"	0.3 bar	26,0	75,0	14,0	27
K- 07 30 04 79 K- 07 30 04 80	G 1/2" G 1/2"	0.35 bar 0.4 bar	26,0	75,0 75,0	14,0	27 27
K- 07 30 04 80 K- 07 30 04 81	G 1/2" G 1/2"	0.4 bar 0.45 bar	26,0 26,0	75,0 75,0	14,0 14,0	27
K- 07 30 04 81	G 1/2"	0.45 bar	26,0	75,0	14,0	27
K- 07 30 04 82 K- 07 30 04 83	G 1/2"	0.55 bar	26,0	75,0	14,0	27
K- 07 30 04 84	G 1/2"	0.6 bar	26,0	75,0	14,0	27
K- 07 30 04 85	G 1/2"	0.7 bar	26,0	75,0	14,0	27
K- 07 30 04 86	G 1/2"	0.8 bar	26,0	75,0	14,0	27
K- 07 30 04 87	G 1/2"	0.9 bar	26,0	75,0	14,0	27
K- 07 30 04 88	G 1/2"	1.0 bar	26,0	75,0	14,0	27
K- 07 30 04 89	G 1/2"	1.1 bar	26,0	75,0	14,0	27
K- 07 30 04 90	G 1/2"	1.2 bar	26,0	75,0	14,0	27
K- 07 30 04 91 K- 07 30 04 92	G 1/2" G 1/2"	1.3 bar 1.4 bar	26,0 26,0	75,0 75,0	14,0 14,0	27 27
K- 07 30 04 92 K- 07 30 04 93	G 1/2"	1.4 bar 1.5 bar	26,0	75,0 75,0	14,0	27
K- 07 30 04 94	G 1/2"	1.6 bar	26,0	75,0	14,0	27
K- 07 30 04 95	G 1/2"	1.7 bar	26,0	75,0	14,0	27
K- 07 30 04 96	G 1/2"	1.8 bar	26,0	75,0	14,0	27
K- 07 30 05 28	G 1/2"	2.0 bar	26,0	75,0	14,0	27
K- 07 30 05 29	G 1/2"	2.1 bar	26,0	75,0	14,0	27
K- 07 30 05 30	G 1/2"	2.2 bar	26,0	75,0	14,0	27
K- 07 30 05 31	G 1/2"	2.3 bar	26,0	75,0	14,0	27
K- 07 30 05 32	G 1/2"	2.4 bar	26,0	75,0	14,0	27
K- 07 30 05 33 K- 07 30 05 34	G 1/2" G 1/2"	2.5 bar 2.7 bar	26,0 26,0	75,0 75,0	14,0 14,0	27 27
K- 07 30 05 34 K- 07 30 05 35	G 1/2"	2.7 bar 2.8 bar	26,0	75,0 75,0	14,0	27
K- 07 30 05 58	G 1/2"	3.0 bar	26,0	75,0	14,0	27
K- 07 30 05 59	G 1/2"	3.1 bar	26,0	75,0	14,0	27
K- 07 30 05 60	G 1/2"	3.2 bar	26,0	75,0	14,0	27
K- 07 30 05 61	G 1/2"	3.3 bar	26,0	75,0	14,0	27
K- 07 30 05 62	G 1/2"	3.4 bar	26,0	75,0	14,0	27
K- 07 30 05 63	G 1/2"	3.5 bar	26,0	75,0	14,0	27
K- 07 30 05 64	G 1/2"	3.8 bar	26,0	75,0	14,0	27
K- 07 30 05 82	G 1/2"	4.0 bar	26,0	75,0	14,0	27
K- 07 30 05 83	G 1/2"	4.1 bar	26,0	75,0	14,0	27
K- 07 30 05 84	G 1/2" G 1/2"	4.2 bar	26,0	75,0 75.0	14,0	27 27
K- 07 30 05 85 K- 07 30 05 86	G 1/2"	4.5 bar 4.7 bar	26,0 26,0	75,0 75,0	14,0 14,0	27
K- 07 30 05 86 K- 07 30 05 87	G 1/2"	4.7 bar 4.8 bar	26,0	75,0 75,0	14,0	27
K- 07 30 05 98	G 1/2"	5.0 bar	26,0	75,0	14,0	27
K- 07 30 05 99	G 1/2"	5.1 bar	26,0	75,0	14,0	27
K- 07 30 06 00	G 1/2"	5.2 bar	26,0	75,0	14,0	27
K- 07 30 06 01	G 1/2"	5.3 bar	26,0	75,0	14,0	27
K- 07 30 06 02	G 1/2"	5.4 bar	26,0	75,0	14,0	27
K- 07 30 06 03	G 1/2"	5.5 bar	26,0	75,0	14,0	27

K-SHV DN10





Prekė						
Pavadinimas	Sriegis	Atsako slėgis	A	С	D	SW
			(mm)	(mm)	(mm)	(mm)
K- 07 30 06 04	G 1/2"	5.6 bar	26,0	75,0	14,0	27
K- 07 30 06 05 K- 07 30 06 07	G 1/2" G 1/2"	5.8 bar 6.0 bar	26,0	75,0	14,0	27 27
K- 07 30 06 07	G 1/2"	6.2 bar	26,0 26,0	75,0 75,0	14,0 14,0	27
K- 07 30 06 09	G 1/2"	6.3 bar	26,0	75,0	14,0	27
K- 07 30 06 10	G 1/2"	6.4 bar	26,0	75,0	14,0	27
K- 07 30 06 11	G 1/2"	6.5 bar	26,0	75,0	14,0	27
K- 07 30 06 12	G 1/2"	6.6 bar	26,0	75,0	14,0	27
K- 07 30 06 13	G 1/2"	6.8 bar	26,0	75,0	14,0	27
K- 07 30 06 14	G 1/2"	6.9 bar	26,0	75,0	14,0	27
K- 07 30 06 15	G 1/2"	7.0 bar	26,0	75,0	14,0	27
K- 07 30 06 16	G 1/2"	7.2 bar	26,0	75,0	14,0	27
K- 07 30 06 17	G 1/2"	7.5 bar	26,0	75,0	14,0	27
K- 07 30 06 18 K- 07 30 06 19	G 1/2" G 1/2"	7.7 bar 8.0 bar	26,0 26,0	75,0 75,0	14,0 14,0	27 27
K- 07 30 06 19	G 1/2"	8.2 bar	26,0	75,0	14,0	27
K- 07 30 06 20	G 1/2"	8.5 bar	26,0	75,0	14,0	27
K- 07 30 06 22	G 1/2"	8.6 bar	26,0	95,0	14,0	27
K- 07 30 06 23	G 1/2"	8.8 bar	26,0	95,0	14,0	27
K- 07 30 06 24	G 1/2"	9.0 bar	26,0	95,0	14,0	27
K- 07 30 06 25	G 1/2"	9.1 bar	26,0	95,0	14,0	27
K- 07 30 06 26	G 1/2"	9.3 bar	26,0	95,0	14,0	27
K- 07 30 06 27	G 1/2"	9.5 bar	26,0	95,0	14,0	27
K- 07 30 06 28	G 1/2"	9.6 bar	26,0	95,0	14,0	27
K- 07 30 06 29	G 1/2"	9.8 bar	26,0	95,0	14,0	27
K- 07 30 04 97	G 1/2" G 1/2"	10.0 bar	26,0 26,0	95,0	14,0	27 27
K- 07 30 04 98 K- 07 30 04 99	G 1/2"	10.3 bar 10.5 bar	26,0	95,0 95,0	14,0 14,0	27
K- 07 30 05 01	G 1/2"	11.0 bar	26,0	95,0	14,0	27
K- 07 30 05 02	G 1/2"	11.5 bar	26,0	95,0	14,0	27
K- 07 30 05 03	G 1/2"	11.6 bar	26,0	95,0	14,0	27
K- 07 30 05 04	G 1/2"	12.0 bar	26,0	95,0	14,0	27
K- 07 30 05 05	G 1/2"	12.1 bar	26,0	95,0	14,0	27
K- 07 30 05 06	G 1/2"	12.5 bar	26,0	95,0	14,0	27
K- 07 30 05 07	G 1/2"	13.0 bar	26,0	95,0	14,0	27
K- 07 30 05 08	G 1/2"	13.3 bar	26,0	95,0	14,0	27
K- 07 30 05 09	G 1/2"	13.5 bar	26,0	95,0	14,0	27 27
K- 07 30 05 10 K- 07 30 05 11	G 1/2" G 1/2"	14.0 bar 14.5 bar	26,0 26,0	95,0 95,0	14,0 14,0	27
K- 07 30 05 12	G 1/2"	15.0 bar	26,0	95,0	14,0	27
K- 07 30 05 13	G 1/2"	15.1 bar	26,0	95,0	14,0	27
K- 07 30 05 14	G 1/2"	15.5 bar	26,0	95,0	14,0	27
K- 07 30 05 15	G 1/2"	15.6 bar	26,0	95,0	14,0	27
K- 07 30 05 16	G 1/2"	15.8 bar	26,0	95,0	14,0	27
K- 07 30 05 17	G 1/2"	16.0 bar	26,0	95,0	14,0	27
K- 07 30 05 18	G 1/2"	16.5 bar	26,0	95,0	14,0	27
K- 07 30 05 19	G 1/2"	17.0 bar	26,0	95,0	14,0	27
K- 07 30 05 20	G 1/2"	17.5 bar	26,0	95,0	14,0	27 27
K- 07 30 05 21 K- 07 30 05 22	G 1/2" G 1/2"	17.6 bar 18.0 bar	26,0 26,0	95,0 95,0	14,0 14,0	27
K- 07 30 05 22	G 1/2"	18.9 bar	26,0	95,0	14,0	27
K- 07 30 05 24	G 1/2"	19.0 bar	26,0	95,0	14,0	27
K- 07 30 05 25	G 1/2"	19.1 bar	26,0	95,0	14,0	27
K- 07 30 05 26	G 1/2"	19.4 bar	26,0	95,0	14,0	27
K- 07 30 05 27	G 1/2"	19.5 bar	26,0	95,0	14,0	27
K- 07 30 05 36	G 1/2"	20.0 bar	26,0	95,0	14,0	27
K- 07 30 05 37	G 1/2"	20.5 bar	26,0	95,0	14,0	27
K- 07 30 05 38	G 1/2"	20.8 bar	26,0	95,0	14,0	27
K- 07 30 05 39	G 1/2"	21.0 bar	26,0	95,0	14,0	27
K- 07 30 05 40	G 1/2"	22.0 bar	26,0	95,0	14,0	27
K- 07 30 05 41	G 1/2"	22.5 bar	26,0	95,0	14,0	27
K- 07 30 05 42 K- 07 30 05 43	G 1/2" G 1/2"	23.0 bar 23.5 bar	26,0 26,0	95,0 95,0	14,0 14,0	27 27
14- 07-30-03-43	G 1/2	20.0 Dai	20,0	33,0	14,0	۷1

K-SHV DN10

Safety valves DN 10



Prekė						
Pavadinimas	Cricaio	Ataaka alàgia	A	С	D	SW
Pavaummas	Sriegis	Atsako slėgis	(mm)	(mm)	(mm)	(mm)
K- 07 30 05 44	G 1/2"	24.0 bar	26,0	95,0	14,0	27
K- 07 30 05 45	G 1/2"	24.5 bar	26,0	95,0	14,0	27
K- 07 30 05 46	G 1/2"	25.0 bar	26,0	95,0	14,0	27
K- 07 30 05 47	G 1/2"	25.2 bar	26,0	95,0	14,0	27
K- 07 30 05 48	G 1/2"	26.0 bar	26,0	95,0	14,0	27
K- 07 30 05 49	G 1/2"	26.5 bar	26,0	95,0	14,0	27
K- 07 30 05 50 K- 07 30 05 51	G 1/2" G 1/2"	27.0 bar 27.2 bar	26,0 26,0	95,0 95,0	14,0 14,0	27 27
K- 07 30 05 51 K- 07 30 05 52	G 1/2"	27.5 bar	26,0	95,0	14,0	27
K- 07 30 05 52	G 1/2"	28.0 bar	26,0	95,0	14,0	27
K- 07 30 05 54	G 1/2"	28.5 bar	26,0	95,0	14,0	27
K- 07 30 05 55	G 1/2"	28.6 bar	26,0	95,0	14,0	27
K- 07 30 05 56	G 1/2"	29.0 bar	26,0	95,0	14,0	27
K- 07 30 05 57	G 1/2"	29.5 bar	26,0	95,0	14,0	27
K- 07 30 05 65	G 1/2"	30.0 bar	26,0	95,0	14,0	27
K- 07 30 05 66	G 1/2"	30.8 bar	26,0	95,0	14,0	27
K- 07 30 05 67	G 1/2"	31.0 bar	26,0	95,0	14,0	27
K- 07 30 05 68	G 1/2"	31.5 bar	26,0	95,0	14,0	27
K- 07 30 05 69	G 1/2"	32.0 bar	26,0	95,0	14,0	27
K- 07 30 05 70	G 1/2"	32.5 bar	26,0	95,0	14,0	27
K- 07 30 05 71 K- 07 30 05 72	G 1/2" G 1/2"	33.0 bar 33.3 bar	26,0 26,0	95,0 95,0	14,0 14,0	27 27
K- 07 30 05 72 K- 07 30 05 73	G 1/2"	33.3 bar 33.7 bar	26,0	95,0	14,0	27
K- 07 30 05 73 K- 07 30 05 74	G 1/2"	34.0 bar	26,0	95,0	14,0	27
K- 07 30 05 75	G 1/2"	34.1 bar	26,0	95,0	14,0	27
K- 07 30 05 76	G 1/2"	35.0 bar	26,0	95,0	14,0	27
K- 07 30 05 77	G 1/2"	36.0 bar	26,0	95,0	14,0	27
K- 07 30 05 78	G 1/2"	36.3 bar	26,0	95,0	14,0	27
K- 07 30 05 79	G 1/2"	36.4 bar	26,0	95,0	14,0	27
K- 07 30 05 80	G 1/2"	36.8 bar	26,0	95,0	14,0	27
K- 07 30 05 81	G 1/2"	38.0 bar	26,0	95,0	14,0	27
K- 07 30 05 88	G 1/2"	40.0 bar	26,0	95,0	14,0	27
K- 07 30 05 89	G 1/2"	41.0 bar	26,0	120,0	14,0	27
K- 07 30 05 90 K- 07 30 05 91	G 1/2" G 1/2"	41.5 bar 42.0 bar	26,0 26,0	120,0 120,0	14,0 14,0	27 27
K- 07 30 05 91 K- 07 30 05 92	G 1/2"	43.0 bar	26,0	120,0	14,0	27
K- 07 30 05 92 K- 07 30 05 93	G 1/2"	44.0 bar	26,0	120,0	14,0	27
K- 07 30 05 94	G 1/2"	45.0 bar	26,0	120,0	14,0	27
K- 07 30 05 95	G 1/2"	46.0 bar	26,0	120,0	14,0	27
K- 07 30 05 96	G 1/2"	47.0 bar	26,0	120,0	14,0	27
K- 07 30 05 97	G 1/2"	48.0 bar	26,0	120,0	14,0	27
K- 07 30 06 06	G 1/2"	50.0 bar	26,0	120,0	14,0	27
K- 07 30 06 30	G 3/4"	0.2 bar	32,0	75,0	16,0	32
K- 07 30 06 31	G 3/4"	0.3 bar	32,0	75,0	16,0	32
K- 07 30 06 32	G 3/4"	0.35 bar	32,0	75,0	16,0	32
K- 07 30 06 33	G 3/4"	0.4 bar	32,0	75,0	16,0	32
K- 07 30 06 34 K- 07 30 06 35	G 3/4" G 3/4"	0.5 bar 0.65 bar	32,0 32,0	75,0 75,0	16,0 16,0	32 32
K- 07 30 06 35 K- 07 30 06 36	G 3/4"	0.65 bar	32,0	75,0	16,0	32
K- 07 30 06 37	G 3/4"	0.8 bar	32,0	75,0	16,0	32
K- 07 30 06 38	G 3/4"	0.9 bar	32,0	75,0	16,0	32
K- 07 30 06 39	G 3/4"	1.0 bar	32,0	75,0	16,0	32
K- 07 30 06 40	G 3/4"	1.1 bar	32,0	75,0	16,0	32
K- 07 30 06 41	G 3/4"	1.2 bar	32,0	75,0	16,0	32
K- 07 30 06 42	G 3/4"	1.4 bar	32,0	75,0	16,0	32
K- 07 30 06 43	G 3/4"	1.5 bar	32,0	75,0	16,0	32
K- 07 30 06 44	G 3/4"	1.6 bar	32,0	75,0	16,0	32
K- 07 30 06 45	G 3/4"	1.75 bar	32,0	75,0	16,0	32
K- 07 30 06 46	G 3/4"	1.8 bar	32,0	75,0	16,0	32
K- 07 30 06 47	G 3/4"	1.9 bar	32,0	75,0	16,0	32
K- 07 30 06 72	G 3/4"	2.0 bar	32,0	75,0 75,0	16,0	32
K- 07 30 06 73 K- 07 30 06 74	G 3/4"	2.1 bar 2.2 bar	32,0 32,0	75,0 75,0	16,0 16,0	32 32
12-07-30-00-74	G 3/4	2.2 Dai	JZ,U	13,0	10,0	JZ

K-SHV DN10

Safety valves DN 10



Prekė						
Pavadinimas	Sriegis	Atsako slėgis	A	С	D	SW
- avaummas	Snegis	Alsaku siegis	(mm)	(mm)	(mm)	(mm)
K- 07 30 06 75	G 3/4"	2.3 bar	32,0	75,0	16,0	32
K- 07 30 06 76	G 3/4"	2.4 bar	32,0	75,0	16,0	32
K- 07 30 06 77	G 3/4"	2.5 bar	32,0	75,0	16,0	32
K- 07 30 06 78	G 3/4"	2.7 bar	32,0	75,0	16,0	32
K- 07 30 06 97	G 3/4" G 3/4"	3.0 bar	32,0	75,0	16,0	32 32
K- 07 30 06 98 K- 07 30 06 99	G 3/4"	3.2 bar 3.3 bar	32,0 32,0	75,0 75,0	16,0 16,0	32
K- 07 30 00 99 K- 07 30 07 00	G 3/4"	3.5 bar	32,0	75,0	16,0	32
K- 07 30 07 01	G 3/4"	3.6 bar	32,0	75,0	16,0	32
K- 07 30 07 02	G 3/4"	3.8 bar	32,0	75,0	16,0	32
K- 07 30 07 14	G 3/4"	4.0 bar	32,0	75,0	16,0	32
K- 07 30 07 15	G 3/4"	4.1 bar	32,0	75,0	16,0	32
K- 07 30 07 16	G 3/4"	4.5 bar	32,0	75,0	16,0	32
K- 07 30 07 17	G 3/4"	4.7 bar	32,0	75,0	16,0	32
K- 07 30 07 18	G 3/4"	4.9 bar	32,0	75,0	16,0	32
K- 07 30 07 26	G 3/4"	5.0 bar	32,0	75,0	16,0	32
K- 07 30 07 27 K- 07 30 07 28	G 3/4"	5.1 bar 5.3 bar	32,0 32,0	75,0 75,0	16,0 16,0	32 32
K- 07 30 07 28 K- 07 30 07 29	G 3/4"	5.5 bar	32,0	75,0 75,0	16,0	32
K- 07 30 07 29 K- 07 30 07 30	G 3/4"	5.7 bar	32,0	75,0	16,0	32
K- 07 30 07 32	G 3/4"	6.0 bar	32,0	75,0	16,0	32
K- 07 30 07 33	G 3/4"	6.2 bar	32,0	75,0	16,0	32
K- 07 30 07 34	G 3/4"	6.5 bar	32,0	75,0	16,0	32
K- 07 30 07 35	G 3/4"	6.6 bar	32,0	75,0	16,0	32
K- 07 30 07 36	G 3/4"	7.0 bar	32,0	75,0	16,0	32
K- 07 30 07 37	G 3/4"	7.1 bar	32,0	75,0	16,0	32
K- 07 30 07 38	G 3/4"	7.2 bar	32,0	75,0	16,0	32
K- 07 30 07 39 K- 07 30 07 40	G 3/4" G 3/4"	7.5 bar 7.7 bar	32,0	75,0 75,0	16,0	32 32
K- 07 30 07 40 K- 07 30 07 41	G 3/4"	7.7 bar 7.8 bar	32,0 32,0	75,0	16,0 16,0	32
K- 07 30 07 41	G 3/4"	8.0 bar	32,0	75,0	16,0	32
K- 07 30 07 43	G 3/4"	8.2 bar	32,0	75,0	16,0	32
K- 07 30 07 44	G 3/4"	8.4 bar	32,0	75,0	16,0	32
K- 07 30 07 45	G 3/4"	8.5 bar	32,0	75,0	16,0	32
K- 07 30 07 46	G 3/4"	8.6 bar	32,0	95,0	16,0	32
K- 07 30 07 47	G 3/4"	8.8 bar	32,0	95,0	16,0	32
K- 07 30 07 48	G 3/4"	9.0 bar	32,0	95,0	16,0	32
K- 07 30 07 49	G 3/4"	9.1 bar	32,0	95,0	16,0	32
K- 07 30 07 50 K- 07 30 07 51	G 3/4"	9.3 bar 9.4 bar	32,0 32,0	95,0 95,0	16,0 16,0	32 32
K- 07 30 07 51 K- 07 30 07 52	G 3/4"	9.5 bar	32,0	95,0	16,0	32
K- 07 30 07 53	G 3/4"	9.6 bar	32,0	95,0	16,0	32
K- 07 30 07 54	G 3/4"	9.8 bar	32,0	95,0	16,0	32
K- 07 30 07 55	G 3/4"	9.9 bar	32,0	95,0	16,0	32
K- 07 30 06 48	G 3/4"	10.0 bar	32,0	95,0	16,0	32
K- 07 30 06 49	G 3/4"	10.2 bar	32,0	95,0	16,0	32
K- 07 30 06 50	G 3/4"	10.5 bar	32,0	95,0	16,0	32
K- 07 30 06 51	G 3/4"	10.6 bar	32,0	95,0	16,0	32
K- 07 30 06 52 K- 07 30 06 53	G 3/4" G 3/4"	11.0 bar 11.5 bar	32,0 32,0	95,0 95,0	16,0 16,0	32 32
K- 07 30 06 53 K- 07 30 06 54	G 3/4"	11.6 bar	32,0	95,0	16,0	32
K- 07 30 06 55	G 3/4"	12.0 bar	32,0	95,0	16,0	32
K- 07 30 06 56	G 3/4"	12.5 bar	32,0	95,0	16,0	32
K- 07 30 06 57	G 3/4"	13.0 bar	32,0	95,0	16,0	32
K- 07 30 06 58	G 3/4"	13.5 bar	32,0	95,0	16,0	32
K- 07 30 06 59	G 3/4"	13.8 bar	32,0	95,0	16,0	32
K- 07 30 06 60	G 3/4"	14.0 bar	32,0	95,0	16,0	32
K- 07 30 06 61	G 3/4"	15.0 bar	32,0	95,0	16,0	32
K- 07 30 06 62	G 3/4"	15.2 bar	32,0	95,0	16,0	32
K- 07 30 06 63	G 3/4"	15.5 bar	32,0	95,0	16,0	32
K- 07 30 06 64	G 3/4"	16.0 bar	32,0	95,0	16,0	32
K- 07 30 06 65 K- 07 30 06 66	G 3/4"	16.5 bar 17.0 bar	32,0 32,0	95,0 95,0	16,0 16,0	32 32
1/2 01 30 00 00	G 3/4	i i .u Dai	32,0	95,0	10,0	JΔ

6



K- 07 30 06 67 G 3/4" 17.5 bar 32,0 95,0 16,0 32 K- 07 30 06 68 G 3/4" 17.6 bar 32,0 95,0 16,0 32 K- 07 30 06 69 G 3/4" 18.0 bar 32,0 95,0 16,0 32 K- 07 30 06 69 G 3/4" 18.0 bar 32,0 95,0 16,0 32	Prekė						
K. O7 30 06 87 G 344" 17.5 bar 32.0 95.0 16.0 32 K. O7 30 06 89 G 344" 18.5 bar 32.0 95.0 16.0 32 K. O7 30 06 70 G 344" 18.5 bar 32.0 95.0 16.0 32 K. O7 30 06 71 G 344" 18.0 bar 32.0 95.0 16.0 32 K. O7 30 06 71 G 344" 18.0 bar 32.0 95.0 16.0 32 K. O7 30 06 71 G 344" 20.0 bar 32.0 95.0 16.0 32 K. O7 30 06 80 G 344" 20.0 bar 32.0 95.0 16.0 32 K. O7 30 06 80 G 344" 20.5 bar 32.0 95.0 16.0 32 K. O7 30 06 81 G 344" 21.0 bar 32.0 95.0 16.0 32 K. O7 30 06 81 G 344" 21.0 bar 32.0 95.0 16.0 32 K. O7 30 06 81 G 344" 21.5 bar 32.0 95.0 16.0 32 K. O7 30 06 83 G 344" 22.5 bar 32.0 95.0 16.0 32 K. O7 30 06 83 G 344" 22.0 bar 32.0 95.0 16.0 32 K. O7 30 06 85 G 344" 22.0 bar 32.0 95.0 16.0 32 K. O7 30 06 86 G 344" 22.0 bar 32.0 95.0 16.0 32 K. O7 30 06 86 G 344" 22.0 bar 32.0 95.0 16.0 32 K. O7 30 06 86 G 344" 22.5 bar 32.0 95.0 16.0 32 K. O7 30 06 86 G 344" 22.5 bar 32.0 95.0 16.0 32 K. O7 30 06 86 G 344" 22.5 bar 32.0 95.0 16.0 32 K. O7 30 06 86 G 344" 22.5 bar 32.0 95.0 16.0 32 K. O7 30 06 87 G 344" 25.0 bar 32.0 95.0 16.0 32 K. O7 30 06 88 G 344" 25.0 bar 32.0 95.0 16.0 32 K. O7 30 06 88 G 344" 25.0 bar 32.0 95.0 16.0 32 K. O7 30 06 89 G 344" 25.0 bar 32.0 95.0 16.0 32 K. O7 30 06 89 G 344" 25.0 bar 32.0 95.0 16.0 32 K. O7 30 06 89 G 344" 25.0 bar 32.0 95.0 16.0 32 K. O7 30 06 89 G 344" 25.0 bar 32.0 95.0 16.0 32 K. O7 30 06 89 G 344" 25.0 bar 32.0 95.0 16.0 32 K. O7 30 06 90 G 344" 25.0 bar 32.0 95.0 16.0 32 K. O7 30 06 90 G 344" 25.0 bar 32.0 95.0 16.0 32 K. O7 30 06 90 G 344" 27.6 bar 32.0 95.0 16.0 32 K. O7 30 06 90 G 344" 32.5 bar 32.0 95.0 16.0 32 K. O7 30 06 90 G 344" 32.0 bar 32.0 95.0 16.0 32 K. O7 30 06 90 G 344" 32.0 bar 32.0 95.0 16.0 32 K. O7 30 06 90 G 344" 32.0 bar 32.0 95.0 16.0 32 K. O7 30 07 08 G 344" 32.0 bar 32.0 95.0 16.0 32 K. O7 30 07 08 G 344" 32.0 bar 32.0 95.0 16.0 32 K. O7 30 07 08 G 344" 33.5 bar 32.0 95.0 16.0 32 K. O7 30 07 08 G 344" 33.5 bar 32.0 95.0 16.0 32 K. O7 30 07 08 G 344" 33.5 bar 32.0 95.0 16.0 32 K. O7 30 07 08 G 344" 33.0 bar 32.0 95.0 16.0 32 K. O7 30 07 08 G 344" 33.0 bar 32.0 9	Pavadinimas	Sriegis	Atsako slėgis				
K- 07 30 06 68	K- 07 30 06 67	G 3/4"	17 5 bar				
K- OT 30 06 69							
K. OT 30 06 70							
K- 07 30 06 79	K- 07 30 06 70	G 3/4"	18.5 bar	32,0	95,0		32
K O7 30 06 80	K- 07 30 06 71	G 3/4"	19.0 bar	32,0	95,0	16,0	32
C 07 30 06 81	K- 07 30 06 79	G 3/4"	20.0 bar	32,0	95,0	16,0	32
C 07 30 06 82	K- 07 30 06 80	G 3/4"	20.5 bar	32,0	95,0	16,0	32
 C-OT 30 06 83 G-3/4" C-OT 30 06 84 G-3/4" C-OT 30 06 85 G-3/4" C-OT 30 06 85 G-3/4" C-OT 30 06 86 G-3/4" C-OT 30 06 86 G-3/4" C-OT 30 06 86 G-3/4" C-OT 30 06 87 G-3/4" C-OT 30 06 88 G-3/4" C-OT 30 06 89 G-3/4" C-OT 30 06 89 G-3/4" C-OT 30 06 89 G-3/4" C-OT 30 06 90 G-3/4" C-OT 30 06 90 G-3/4" C-OT 30 06 91 G-3/4" C-OT 30 06 91 G-3/4" C-OT 30 06 92 G-3/4" C-OT 30 06 93 G-3/4" C-OT 30 06 93 G-3/4" C-OT 30 06 94 G-3/4" C-OT 30 06 95 G-3/4" C-OT 30 06 94 G-3/4" C-OT 30 06 96 G-3/4" C-OT 30 07 08 G-3/4" C-OT 30	K- 07 30 06 81	G 3/4"	21.0 bar	32,0	95,0	16,0	32
€ 07 30 06 84 G 3/4" 23.2 bar 32,0 95,0 16,0 32 € 07 30 06 85 G 3/4" 23.5 bar 32,0 95,0 16,0 32 € 07 30 06 86 G 3/4" 24.0 bar 32,0 95,0 16,0 32 € 07 30 06 87 G 3/4" 25.5 bar 32,0 95,0 16,0 32 € 07 30 06 89 G 3/4" 25.5 bar 32,0 95,0 16,0 32 € 07 30 06 90 G 3/4" 25.5 bar 32,0 95,0 16,0 32 € 07 30 06 91 G 3/4" 27.5 bar 32,0 95,0 16,0 32 € 07 30 06 91 G 3/4" 27.5 bar 32,0 95,0 16,0 32 € 07 30 06 91 G 3/4" 27.5 bar 32,0 95,0 16,0 32 € 07 30 06 94 G 3/4" 27.6 bar 32,0 95,0 16,0 32 € 07 30 06 95 G 3/4" 28.5 bar 32,0 95,0 16,0 32 <td>K- 07 30 06 82</td> <td>G 3/4"</td> <td>21.5 bar</td> <td>32,0</td> <td>95,0</td> <td>16,0</td> <td>32</td>	K- 07 30 06 82	G 3/4"	21.5 bar	32,0	95,0	16,0	32
C- 07 30 06 85 G 3/4" 23.5 bar 32.0 95.0 16.0 32 C- 07 30 06 86 G 3/4" 24.0 bar 32.0 95.0 16.0 32 C- 07 30 06 87 G 3/4" 25.0 bar 32.0 95.0 16.0 32 C- 07 30 06 88 G 3/4" 25.5 bar 32.0 95.0 16.0 32 C- 07 30 06 89 G 3/4" 26.5 bar 32.0 95.0 16.0 32 C- 07 30 06 90 G 3/4" 27.5 bar 32.0 95.0 16.0 32 C- 07 30 06 91 G 3/4" 27.5 bar 32.0 95.0 16.0 32 C- 07 30 06 92 G 3/4" 27.6 bar 32.0 95.0 16.0 32 C- 07 30 06 93 G 3/4" 28.0 bar 32.0 95.0 16.0 32 C- 07 30 06 94 G 3/4" 28.5 bar 32.0 95.0 16.0 32 C- 07 30 07 05 G 3/4" 29.5 bar 32.0 95.0 16.0 32 <td>K- 07 30 06 83</td> <td>G 3/4"</td> <td>22.0 bar</td> <td>32,0</td> <td>95,0</td> <td>16,0</td> <td>32</td>	K- 07 30 06 83	G 3/4"	22.0 bar	32,0	95,0	16,0	32
C-07 30 06 86 G 3/4" 24.0 bar 32,0 95,0 16,0 32 C-07 30 06 87 G 3/4" 25.0 bar 32,0 95,0 16,0 32 C-07 30 06 88 G 3/4" 25.5 bar 32,0 95,0 16,0 32 C-07 30 06 89 G 3/4" 26.5 bar 32,0 95,0 16,0 32 C-07 30 06 90 G 3/4" 27.0 bar 32,0 95,0 16,0 32 C-07 30 06 91 G 3/4" 27.5 bar 32,0 95,0 16,0 32 C-07 30 06 92 G 3/4" 27.6 bar 32,0 95,0 16,0 32 C-07 30 06 93 G 3/4" 28.0 bar 32,0 95,0 16,0 32 C-07 30 06 94 G 3/4" 28.5 bar 32,0 95,0 16,0 32 C-07 30 06 95 G 3/4" 29.5 bar 32,0 95,0 16,0 32 C-07 30 07 03 G 3/4" 32.5 bar 32,0 95,0 16,0 32 <td><- 07 30 06 84</td> <td>G 3/4"</td> <td>23.2 bar</td> <td>32,0</td> <td>95,0</td> <td>16,0</td> <td>32</td>	<- 07 30 06 84	G 3/4"	23.2 bar	32,0	95,0	16,0	32
C-07 30 06 87 G 3/4" 25.0 bar 32,0 95,0 16,0 32 C-07 30 06 88 G 3/4" 25.5 bar 32,0 95,0 16,0 32 C-07 30 06 89 G 3/4" 26.5 bar 32,0 95,0 16,0 32 C-07 30 06 90 G 3/4" 27.0 bar 32,0 95,0 16,0 32 C-07 30 06 91 G 3/4" 27.5 bar 32,0 95,0 16,0 32 C-07 30 06 92 G 3/4" 27.6 bar 32,0 95,0 16,0 32 C-07 30 06 93 G 3/4" 28.0 bar 32,0 95,0 16,0 32 C-07 30 06 94 G 3/4" 28.5 bar 32,0 95,0 16,0 32 C-07 30 06 95 G 3/4" 29.5 bar 32,0 95,0 16,0 32 C-07 30 07 03 G 3/4" 29.5 bar 32,0 95,0 16,0 32 C-07 30 07 04 G 3/4" 31.5 bar 32,0 95,0 16,0 32 <td>K- 07 30 06 85</td> <td>G 3/4"</td> <td>23.5 bar</td> <td>32,0</td> <td>95,0</td> <td>16,0</td> <td>32</td>	K- 07 30 06 85	G 3/4"	23.5 bar	32,0	95,0	16,0	32
C-07 30 06 88 G 3/4" 25.5 bar 32,0 95,0 16,0 32 C-07 30 06 89 G 3/4" 26.5 bar 32,0 95,0 16,0 32 C-07 30 06 90 G 3/4" 27.5 bar 32,0 95,0 16,0 32 C-07 30 06 91 G 3/4" 27.5 bar 32,0 95,0 16,0 32 C-07 30 06 92 G 3/4" 27.6 bar 32,0 95,0 16,0 32 C-07 30 06 93 G 3/4" 28.0 bar 32,0 95,0 16,0 32 C-07 30 06 94 G 3/4" 28.5 bar 32,0 95,0 16,0 32 C-07 30 06 95 G 3/4" 29.0 bar 32,0 95,0 16,0 32 C-07 30 07 03 G 3/4" 29.5 bar 32,0 95,0 16,0 32 C-07 30 07 04 G 3/4" 31.5 bar 32,0 95,0 16,0 32 C-07 30 07 05 G 3/4" 32.0 bar 32,0 95,0 16,0 32 <td>K- 07 30 06 86</td> <td>G 3/4"</td> <td>24.0 bar</td> <td>32,0</td> <td>95,0</td> <td>16,0</td> <td>32</td>	K- 07 30 06 86	G 3/4"	24.0 bar	32,0	95,0	16,0	32
General Composition	<- 07 30 06 87	G 3/4"	25.0 bar	32,0	95,0	16,0	32
C-O7 30 06 90 G 3/4" 27.0 bar 32,0 95,0 16,0 32 C-O7 30 06 91 G 3/4" 27.5 bar 32,0 95,0 16,0 32 C-O7 30 06 92 G 3/4" 27.6 bar 32,0 95,0 16,0 32 C-O7 30 06 93 G 3/4" 28.0 bar 32,0 95,0 16,0 32 C-O7 30 06 94 G 3/4" 28.5 bar 32,0 95,0 16,0 32 C-O7 30 06 95 G 3/4" 29.5 bar 32,0 95,0 16,0 32 C-O7 30 06 96 G 3/4" 29.5 bar 32,0 95,0 16,0 32 C-O7 30 07 03 G 3/4" 29.5 bar 32,0 95,0 16,0 32 C-O7 30 07 04 G 3/4" 31.5 bar 32,0 95,0 16,0 32 C-O7 30 07 05 G 3/4" 31.5 bar 32,0 95,0 16,0 32 C-O7 30 07 06 G 3/4" 32.5 bar 32,0 95,0 16,0 32 <td>K- 07 30 06 88</td> <td>G 3/4"</td> <td>25.5 bar</td> <td>32,0</td> <td>95,0</td> <td>16,0</td> <td>32</td>	K- 07 30 06 88	G 3/4"	25.5 bar	32,0	95,0	16,0	32
C-O7 30 06 91 G 3/4" 27.5 bar 32,0 95,0 16,0 32 C-O7 30 06 92 G 3/4" 27.6 bar 32,0 95,0 16,0 32 C-O7 30 06 93 G 3/4" 28.0 bar 32,0 95,0 16,0 32 C-O7 30 06 94 G 3/4" 28.5 bar 32,0 95,0 16,0 32 C-O7 30 06 95 G 3/4" 29.0 bar 32,0 95,0 16,0 32 C-O7 30 06 96 G 3/4" 29.5 bar 32,0 95,0 16,0 32 C-O7 30 07 03 G 3/4" 29.5 bar 32,0 95,0 16,0 32 C-O7 30 07 04 G 3/4" 31.5 bar 32,0 95,0 16,0 32 C-O7 30 07 05 G 3/4" 32.0 bar 32,0 95,0 16,0 32 C-O7 30 07 06 G 3/4" 32.5 bar 32,0 95,0 16,0 32 C-O7 30 07 07 G 3/4" 33.5 bar 32,0 95,0 16,0 32 <td>K- 07 30 06 89</td> <td>G 3/4"</td> <td>26.5 bar</td> <td>32,0</td> <td>95,0</td> <td>16,0</td> <td>32</td>	K- 07 30 06 89	G 3/4"	26.5 bar	32,0	95,0	16,0	32
K- 07 30 06 92 G 3/4" 27.6 bar 32,0 95,0 16,0 32 K- 07 30 06 93 G 3/4" 28.0 bar 32,0 95,0 16,0 32 K- 07 30 06 94 G 3/4" 28.5 bar 32,0 95,0 16,0 32 K- 07 30 06 95 G 3/4" 29.0 bar 32,0 95,0 16,0 32 K- 07 30 06 96 G 3/4" 29.5 bar 32,0 95,0 16,0 32 K- 07 30 07 03 G 3/4" 30.0 bar 32,0 95,0 16,0 32 K- 07 30 07 04 G 3/4" 31.5 bar 32,0 95,0 16,0 32 K- 07 30 07 05 G 3/4" 32.0 bar 32,0 95,0 16,0 32 K- 07 30 07 06 G 3/4" 32.0 bar 32,0 95,0 16,0 32 K- 07 30 07 07 G 3/4" 33.5 bar 32,0 95,0 16,0 32 K- 07 30 07 08 G 3/4" 34.0 bar 32,0 95,0 16,0 32 <td>K- 07 30 06 90</td> <td>G 3/4"</td> <td>27.0 bar</td> <td>32,0</td> <td>95,0</td> <td>16,0</td> <td>32</td>	K- 07 30 06 90	G 3/4"	27.0 bar	32,0	95,0	16,0	32
C- 07 30 06 93 G 3/4" 28.0 bar 32.0 95.0 16.0 32 C- 07 30 06 94 G 3/4" 28.5 bar 32.0 95.0 16.0 32 C- 07 30 06 95 G 3/4" 29.0 bar 32.0 95.0 16.0 32 C- 07 30 06 96 G 3/4" 29.5 bar 32.0 95.0 16.0 32 C- 07 30 07 03 G 3/4" 30.0 bar 32.0 95.0 16.0 32 C- 07 30 07 04 G 3/4" 31.5 bar 32.0 95.0 16.0 32 C- 07 30 07 05 G 3/4" 32.0 bar 32.0 95.0 16.0 32 C- 07 30 07 06 G 3/4" 32.5 bar 32.0 95.0 16.0 32 C- 07 30 07 07 G 3/4" 33.5 bar 32.0 95.0 16.0 32 C- 07 30 07 08 G 3/4" 33.5 bar 32.0 95.0 16.0 32 C- 07 30 07 09 G 3/4" 34.0 bar 32.0 95.0 16.0 32 <td>K- 07 30 06 91</td> <td>G 3/4"</td> <td>27.5 bar</td> <td>32,0</td> <td>95,0</td> <td>16,0</td> <td>32</td>	K- 07 30 06 91	G 3/4"	27.5 bar	32,0	95,0	16,0	32
C- 07 30 06 94 G 3/4" 28.5 bar 32.0 95.0 16.0 32 C- 07 30 06 95 G 3/4" 29.0 bar 32.0 95.0 16.0 32 C- 07 30 06 96 G 3/4" 29.5 bar 32.0 95.0 16.0 32 C- 07 30 07 03 G 3/4" 30.0 bar 32.0 95.0 16.0 32 C- 07 30 07 04 G 3/4" 31.5 bar 32.0 95.0 16.0 32 C- 07 30 07 05 G 3/4" 32.0 bar 32.0 95.0 16.0 32 C- 07 30 07 06 G 3/4" 32.5 bar 32.0 95.0 16.0 32 C- 07 30 07 07 G 3/4" 33.5 bar 32.0 95.0 16.0 32 C- 07 30 07 08 G 3/4" 33.5 bar 32.0 95.0 16.0 32 C- 07 30 07 09 G 3/4" 34.0 bar 32.0 95.0 16.0 32 C- 07 30 07 10 G 3/4" 35.0 bar 32.0 95.0 16.0 32 <td><- 07 30 06 92</td> <td>G 3/4"</td> <td>27.6 bar</td> <td>32,0</td> <td>95,0</td> <td>16,0</td> <td>32</td>	<- 07 30 06 92	G 3/4"	27.6 bar	32,0	95,0	16,0	32
C- 07 30 06 95 G 3/4" 29.0 bar 32,0 95,0 16,0 32 C- 07 30 06 96 G 3/4" 29.5 bar 32,0 95,0 16,0 32 C- 07 30 07 03 G 3/4" 30.0 bar 32,0 95,0 16,0 32 C- 07 30 07 04 G 3/4" 31.5 bar 32,0 95,0 16,0 32 C- 07 30 07 05 G 3/4" 32.0 bar 32,0 95,0 16,0 32 C- 07 30 07 06 G 3/4" 32.5 bar 32,0 95,0 16,0 32 C- 07 30 07 07 G 3/4" 32.5 bar 32,0 95,0 16,0 32 C- 07 30 07 08 G 3/4" 33.5 bar 32,0 95,0 16,0 32 C- 07 30 07 09 G 3/4" 34.0 bar 32,0 95,0 16,0 32 C- 07 30 07 10 G 3/4" 35.0 bar 32,0 95,0 16,0 32 C- 07 30 07 12 G 3/4" 36.0 bar 32,0 95,0 16,0 32 <td>K- 07 30 06 93</td> <td>G 3/4"</td> <td>28.0 bar</td> <td>32,0</td> <td>95,0</td> <td>16,0</td> <td>32</td>	K- 07 30 06 93	G 3/4"	28.0 bar	32,0	95,0	16,0	32
C- 07 30 06 96 G 3/4" 29.5 bar 32,0 95,0 16,0 32 C- 07 30 07 03 G 3/4" 30.0 bar 32,0 95,0 16,0 32 C- 07 30 07 04 G 3/4" 31.5 bar 32,0 95,0 16,0 32 C- 07 30 07 05 G 3/4" 32.0 bar 32,0 95,0 16,0 32 C- 07 30 07 06 G 3/4" 32.5 bar 32,0 95,0 16,0 32 C- 07 30 07 07 G 3/4" 33.0 bar 32,0 95,0 16,0 32 C- 07 30 07 08 G 3/4" 33.5 bar 32,0 95,0 16,0 32 C- 07 30 07 09 G 3/4" 34.0 bar 32,0 95,0 16,0 32 C- 07 30 07 10 G 3/4" 34.0 bar 32,0 95,0 16,0 32 C- 07 30 07 12 G 3/4" 35.0 bar 32,0 95,0 16,0 32 C- 07 30 07 12 G 3/4" 36.0 bar 32,0 95,0 16,0 32 <td><- 07 30 06 94</td> <td>G 3/4"</td> <td>28.5 bar</td> <td>32,0</td> <td>95,0</td> <td>16,0</td> <td>32</td>	<- 07 30 06 94	G 3/4"	28.5 bar	32,0	95,0	16,0	32
C- 07 30 07 03 G 3/4" 30.0 bar 32,0 95,0 16,0 32 C- 07 30 07 04 G 3/4" 31.5 bar 32,0 95,0 16,0 32 C- 07 30 07 05 G 3/4" 32.0 bar 32,0 95,0 16,0 32 C- 07 30 07 06 G 3/4" 32.5 bar 32,0 95,0 16,0 32 C- 07 30 07 07 G 3/4" 33.0 bar 32,0 95,0 16,0 32 C- 07 30 07 08 G 3/4" 33.5 bar 32,0 95,0 16,0 32 C- 07 30 07 09 G 3/4" 34.0 bar 32,0 95,0 16,0 32 C- 07 30 07 10 G 3/4" 34.0 bar 32,0 95,0 16,0 32 C- 07 30 07 11 G 3/4" 35.0 bar 32,0 95,0 16,0 32 C- 07 30 07 12 G 3/4" 36.0 bar 32,0 95,0 16,0 32 C- 07 30 07 13 G 3/4" 37.0 bar 32,0 95,0 16,0 32 <td>K- 07 30 06 95</td> <td>G 3/4"</td> <td>29.0 bar</td> <td>32,0</td> <td>95,0</td> <td>16,0</td> <td>32</td>	K- 07 30 06 95	G 3/4"	29.0 bar	32,0	95,0	16,0	32
C- 07 30 07 04 G 3/4" 31.5 bar 32,0 95,0 16,0 32 C- 07 30 07 05 G 3/4" 32.0 bar 32,0 95,0 16,0 32 C- 07 30 07 06 G 3/4" 32.5 bar 32,0 95,0 16,0 32 C- 07 30 07 07 G 3/4" 33.0 bar 32,0 95,0 16,0 32 C- 07 30 07 08 G 3/4" 33.5 bar 32,0 95,0 16,0 32 C- 07 30 07 09 G 3/4" 34.0 bar 32,0 95,0 16,0 32 C- 07 30 07 10 G 3/4" 34.0 bar 32,0 95,0 16,0 32 C- 07 30 07 11 G 3/4" 35.0 bar 32,0 95,0 16,0 32 C- 07 30 07 12 G 3/4" 36.0 bar 32,0 95,0 16,0 32 C- 07 30 07 13 G 3/4" 37.0 bar 32,0 95,0 16,0 32 C- 07 30 07 20 G 3/4" 40.0 bar 32,0 95,0 16,0 32 <td>K- 07 30 06 96</td> <td>G 3/4"</td> <td>29.5 bar</td> <td>32,0</td> <td>95,0</td> <td>16,0</td> <td>32</td>	K- 07 30 06 96	G 3/4"	29.5 bar	32,0	95,0	16,0	32
C- 07 30 07 05 G 3/4" 32.0 bar 32,0 95,0 16,0 32 C- 07 30 07 06 G 3/4" 32.5 bar 32,0 95,0 16,0 32 C- 07 30 07 07 G 3/4" 33.0 bar 32,0 95,0 16,0 32 C- 07 30 07 08 G 3/4" 33.5 bar 32,0 95,0 16,0 32 C- 07 30 07 09 G 3/4" 34.0 bar 32,0 95,0 16,0 32 C- 07 30 07 10 G 3/4" 35.0 bar 32,0 95,0 16,0 32 C- 07 30 07 11 G 3/4" 36.0 bar 32,0 95,0 16,0 32 C- 07 30 07 12 G 3/4" 36.0 bar 32,0 95,0 16,0 32 C- 07 30 07 13 G 3/4" 38.0 bar 32,0 95,0 16,0 32 C- 07 30 07 19 G 3/4" 40.0 bar 32,0 95,0 16,0 32 C- 07 30 07 20 G 3/4" 41.0 bar 32,0 120,0 16,0 32 </td <td>K- 07 30 07 03</td> <td>G 3/4"</td> <td>30.0 bar</td> <td>32,0</td> <td>95,0</td> <td>16,0</td> <td>32</td>	K- 07 30 07 03	G 3/4"	30.0 bar	32,0	95,0	16,0	32
K- 07 30 07 06 G 3/4" 32.5 bar 32.0 95.0 16.0 32 K- 07 30 07 07 G 3/4" 33.0 bar 32.0 95.0 16.0 32 K- 07 30 07 08 G 3/4" 33.5 bar 32.0 95.0 16.0 32 K- 07 30 07 09 G 3/4" 34.0 bar 32.0 95.0 16.0 32 K- 07 30 07 10 G 3/4" 35.0 bar 32.0 95.0 16.0 32 K- 07 30 07 11 G 3/4" 36.0 bar 32.0 95.0 16.0 32 K- 07 30 07 12 G 3/4" 37.0 bar 32.0 95.0 16.0 32 K- 07 30 07 13 G 3/4" 38.0 bar 32.0 95.0 16.0 32 K- 07 30 07 19 G 3/4" 40.0 bar 32.0 95.0 16.0 32 K- 07 30 07 20 G 3/4" 41.0 bar 32.0 95.0 16.0 32 K- 07 30 07 21 G 3/4" 42.0 bar 32.0 120.0 16.0 32 </td <td>K- 07 30 07 04</td> <td>G 3/4"</td> <td>31.5 bar</td> <td>32,0</td> <td>95,0</td> <td>16,0</td> <td>32</td>	K- 07 30 07 04	G 3/4"	31.5 bar	32,0	95,0	16,0	32
C- 07 30 07 07 G 3/4" 33.0 bar 32,0 95,0 16,0 32 C- 07 30 07 08 G 3/4" 33.5 bar 32,0 95,0 16,0 32 C- 07 30 07 09 G 3/4" 34.0 bar 32,0 95,0 16,0 32 C- 07 30 07 10 G 3/4" 35.0 bar 32,0 95,0 16,0 32 C- 07 30 07 11 G 3/4" 36.0 bar 32,0 95,0 16,0 32 C- 07 30 07 12 G 3/4" 37.0 bar 32,0 95,0 16,0 32 C- 07 30 07 13 G 3/4" 37.0 bar 32,0 95,0 16,0 32 C- 07 30 07 19 G 3/4" 40.0 bar 32,0 95,0 16,0 32 C- 07 30 07 20 G 3/4" 41.0 bar 32,0 95,0 16,0 32 C- 07 30 07 21 G 3/4" 42.0 bar 32,0 120,0 16,0 32 C- 07 30 07 22 G 3/4" 43.0 bar 32,0 120,0 16,0 32<	K- 07 30 07 05	G 3/4"	32.0 bar	32,0	95,0	16,0	32
K- 07 30 07 08 G 3/4" 33.5 bar 32,0 95,0 16,0 32 K- 07 30 07 09 G 3/4" 34.0 bar 32,0 95,0 16,0 32 K- 07 30 07 10 G 3/4" 35.0 bar 32,0 95,0 16,0 32 K- 07 30 07 11 G 3/4" 36.0 bar 32,0 95,0 16,0 32 K- 07 30 07 12 G 3/4" 37.0 bar 32,0 95,0 16,0 32 K- 07 30 07 13 G 3/4" 38.0 bar 32,0 95,0 16,0 32 K- 07 30 07 19 G 3/4" 40.0 bar 32,0 95,0 16,0 32 K- 07 30 07 20 G 3/4" 40.0 bar 32,0 95,0 16,0 32 K- 07 30 07 21 G 3/4" 41.0 bar 32,0 120,0 16,0 32 K- 07 30 07 22 G 3/4" 42.0 bar 32,0 120,0 16,0 32 K- 07 30 07 24 G 3/4" 45.0 bar 32,0 120,0 16,0 32	K- 07 30 07 06	G 3/4"	32.5 bar	32,0	95,0	16,0	32
K- 07 30 07 09 G 3/4" 34.0 bar 32,0 95,0 16,0 32 K- 07 30 07 10 G 3/4" 35.0 bar 32,0 95,0 16,0 32 K- 07 30 07 11 G 3/4" 36.0 bar 32,0 95,0 16,0 32 K- 07 30 07 12 G 3/4" 37.0 bar 32,0 95,0 16,0 32 K- 07 30 07 13 G 3/4" 38.0 bar 32,0 95,0 16,0 32 K- 07 30 07 19 G 3/4" 40.0 bar 32,0 95,0 16,0 32 K- 07 30 07 20 G 3/4" 41.0 bar 32,0 120,0 16,0 32 K- 07 30 07 21 G 3/4" 42.0 bar 32,0 120,0 16,0 32 K- 07 30 07 22 G 3/4" 43.0 bar 32,0 120,0 16,0 32 K- 07 30 07 23 G 3/4" 44.0 bar 32,0 120,0 16,0 32 K- 07 30 07 24 G 3/4" 45.0 bar 32,0 120,0 16,0 32 K- 07 30 07 25 G 3/4" 46.0 bar 32,0 120,0	<- 07 30 07 07	G 3/4"	33.0 bar	32,0	95,0	16,0	32
K- 07 30 07 10 G 3/4" 35.0 bar 32,0 95,0 16,0 32 K- 07 30 07 11 G 3/4" 36.0 bar 32,0 95,0 16,0 32 K- 07 30 07 12 G 3/4" 37.0 bar 32,0 95,0 16,0 32 K- 07 30 07 13 G 3/4" 38.0 bar 32,0 95,0 16,0 32 K- 07 30 07 19 G 3/4" 40.0 bar 32,0 95,0 16,0 32 K- 07 30 07 20 G 3/4" 41.0 bar 32,0 120,0 16,0 32 K- 07 30 07 21 G 3/4" 42.0 bar 32,0 120,0 16,0 32 K- 07 30 07 22 G 3/4" 43.0 bar 32,0 120,0 16,0 32 K- 07 30 07 23 G 3/4" 44.0 bar 32,0 120,0 16,0 32 K- 07 30 07 24 G 3/4" 45.0 bar 32,0 120,0 16,0 32 K- 07 30 07 31 G 3/4" 46.0 bar 32,0 120,0 16,0 <th< td=""><td>K- 07 30 07 08</td><td>G 3/4"</td><td>33.5 bar</td><td>32,0</td><td>95,0</td><td>16,0</td><td>32</td></th<>	K- 07 30 07 08	G 3/4"	33.5 bar	32,0	95,0	16,0	32
K- 07 30 07 11 G 3/4" 36.0 bar 32,0 95,0 16,0 32 K- 07 30 07 12 G 3/4" 37.0 bar 32,0 95,0 16,0 32 K- 07 30 07 13 G 3/4" 38.0 bar 32,0 95,0 16,0 32 K- 07 30 07 19 G 3/4" 40.0 bar 32,0 95,0 16,0 32 K- 07 30 07 20 G 3/4" 41.0 bar 32,0 120,0 16,0 32 K- 07 30 07 21 G 3/4" 42.0 bar 32,0 120,0 16,0 32 K- 07 30 07 22 G 3/4" 43.0 bar 32,0 120,0 16,0 32 K- 07 30 07 23 G 3/4" 44.0 bar 32,0 120,0 16,0 32 K- 07 30 07 24 G 3/4" 45.0 bar 32,0 120,0 16,0 32 K- 07 30 07 25 G 3/4" 46.0 bar 32,0 120,0 16,0 32 K- 07 30 07 31 G 3/4" 50.0 bar 32,0 120,0 16,0 32 K- 07 30 04 39 G 3/8" 4.1 bar 22,0 75,0	K- 07 30 07 09	G 3/4"	34.0 bar	32,0	95,0	16,0	32
K- 07 30 07 12 G 3/4" 37.0 bar 32,0 95,0 16,0 32 K- 07 30 07 13 G 3/4" 38.0 bar 32,0 95,0 16,0 32 K- 07 30 07 19 G 3/4" 40.0 bar 32,0 95,0 16,0 32 K- 07 30 07 20 G 3/4" 41.0 bar 32,0 120,0 16,0 32 K- 07 30 07 21 G 3/4" 42.0 bar 32,0 120,0 16,0 32 K- 07 30 07 22 G 3/4" 43.0 bar 32,0 120,0 16,0 32 K- 07 30 07 23 G 3/4" 44.0 bar 32,0 120,0 16,0 32 K- 07 30 07 24 G 3/4" 45.0 bar 32,0 120,0 16,0 32 K- 07 30 07 25 G 3/4" 46.0 bar 32,0 120,0 16,0 32 K- 07 30 07 31 G 3/4" 50.0 bar 32,0 120,0 16,0 32 K- 07 30 04 39 G 3/8" 4.1 bar 22,0 75,0 12,0 27	K- 07 30 07 10	G 3/4"	35.0 bar	32,0	95,0	16,0	32
K- 07 30 07 13 G 3/4" 38.0 bar 32,0 95,0 16,0 32 K- 07 30 07 19 G 3/4" 40.0 bar 32,0 95,0 16,0 32 K- 07 30 07 20 G 3/4" 41.0 bar 32,0 120,0 16,0 32 K- 07 30 07 21 G 3/4" 42.0 bar 32,0 120,0 16,0 32 K- 07 30 07 22 G 3/4" 43.0 bar 32,0 120,0 16,0 32 K- 07 30 07 23 G 3/4" 44.0 bar 32,0 120,0 16,0 32 K- 07 30 07 24 G 3/4" 45.0 bar 32,0 120,0 16,0 32 K- 07 30 07 25 G 3/4" 46.0 bar 32,0 120,0 16,0 32 K- 07 30 07 31 G 3/4" 50.0 bar 32,0 120,0 16,0 32 K- 07 30 04 39 G 3/8" 4.1 bar 22,0 75,0 12,0 27	K- 07 30 07 11	G 3/4"	36.0 bar	32,0	95,0	16,0	32
K- 07 30 07 19 G 3/4" 40.0 bar 32,0 95,0 16,0 32 K- 07 30 07 20 G 3/4" 41.0 bar 32,0 120,0 16,0 32 K- 07 30 07 21 G 3/4" 42.0 bar 32,0 120,0 16,0 32 K- 07 30 07 22 G 3/4" 43.0 bar 32,0 120,0 16,0 32 K- 07 30 07 23 G 3/4" 44.0 bar 32,0 120,0 16,0 32 K- 07 30 07 24 G 3/4" 45.0 bar 32,0 120,0 16,0 32 K- 07 30 07 25 G 3/4" 46.0 bar 32,0 120,0 16,0 32 K- 07 30 07 31 G 3/4" 50.0 bar 32,0 120,0 16,0 32 K- 07 30 04 39 G 3/8" 4.1 bar 22,0 75,0 12,0 27	K- 07 30 07 12	G 3/4"	37.0 bar	32,0	95,0	16,0	32
K- 07 30 07 20 G 3/4" 41.0 bar 32,0 120,0 16,0 32 K- 07 30 07 21 G 3/4" 42.0 bar 32,0 120,0 16,0 32 K- 07 30 07 22 G 3/4" 43.0 bar 32,0 120,0 16,0 32 K- 07 30 07 23 G 3/4" 44.0 bar 32,0 120,0 16,0 32 K- 07 30 07 24 G 3/4" 45.0 bar 32,0 120,0 16,0 32 K- 07 30 07 25 G 3/4" 46.0 bar 32,0 120,0 16,0 32 K- 07 30 07 31 G 3/4" 50.0 bar 32,0 120,0 16,0 32 K- 07 30 04 39 G 3/8" 4.1 bar 22,0 75,0 12,0 27	K- 07 30 07 13	G 3/4"	38.0 bar	32,0	95,0	16,0	32
K- 07 30 07 21 G 3/4" 42.0 bar 32,0 120,0 16,0 32 K- 07 30 07 22 G 3/4" 43.0 bar 32,0 120,0 16,0 32 K- 07 30 07 23 G 3/4" 44.0 bar 32,0 120,0 16,0 32 K- 07 30 07 24 G 3/4" 45.0 bar 32,0 120,0 16,0 32 K- 07 30 07 25 G 3/4" 46.0 bar 32,0 120,0 16,0 32 K- 07 30 07 31 G 3/4" 50.0 bar 32,0 120,0 16,0 32 K- 07 30 04 39 G 3/8" 4.1 bar 22,0 75,0 12,0 27	K- 07 30 07 19	G 3/4"	40.0 bar	32,0	95,0	16,0	32
K- 07 30 07 22 G 3/4" 43.0 bar 32,0 120,0 16,0 32 K- 07 30 07 23 G 3/4" 44.0 bar 32,0 120,0 16,0 32 K- 07 30 07 24 G 3/4" 45.0 bar 32,0 120,0 16,0 32 K- 07 30 07 25 G 3/4" 46.0 bar 32,0 120,0 16,0 32 K- 07 30 07 31 G 3/4" 50.0 bar 32,0 120,0 16,0 32 K- 07 30 04 39 G 3/8" 4.1 bar 22,0 75,0 12,0 27	K- 07 30 07 20	G 3/4"	41.0 bar	32,0	120,0	16,0	32
G- 07 30 07 23 G 3/4" 44.0 bar 32,0 120,0 16,0 32 G- 07 30 07 24 G 3/4" 45.0 bar 32,0 120,0 16,0 32 G- 07 30 07 25 G 3/4" 46.0 bar 32,0 120,0 16,0 32 G- 07 30 07 31 G 3/4" 50.0 bar 32,0 120,0 16,0 32 G- 07 30 04 39 G 3/8" 4.1 bar 22,0 75,0 12,0 27	C- 07 30 07 21	G 3/4"	42.0 bar	32,0	120,0	16,0	32
K- 07 30 07 24 G 3/4" 45.0 bar 32,0 120,0 16,0 32 K- 07 30 07 25 G 3/4" 46.0 bar 32,0 120,0 16,0 32 K- 07 30 07 31 G 3/4" 50.0 bar 32,0 120,0 16,0 32 K- 07 30 04 39 G 3/8" 4.1 bar 22,0 75,0 12,0 27	K- 07 30 07 22	G 3/4"	43.0 bar	32,0	120,0	16,0	32
K- 07 30 07 25 G 3/4" 46.0 bar 32,0 120,0 16,0 32 K- 07 30 07 31 G 3/4" 50.0 bar 32,0 120,0 16,0 32 K- 07 30 04 39 G 3/8" 4.1 bar 22,0 75,0 12,0 27	K- 07 30 07 23	G 3/4"	44.0 bar	32,0	120,0	16,0	32
K- 07 30 07 31 G 3/4" 50.0 bar 32,0 120,0 16,0 32 K- 07 30 04 39 G 3/8" 4.1 bar 22,0 75,0 12,0 27	K- 07 30 07 24	G 3/4"	45.0 bar	32,0	120,0	16,0	32
K- 07 30 04 39 G 3/8" 4.1 bar 22,0 75,0 12,0 27	K- 07 30 07 25	G 3/4"	46.0 bar	32,0	120,0	16,0	32
	K- 07 30 07 31	G 3/4"	50.0 bar	32,0	120,0	16,0	32
K- 07 30 05 00 G 1/2" 10.6 bar 26,0 95,0 14,0 27	K- 07 30 04 39	G 3/8"	4.1 bar	22,0	75,0	12,0	27
	K- 07 30 05 00	G 1/2"	10.6 bar	26,0	95,0	14,0	27