

# K-SHV DN10

## Safety valves DN 10

**HANSA FLEX**

### Osobine

Radni pritisak see operating pressure


Radna temperatura -25 °C to +180 °C

Zaptivke FKM

Potisna opruga Stainless steel

Kućište Brass

Ostali podaci User manual on request



### Napomena

G thread acc. to DIN EN ISO 228-1, with ISO flange plate (acc. to ISO 5211)

### Opis

For compressed air and non-toxic, non-flammable gases, cannot be used for liquids due to free blow-off, not suitable for steam. These valves are TÜV approved and have a TÜV type test number.

### Dodatne informacije

Important information: These valves are type-tested and are only allowed to be delivered with a fixed setting.

### Artikal

| Naziv          | Navoj  | Proradni pritisak | A<br>(mm) | C<br>(mm) | D<br>(mm) | SW<br>(mm) |
|----------------|--------|-------------------|-----------|-----------|-----------|------------|
| K- 07 30 03 60 | G 3/8" | 0.2 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 03 61 | G 3/8" | 0.25 bar          | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 03 62 | G 3/8" | 0.3 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 03 63 | G 3/8" | 0.4 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 03 64 | G 3/8" | 0.5 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 03 65 | G 3/8" | 0.6 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 03 66 | G 3/8" | 0.7 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 03 67 | G 3/8" | 0.8 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 03 68 | G 3/8" | 1.0 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 03 69 | G 3/8" | 1.1 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 03 70 | G 3/8" | 1.2 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 03 71 | G 3/8" | 1.3 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 03 72 | G 3/8" | 1.5 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 03 73 | G 3/8" | 1.7 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 03 74 | G 3/8" | 1.8 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 03 97 | G 3/8" | 2.0 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 03 98 | G 3/8" | 2.1 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 03 99 | G 3/8" | 2.3 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 00 | G 3/8" | 2.5 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 01 | G 3/8" | 2.6 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 02 | G 3/8" | 2.8 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 19 | G 3/8" | 3.0 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 20 | G 3/8" | 3.2 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 21 | G 3/8" | 3.3 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 22 | G 3/8" | 3.4 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 23 | G 3/8" | 3.5 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 24 | G 3/8" | 3.6 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 25 | G 3/8" | 3.8 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 26 | G 3/8" | 3.9 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 38 | G 3/8" | 4.0 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 40 | G 3/8" | 4.2 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 41 | G 3/8" | 4.4 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 42 | G 3/8" | 4.5 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 43 | G 3/8" | 4.6 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 44 | G 3/8" | 4.7 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 45 | G 3/8" | 4.9 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 51 | G 3/8" | 5.0 bar           | 22,0      | 75,0      | 12,0      | 27         |



| Artikal        |        |                   |           |           |           |            |
|----------------|--------|-------------------|-----------|-----------|-----------|------------|
| Naziv          | Navoj  | Proradni pritisak | A<br>(mm) | C<br>(mm) | D<br>(mm) | SW<br>(mm) |
| K- 07 30 04 52 | G 3/8" | 5.5 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 53 | G 3/8" | 5.7 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 54 | G 3/8" | 5.8 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 56 | G 3/8" | 6.0 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 57 | G 3/8" | 6.2 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 58 | G 3/8" | 6.4 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 59 | G 3/8" | 6.5 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 60 | G 3/8" | 6.6 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 61 | G 3/8" | 7.0 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 62 | G 3/8" | 7.5 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 63 | G 3/8" | 7.7 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 64 | G 3/8" | 7.8 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 65 | G 3/8" | 8.0 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 66 | G 3/8" | 8.1 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 67 | G 3/8" | 8.4 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 68 | G 3/8" | 8.5 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 04 69 | G 3/8" | 8.7 bar           | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 70 | G 3/8" | 8.8 bar           | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 71 | G 3/8" | 9.0 bar           | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 72 | G 3/8" | 9.1 bar           | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 73 | G 3/8" | 9.3 bar           | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 74 | G 3/8" | 9.5 bar           | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 75 | G 3/8" | 9.8 bar           | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 76 | G 3/8" | 9.9 bar           | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 75 | G 3/8" | 10.0 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 76 | G 3/8" | 10.3 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 77 | G 3/8" | 10.4 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 78 | G 3/8" | 10.5 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 79 | G 3/8" | 10.8 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 80 | G 3/8" | 11.0 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 81 | G 3/8" | 11.3 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 82 | G 3/8" | 11.5 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 83 | G 3/8" | 12.0 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 84 | G 3/8" | 12.5 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 86 | G 3/8" | 13.5 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 85 | G 3/8" | 13.0 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 87 | G 3/8" | 14.0 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 88 | G 3/8" | 15.0 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 89 | G 3/8" | 15.5 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 90 | G 3/8" | 15.8 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 91 | G 3/8" | 16.0 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 92 | G 3/8" | 16.5 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 93 | G 3/8" | 17.0 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 94 | G 3/8" | 17.5 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 95 | G 3/8" | 18.0 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 03 96 | G 3/8" | 19.0 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 03 | G 3/8" | 20.0 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 04 | G 3/8" | 20.5 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 05 | G 3/8" | 21.0 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 06 | G 3/8" | 21.5 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 07 | G 3/8" | 22.0 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 08 | G 3/8" | 22.5 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 09 | G 3/8" | 23.5 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 10 | G 3/8" | 24.5 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 11 | G 3/8" | 25.0 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 12 | G 3/8" | 25.5 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 13 | G 3/8" | 26.0 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 14 | G 3/8" | 26.6 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 15 | G 3/8" | 27.0 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 16 | G 3/8" | 27.5 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 17 | G 3/8" | 28.0 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 18 | G 3/8" | 28.5 bar          | 22,0      | 95,0      | 12,0      | 27         |
| K- 07 30 04 27 | G 3/8" | 30.0 bar          | 22,0      | 95,0      | 12,0      | 27         |



| Artikal        |        |                   |        |        |        |         |
|----------------|--------|-------------------|--------|--------|--------|---------|
| Naziv          | Navoj  | Proradni pritisak | A (mm) | C (mm) | D (mm) | SW (mm) |
| K- 07 30 04 28 | G 3/8" | 30.5 bar          | 22,0   | 95,0   | 12,0   | 27      |
| K- 07 30 04 29 | G 3/8" | 31.0 bar          | 22,0   | 95,0   | 12,0   | 27      |
| K- 07 30 04 30 | G 3/8" | 32.0 bar          | 22,0   | 95,0   | 12,0   | 27      |
| K- 07 30 04 31 | G 3/8" | 32.5 bar          | 22,0   | 95,0   | 12,0   | 27      |
| K- 07 30 04 32 | G 3/8" | 35.0 bar          | 22,0   | 95,0   | 12,0   | 27      |
| K- 07 30 04 33 | G 3/8" | 35.5 bar          | 22,0   | 95,0   | 12,0   | 27      |
| K- 07 30 04 34 | G 3/8" | 36.0 bar          | 22,0   | 95,0   | 12,0   | 27      |
| K- 07 30 04 35 | G 3/8" | 36.5 bar          | 22,0   | 95,0   | 12,0   | 27      |
| K- 07 30 04 36 | G 3/8" | 37.0 bar          | 22,0   | 95,0   | 12,0   | 27      |
| K- 07 30 04 37 | G 3/8" | 38.0 bar          | 22,0   | 95,0   | 12,0   | 27      |
| K- 07 30 04 46 | G 3/8" | 40.0 bar          | 22,0   | 95,0   | 12,0   | 27      |
| K- 07 30 04 47 | G 3/8" | 41.0 bar          | 22,0   | 120,0  | 12,0   | 27      |
| K- 07 30 04 48 | G 3/8" | 42.0 bar          | 22,0   | 120,0  | 12,0   | 27      |
| K- 07 30 04 49 | G 3/8" | 45.0 bar          | 22,0   | 120,0  | 12,0   | 27      |
| K- 07 30 04 50 | G 3/8" | 46.0 bar          | 22,0   | 120,0  | 12,0   | 27      |
| K- 07 30 04 55 | G 3/8" | 50.0 bar          | 22,0   | 120,0  | 12,0   | 27      |
| K- 07 30 04 77 | G 1/2" | 0.2 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 78 | G 1/2" | 0.3 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 79 | G 1/2" | 0.35 bar          | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 80 | G 1/2" | 0.4 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 81 | G 1/2" | 0.45 bar          | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 82 | G 1/2" | 0.5 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 83 | G 1/2" | 0.55 bar          | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 84 | G 1/2" | 0.6 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 85 | G 1/2" | 0.7 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 86 | G 1/2" | 0.8 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 87 | G 1/2" | 0.9 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 88 | G 1/2" | 1.0 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 89 | G 1/2" | 1.1 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 90 | G 1/2" | 1.2 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 91 | G 1/2" | 1.3 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 92 | G 1/2" | 1.4 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 93 | G 1/2" | 1.5 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 94 | G 1/2" | 1.6 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 95 | G 1/2" | 1.7 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 04 96 | G 1/2" | 1.8 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 28 | G 1/2" | 2.0 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 29 | G 1/2" | 2.1 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 30 | G 1/2" | 2.2 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 31 | G 1/2" | 2.3 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 32 | G 1/2" | 2.4 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 33 | G 1/2" | 2.5 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 34 | G 1/2" | 2.7 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 35 | G 1/2" | 2.8 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 58 | G 1/2" | 3.0 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 59 | G 1/2" | 3.1 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 60 | G 1/2" | 3.2 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 61 | G 1/2" | 3.3 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 62 | G 1/2" | 3.4 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 63 | G 1/2" | 3.5 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 64 | G 1/2" | 3.8 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 82 | G 1/2" | 4.0 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 83 | G 1/2" | 4.1 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 84 | G 1/2" | 4.2 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 85 | G 1/2" | 4.5 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 86 | G 1/2" | 4.7 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 87 | G 1/2" | 4.8 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 98 | G 1/2" | 5.0 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 05 99 | G 1/2" | 5.1 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 06 00 | G 1/2" | 5.2 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 06 01 | G 1/2" | 5.3 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 06 02 | G 1/2" | 5.4 bar           | 26,0   | 75,0   | 14,0   | 27      |
| K- 07 30 06 03 | G 1/2" | 5.5 bar           | 26,0   | 75,0   | 14,0   | 27      |



| Artikal        |        |                   |           |           |           |            |
|----------------|--------|-------------------|-----------|-----------|-----------|------------|
| Naziv          | Navoj  | Proradni pritisak | A<br>(mm) | C<br>(mm) | D<br>(mm) | SW<br>(mm) |
| K- 07 30 06 04 | G 1/2" | 5.6 bar           | 26,0      | 75,0      | 14,0      | 27         |
| K- 07 30 06 05 | G 1/2" | 5.8 bar           | 26,0      | 75,0      | 14,0      | 27         |
| K- 07 30 06 07 | G 1/2" | 6.0 bar           | 26,0      | 75,0      | 14,0      | 27         |
| K- 07 30 06 08 | G 1/2" | 6.2 bar           | 26,0      | 75,0      | 14,0      | 27         |
| K- 07 30 06 09 | G 1/2" | 6.3 bar           | 26,0      | 75,0      | 14,0      | 27         |
| K- 07 30 06 10 | G 1/2" | 6.4 bar           | 26,0      | 75,0      | 14,0      | 27         |
| K- 07 30 06 11 | G 1/2" | 6.5 bar           | 26,0      | 75,0      | 14,0      | 27         |
| K- 07 30 06 12 | G 1/2" | 6.6 bar           | 26,0      | 75,0      | 14,0      | 27         |
| K- 07 30 06 13 | G 1/2" | 6.8 bar           | 26,0      | 75,0      | 14,0      | 27         |
| K- 07 30 06 14 | G 1/2" | 6.9 bar           | 26,0      | 75,0      | 14,0      | 27         |
| K- 07 30 06 15 | G 1/2" | 7.0 bar           | 26,0      | 75,0      | 14,0      | 27         |
| K- 07 30 06 16 | G 1/2" | 7.2 bar           | 26,0      | 75,0      | 14,0      | 27         |
| K- 07 30 06 17 | G 1/2" | 7.5 bar           | 26,0      | 75,0      | 14,0      | 27         |
| K- 07 30 06 18 | G 1/2" | 7.7 bar           | 26,0      | 75,0      | 14,0      | 27         |
| K- 07 30 06 19 | G 1/2" | 8.0 bar           | 26,0      | 75,0      | 14,0      | 27         |
| K- 07 30 06 20 | G 1/2" | 8.2 bar           | 26,0      | 75,0      | 14,0      | 27         |
| K- 07 30 06 21 | G 1/2" | 8.5 bar           | 26,0      | 75,0      | 14,0      | 27         |
| K- 07 30 06 22 | G 1/2" | 8.6 bar           | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 06 23 | G 1/2" | 8.8 bar           | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 06 24 | G 1/2" | 9.0 bar           | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 06 25 | G 1/2" | 9.1 bar           | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 06 26 | G 1/2" | 9.3 bar           | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 06 27 | G 1/2" | 9.5 bar           | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 06 28 | G 1/2" | 9.6 bar           | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 06 29 | G 1/2" | 9.8 bar           | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 04 97 | G 1/2" | 10.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 04 98 | G 1/2" | 10.3 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 04 99 | G 1/2" | 10.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 01 | G 1/2" | 11.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 02 | G 1/2" | 11.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 03 | G 1/2" | 11.6 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 04 | G 1/2" | 12.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 05 | G 1/2" | 12.1 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 06 | G 1/2" | 12.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 07 | G 1/2" | 13.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 08 | G 1/2" | 13.3 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 09 | G 1/2" | 13.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 10 | G 1/2" | 14.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 11 | G 1/2" | 14.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 12 | G 1/2" | 15.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 13 | G 1/2" | 15.1 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 14 | G 1/2" | 15.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 15 | G 1/2" | 15.6 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 16 | G 1/2" | 15.8 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 17 | G 1/2" | 16.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 18 | G 1/2" | 16.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 19 | G 1/2" | 17.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 20 | G 1/2" | 17.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 21 | G 1/2" | 17.6 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 22 | G 1/2" | 18.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 23 | G 1/2" | 18.9 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 24 | G 1/2" | 19.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 25 | G 1/2" | 19.1 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 26 | G 1/2" | 19.4 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 27 | G 1/2" | 19.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 36 | G 1/2" | 20.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 37 | G 1/2" | 20.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 38 | G 1/2" | 20.8 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 39 | G 1/2" | 21.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 40 | G 1/2" | 22.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 41 | G 1/2" | 22.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 42 | G 1/2" | 23.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 43 | G 1/2" | 23.5 bar          | 26,0      | 95,0      | 14,0      | 27         |



| Artikal        |        |                   |           |           |           |            |
|----------------|--------|-------------------|-----------|-----------|-----------|------------|
| Naziv          | Navoj  | Proradni pritisak | A<br>(mm) | C<br>(mm) | D<br>(mm) | SW<br>(mm) |
| K- 07 30 05 44 | G 1/2" | 24.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 45 | G 1/2" | 24.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 46 | G 1/2" | 25.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 47 | G 1/2" | 25.2 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 48 | G 1/2" | 26.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 49 | G 1/2" | 26.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 50 | G 1/2" | 27.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 51 | G 1/2" | 27.2 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 52 | G 1/2" | 27.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 53 | G 1/2" | 28.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 54 | G 1/2" | 28.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 55 | G 1/2" | 28.6 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 56 | G 1/2" | 29.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 57 | G 1/2" | 29.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 65 | G 1/2" | 30.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 66 | G 1/2" | 30.8 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 67 | G 1/2" | 31.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 68 | G 1/2" | 31.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 69 | G 1/2" | 32.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 70 | G 1/2" | 32.5 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 71 | G 1/2" | 33.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 72 | G 1/2" | 33.3 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 73 | G 1/2" | 33.7 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 74 | G 1/2" | 34.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 75 | G 1/2" | 34.1 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 76 | G 1/2" | 35.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 77 | G 1/2" | 36.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 78 | G 1/2" | 36.3 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 79 | G 1/2" | 36.4 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 80 | G 1/2" | 36.8 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 81 | G 1/2" | 38.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 88 | G 1/2" | 40.0 bar          | 26,0      | 95,0      | 14,0      | 27         |
| K- 07 30 05 89 | G 1/2" | 41.0 bar          | 26,0      | 120,0     | 14,0      | 27         |
| K- 07 30 05 90 | G 1/2" | 41.5 bar          | 26,0      | 120,0     | 14,0      | 27         |
| K- 07 30 05 91 | G 1/2" | 42.0 bar          | 26,0      | 120,0     | 14,0      | 27         |
| K- 07 30 05 92 | G 1/2" | 43.0 bar          | 26,0      | 120,0     | 14,0      | 27         |
| K- 07 30 05 93 | G 1/2" | 44.0 bar          | 26,0      | 120,0     | 14,0      | 27         |
| K- 07 30 05 94 | G 1/2" | 45.0 bar          | 26,0      | 120,0     | 14,0      | 27         |
| K- 07 30 05 95 | G 1/2" | 46.0 bar          | 26,0      | 120,0     | 14,0      | 27         |
| K- 07 30 05 96 | G 1/2" | 47.0 bar          | 26,0      | 120,0     | 14,0      | 27         |
| K- 07 30 05 97 | G 1/2" | 48.0 bar          | 26,0      | 120,0     | 14,0      | 27         |
| K- 07 30 06 06 | G 1/2" | 50.0 bar          | 26,0      | 120,0     | 14,0      | 27         |
| K- 07 30 06 30 | G 3/4" | 0.2 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 31 | G 3/4" | 0.3 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 32 | G 3/4" | 0.35 bar          | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 33 | G 3/4" | 0.4 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 34 | G 3/4" | 0.5 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 35 | G 3/4" | 0.65 bar          | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 36 | G 3/4" | 0.7 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 37 | G 3/4" | 0.8 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 38 | G 3/4" | 0.9 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 39 | G 3/4" | 1.0 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 40 | G 3/4" | 1.1 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 41 | G 3/4" | 1.2 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 42 | G 3/4" | 1.4 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 43 | G 3/4" | 1.5 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 44 | G 3/4" | 1.6 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 45 | G 3/4" | 1.75 bar          | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 46 | G 3/4" | 1.8 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 47 | G 3/4" | 1.9 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 72 | G 3/4" | 2.0 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 73 | G 3/4" | 2.1 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 74 | G 3/4" | 2.2 bar           | 32,0      | 75,0      | 16,0      | 32         |



## Artikal

| Naziv          | Navoj  | Proradni pritisak | A<br>(mm) | C<br>(mm) | D<br>(mm) | SW<br>(mm) |
|----------------|--------|-------------------|-----------|-----------|-----------|------------|
| K- 07 30 06 75 | G 3/4" | 2.3 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 76 | G 3/4" | 2.4 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 77 | G 3/4" | 2.5 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 78 | G 3/4" | 2.7 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 97 | G 3/4" | 3.0 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 98 | G 3/4" | 3.2 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 06 99 | G 3/4" | 3.3 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 00 | G 3/4" | 3.5 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 01 | G 3/4" | 3.6 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 02 | G 3/4" | 3.8 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 14 | G 3/4" | 4.0 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 15 | G 3/4" | 4.1 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 16 | G 3/4" | 4.5 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 17 | G 3/4" | 4.7 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 18 | G 3/4" | 4.9 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 26 | G 3/4" | 5.0 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 27 | G 3/4" | 5.1 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 28 | G 3/4" | 5.3 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 29 | G 3/4" | 5.5 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 30 | G 3/4" | 5.7 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 32 | G 3/4" | 6.0 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 33 | G 3/4" | 6.2 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 34 | G 3/4" | 6.5 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 35 | G 3/4" | 6.6 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 36 | G 3/4" | 7.0 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 37 | G 3/4" | 7.1 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 38 | G 3/4" | 7.2 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 39 | G 3/4" | 7.5 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 40 | G 3/4" | 7.7 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 41 | G 3/4" | 7.8 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 42 | G 3/4" | 8.0 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 43 | G 3/4" | 8.2 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 44 | G 3/4" | 8.4 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 45 | G 3/4" | 8.5 bar           | 32,0      | 75,0      | 16,0      | 32         |
| K- 07 30 07 46 | G 3/4" | 8.6 bar           | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 47 | G 3/4" | 8.8 bar           | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 48 | G 3/4" | 9.0 bar           | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 49 | G 3/4" | 9.1 bar           | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 50 | G 3/4" | 9.3 bar           | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 51 | G 3/4" | 9.4 bar           | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 52 | G 3/4" | 9.5 bar           | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 53 | G 3/4" | 9.6 bar           | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 54 | G 3/4" | 9.8 bar           | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 55 | G 3/4" | 9.9 bar           | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 48 | G 3/4" | 10.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 49 | G 3/4" | 10.2 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 50 | G 3/4" | 10.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 51 | G 3/4" | 10.6 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 52 | G 3/4" | 11.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 53 | G 3/4" | 11.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 54 | G 3/4" | 11.6 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 55 | G 3/4" | 12.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 56 | G 3/4" | 12.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 57 | G 3/4" | 13.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 58 | G 3/4" | 13.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 59 | G 3/4" | 13.8 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 60 | G 3/4" | 14.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 61 | G 3/4" | 15.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 62 | G 3/4" | 15.2 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 63 | G 3/4" | 15.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 64 | G 3/4" | 16.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 65 | G 3/4" | 16.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 66 | G 3/4" | 17.0 bar          | 32,0      | 95,0      | 16,0      | 32         |



| Artikel        |        |                   |           |           |           |            |
|----------------|--------|-------------------|-----------|-----------|-----------|------------|
| Naziv          | Navoj  | Proradni pritisak | A<br>(mm) | C<br>(mm) | D<br>(mm) | SW<br>(mm) |
| K- 07 30 06 67 | G 3/4" | 17.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 68 | G 3/4" | 17.6 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 69 | G 3/4" | 18.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 70 | G 3/4" | 18.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 71 | G 3/4" | 19.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 79 | G 3/4" | 20.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 80 | G 3/4" | 20.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 81 | G 3/4" | 21.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 82 | G 3/4" | 21.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 83 | G 3/4" | 22.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 84 | G 3/4" | 23.2 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 85 | G 3/4" | 23.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 86 | G 3/4" | 24.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 87 | G 3/4" | 25.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 88 | G 3/4" | 25.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 89 | G 3/4" | 26.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 90 | G 3/4" | 27.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 91 | G 3/4" | 27.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 92 | G 3/4" | 27.6 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 93 | G 3/4" | 28.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 94 | G 3/4" | 28.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 95 | G 3/4" | 29.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 06 96 | G 3/4" | 29.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 03 | G 3/4" | 30.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 04 | G 3/4" | 31.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 05 | G 3/4" | 32.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 06 | G 3/4" | 32.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 07 | G 3/4" | 33.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 08 | G 3/4" | 33.5 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 09 | G 3/4" | 34.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 10 | G 3/4" | 35.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 11 | G 3/4" | 36.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 12 | G 3/4" | 37.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 13 | G 3/4" | 38.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 19 | G 3/4" | 40.0 bar          | 32,0      | 95,0      | 16,0      | 32         |
| K- 07 30 07 20 | G 3/4" | 41.0 bar          | 32,0      | 120,0     | 16,0      | 32         |
| K- 07 30 07 21 | G 3/4" | 42.0 bar          | 32,0      | 120,0     | 16,0      | 32         |
| K- 07 30 07 22 | G 3/4" | 43.0 bar          | 32,0      | 120,0     | 16,0      | 32         |
| K- 07 30 07 23 | G 3/4" | 44.0 bar          | 32,0      | 120,0     | 16,0      | 32         |
| K- 07 30 07 24 | G 3/4" | 45.0 bar          | 32,0      | 120,0     | 16,0      | 32         |
| K- 07 30 07 25 | G 3/4" | 46.0 bar          | 32,0      | 120,0     | 16,0      | 32         |
| K- 07 30 07 31 | G 3/4" | 50.0 bar          | 32,0      | 120,0     | 16,0      | 32         |
| K- 07 30 04 39 | G 3/8" | 4.1 bar           | 22,0      | 75,0      | 12,0      | 27         |
| K- 07 30 05 00 | G 1/2" | 10.6 bar          | 26,0      | 95,0      | 14,0      | 27         |