

K-SHV DN8

Safety valves DN 8

属性

| | |
|--------|------------------------|
| 工作压力 | see operating pressure |
| 工作温度 | -25 °C to +180 °C |
| 密封 | FKM |
| 压簧 | Stainless steel |
| 壳体 | Brass |
| 更多注明信息 | User manual on request |



提示

G thread acc. to DIN EN ISO 228-1, with ISO flange plate (acc. to ISO 5211)

描述

For compressed air and non-toxic, non-flammable gases, cannot be used for liquids due to free blow-off, not suitable for steam. These valves are TÜV approved and have a TÜV type test number.

附加信息

Important information: These valves are type-tested and are only allowed to be delivered with a fixed setting.

货品

| 名称 | 螺纹 | 起动压力 | A (mm) | C (mm) | D (mm) | SW (mm) |
|----------------|--------|----------|-----------|-----------|-----------|------------|
| K- 07 30 07 56 | G 1/4" | 0.2 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 57 | G 1/4" | 0.3 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 58 | G 1/4" | 0.35 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 59 | G 1/4" | 0.4 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 60 | G 1/4" | 0.45 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 61 | G 1/4" | 0.5 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 62 | G 1/4" | 0.6 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 63 | G 1/4" | 0.65 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 64 | G 1/4" | 0.7 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 65 | G 1/4" | 0.75 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 66 | G 1/4" | 0.8 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 67 | G 1/4" | 0.9 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 68 | G 1/4" | 1.0 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 69 | G 1/4" | 1.1 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 70 | G 1/4" | 1.2 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 71 | G 1/4" | 1.3 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 72 | G 1/4" | 1.4 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 73 | G 1/4" | 1.5 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 74 | G 1/4" | 1.6 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 75 | G 1/4" | 1.7 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 76 | G 1/4" | 1.75 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 77 | G 1/4" | 1.8 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 78 | G 1/4" | 1.9 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 13 | G 1/4" | 2.0 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 14 | G 1/4" | 2.1 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 15 | G 1/4" | 2.2 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 16 | G 1/4" | 2.3 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 17 | G 1/4" | 2.4 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 18 | G 1/4" | 2.5 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 19 | G 1/4" | 2.6 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 20 | G 1/4" | 2.7 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 21 | G 1/4" | 2.8 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 22 | G 1/4" | 2.9 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 47 | G 1/4" | 3.0 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 48 | G 1/4" | 3.1 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 49 | G 1/4" | 3.2 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 50 | G 1/4" | 3.3 bar | 18,0 | 63,0 | 10,0 | 20 |



货品

| 名称 | 螺纹 | 起动压力 | A (mm) | C (mm) | D (mm) | SW (mm) |
|----------------|--------|----------|-----------|-----------|-----------|------------|
| K- 07 30 08 51 | G 1/4" | 3.4 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 52 | G 1/4" | 3.5 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 53 | G 1/4" | 3.6 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 54 | G 1/4" | 3.7 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 55 | G 1/4" | 3.8 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 56 | G 1/4" | 3.9 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 68 | G 1/4" | 4.0 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 69 | G 1/4" | 4.1 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 70 | G 1/4" | 4.2 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 71 | G 1/4" | 4.3 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 72 | G 1/4" | 4.4 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 73 | G 1/4" | 4.5 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 74 | G 1/4" | 4.6 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 75 | G 1/4" | 4.7 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 76 | G 1/4" | 4.8 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 77 | G 1/4" | 4.9 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 90 | G 1/4" | 5.0 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 91 | G 1/4" | 5.1 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 92 | G 1/4" | 5.2 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 93 | G 1/4" | 5.3 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 94 | G 1/4" | 5.5 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 95 | G 1/4" | 5.6 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 96 | G 1/4" | 5.7 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 97 | G 1/4" | 5.8 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 08 99 | G 1/4" | 6.0 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 00 | G 1/4" | 6.1 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 01 | G 1/4" | 6.2 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 02 | G 1/4" | 6.3 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 03 | G 1/4" | 6.5 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 04 | G 1/4" | 6.6 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 05 | G 1/4" | 6.7 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 06 | G 1/4" | 6.8 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 07 | G 1/4" | 7.0 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 08 | G 1/4" | 7.1 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 09 | G 1/4" | 7.2 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 10 | G 1/4" | 7.3 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 11 | G 1/4" | 7.4 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 12 | G 1/4" | 7.5 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 13 | G 1/4" | 7.6 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 14 | G 1/4" | 7.7 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 15 | G 1/4" | 7.8 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 16 | G 1/4" | 8.0 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 17 | G 1/4" | 8.1 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 18 | G 1/4" | 8.3 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 19 | G 1/4" | 8.4 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 20 | G 1/4" | 8.5 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 21 | G 1/4" | 8.8 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 22 | G 1/4" | 8.9 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 23 | G 1/4" | 9.0 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 24 | G 1/4" | 9.1 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 25 | G 1/4" | 9.2 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 26 | G 1/4" | 9.3 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 27 | G 1/4" | 9.4 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 28 | G 1/4" | 9.5 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 29 | G 1/4" | 9.6 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 30 | G 1/4" | 9.7 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 09 31 | G 1/4" | 9.8 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 79 | G 1/4" | 10.0 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 80 | G 1/4" | 10.2 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 81 | G 1/4" | 10.3 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 82 | G 1/4" | 10.5 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 83 | G 1/4" | 10.8 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 84 | G 1/4" | 11.0 bar | 18,0 | 63,0 | 10,0 | 20 |



货品

| 名称 | 螺纹 | 起动压力 | A (mm) | C (mm) | D (mm) | SW (mm) |
|----------------|--------|----------|-----------|-----------|-----------|------------|
| K- 07 30 07 85 | G 1/4" | 11.3 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 86 | G 1/4" | 11.4 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 87 | G 1/4" | 11.5 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 88 | G 1/4" | 12.0 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 89 | G 1/4" | 12.1 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 90 | G 1/4" | 12.2 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 91 | G 1/4" | 12.3 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 92 | G 1/4" | 12.5 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 93 | G 1/4" | 13.0 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 94 | G 1/4" | 13.3 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 95 | G 1/4" | 13.5 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 96 | G 1/4" | 14.0 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 97 | G 1/4" | 14.2 bar | 18,0 | 63,0 | 10,0 | 20 |
| K- 07 30 07 98 | G 1/4" | 14.3 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 07 99 | G 1/4" | 14.5 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 00 | G 1/4" | 15.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 01 | G 1/4" | 15.2 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 02 | G 1/4" | 15.5 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 03 | G 1/4" | 15.7 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 04 | G 1/4" | 16.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 05 | G 1/4" | 16.5 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 06 | G 1/4" | 17.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 07 | G 1/4" | 17.5 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 08 | G 1/4" | 18.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 09 | G 1/4" | 18.5 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 10 | G 1/4" | 19.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 11 | G 1/4" | 19.4 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 12 | G 1/4" | 19.7 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 23 | G 1/4" | 20.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 24 | G 1/4" | 20.5 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 25 | G 1/4" | 21.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 26 | G 1/4" | 21.5 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 27 | G 1/4" | 22.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 28 | G 1/4" | 22.1 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 29 | G 1/4" | 22.5 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 30 | G 1/4" | 22.7 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 31 | G 1/4" | 22.8 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 32 | G 1/4" | 23.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 33 | G 1/4" | 23.4 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 34 | G 1/4" | 23.5 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 35 | G 1/4" | 24.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 36 | G 1/4" | 25.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 37 | G 1/4" | 25.5 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 38 | G 1/4" | 26.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 39 | G 1/4" | 26.5 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 40 | G 1/4" | 27.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 41 | G 1/4" | 27.5 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 42 | G 1/4" | 27.9 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 43 | G 1/4" | 28.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 44 | G 1/4" | 28.5 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 45 | G 1/4" | 29.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 46 | G 1/4" | 29.5 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 57 | G 1/4" | 30.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 58 | G 1/4" | 31.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 59 | G 1/4" | 32.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 60 | G 1/4" | 33.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 61 | G 1/4" | 33.5 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 62 | G 1/4" | 34.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 63 | G 1/4" | 35.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 64 | G 1/4" | 36.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 65 | G 1/4" | 37.5 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 66 | G 1/4" | 38.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 67 | G 1/4" | 38.5 bar | 18,0 | 75,0 | 10,0 | 20 |



货品

| 名称 | 螺纹 | 起动压力 | A (mm) | C (mm) | D (mm) | SW (mm) |
|----------------|--------|----------|-----------|-----------|-----------|------------|
| K- 07 30 08 78 | G 1/4" | 40.0 bar | 18,0 | 75,0 | 10,0 | 20 |
| K- 07 30 08 79 | G 1/4" | 41.0 bar | 18,0 | 82,0 | 10,0 | 20 |
| K- 07 30 08 80 | G 1/4" | 42.0 bar | 18,0 | 82,0 | 10,0 | 20 |
| K- 07 30 08 81 | G 1/4" | 43.0 bar | 18,0 | 82,0 | 10,0 | 20 |
| K- 07 30 08 82 | G 1/4" | 43.4 bar | 18,0 | 82,0 | 10,0 | 20 |
| K- 07 30 08 83 | G 1/4" | 43.5 bar | 18,0 | 82,0 | 10,0 | 20 |
| K- 07 30 08 84 | G 1/4" | 44.0 bar | 18,0 | 82,0 | 10,0 | 20 |
| K- 07 30 08 85 | G 1/4" | 44.8 bar | 18,0 | 82,0 | 10,0 | 20 |
| K- 07 30 08 86 | G 1/4" | 45.0 bar | 18,0 | 82,0 | 10,0 | 20 |
| K- 07 30 08 87 | G 1/4" | 47.0 bar | 18,0 | 82,0 | 10,0 | 20 |
| K- 07 30 08 88 | G 1/4" | 47.5 bar | 18,0 | 82,0 | 10,0 | 20 |
| K- 07 30 08 89 | G 1/4" | 48.0 bar | 18,0 | 82,0 | 10,0 | 20 |
| K- 07 30 08 98 | G 1/4" | 50.0 bar | 18,0 | 82,0 | 10,0 | 20 |
| K- 07 30 09 32 | G 3/8" | 0.2 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 33 | G 3/8" | 0.3 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 34 | G 3/8" | 0.35 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 35 | G 3/8" | 0.4 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 36 | G 3/8" | 0.5 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 37 | G 3/8" | 0.6 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 38 | G 3/8" | 0.65 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 39 | G 3/8" | 0.7 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 40 | G 3/8" | 0.8 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 41 | G 3/8" | 0.9 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 42 | G 3/8" | 1.0 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 43 | G 3/8" | 1.1 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 44 | G 3/8" | 1.2 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 45 | G 3/8" | 1.3 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 46 | G 3/8" | 1.4 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 47 | G 3/8" | 1.5 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 48 | G 3/8" | 1.6 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 49 | G 3/8" | 1.7 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 50 | G 3/8" | 1.8 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 51 | G 3/8" | 1.9 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 85 | G 3/8" | 2.0 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 86 | G 3/8" | 2.1 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 87 | G 3/8" | 2.2 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 88 | G 3/8" | 2.3 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 89 | G 3/8" | 2.5 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 90 | G 3/8" | 2.6 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 91 | G 3/8" | 2.7 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 92 | G 3/8" | 2.8 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 93 | G 3/8" | 2.9 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 13 | G 3/8" | 3.0 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 14 | G 3/8" | 3.3 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 15 | G 3/8" | 3.5 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 16 | G 3/8" | 3.6 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 17 | G 3/8" | 3.7 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 18 | G 3/8" | 3.8 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 36 | G 3/8" | 4.0 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 37 | G 3/8" | 4.4 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 38 | G 3/8" | 4.5 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 39 | G 3/8" | 4.6 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 40 | G 3/8" | 4.7 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 41 | G 3/8" | 4.8 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 42 | G 3/8" | 4.9 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 51 | G 3/8" | 5.0 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 52 | G 3/8" | 5.3 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 53 | G 3/8" | 5.4 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 54 | G 3/8" | 5.5 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 55 | G 3/8" | 5.6 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 56 | G 3/8" | 5.8 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 58 | G 3/8" | 6.0 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 59 | G 3/8" | 6.1 bar | 20,0 | 63,0 | 12,0 | 20 |



货品

| 名称 | 螺纹 | 起动压力 | A (mm) | C (mm) | D (mm) | SW (mm) |
|----------------|--------|-----------|-----------|-----------|-----------|------------|
| K- 07 30 10 60 | G 3/8" | 6.2 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 61 | G 3/8" | 6.3 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 62 | G 3/8" | 6.4 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 63 | G 3/8" | 6.5 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 64 | G 3/8" | 6.6 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 65 | G 3/8" | 6.9 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 66 | G 3/8" | 7.0 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 67 | G 3/8" | 7.1 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 68 | G 3/8" | 7.5 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 69 | G 3/8" | 7.7 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 70 | G 3/8" | 7.9 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 71 | G 3/8" | 8.0 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 72 | G 3/8" | 8.1 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 73 | G 3/8" | 8.2 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 74 | G 3/8" | 8.3 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 75 | G 3/8" | 8.5 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 76 | G 3/8" | 8.6 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 77 | G 3/8" | 8.8 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 78 | G 3/8" | 9.0 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 79 | G 3/8" | 9.3 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 80 | G 3/8" | 9.4 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 81 | G 3/8" | 9.5 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 10 82 | G 3/8" | 9.9 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 52 | G 3/8" | 10.0 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 53 | G 3/8" | 10.1 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 54 | G 3/8" | 10.2 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 55 | G 3/8" | 10.3 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 56 | G 3/8" | 10.5 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 57 | G 3/8" | 10.8 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 58 | G 3/8" | 11.0 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 59 | G 3/8" | 11.2 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 60 | G 3/8" | 11.5 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 61 | G 3/8" | 11.76 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 62 | G 3/8" | 12.0 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 63 | G 3/8" | 12.2 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 64 | G 3/8" | 12.4 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 65 | G 3/8" | 12.5 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 66 | G 3/8" | 13.0 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 67 | G 3/8" | 14.0 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 68 | G 3/8" | 14.2 bar | 20,0 | 63,0 | 12,0 | 20 |
| K- 07 30 09 69 | G 3/8" | 14.3 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 70 | G 3/8" | 14.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 71 | G 3/8" | 15.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 72 | G 3/8" | 15.1 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 73 | G 3/8" | 15.2 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 74 | G 3/8" | 15.3 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 75 | G 3/8" | 15.4 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 76 | G 3/8" | 15.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 77 | G 3/8" | 16.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 78 | G 3/8" | 16.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 79 | G 3/8" | 16.9 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 80 | G 3/8" | 17.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 81 | G 3/8" | 17.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 82 | G 3/8" | 18.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 83 | G 3/8" | 19.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 84 | G 3/8" | 19.7 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 94 | G 3/8" | 20.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 95 | G 3/8" | 20.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 96 | G 3/8" | 21.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 97 | G 3/8" | 22.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 98 | G 3/8" | 22.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 09 99 | G 3/8" | 23.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 00 | G 3/8" | 23.1 bar | 20,0 | 75,0 | 12,0 | 20 |



货品

| 名称 | 螺纹 | 起动压力 | A (mm) | C (mm) | D (mm) | SW (mm) |
|----------------|--------|----------|-----------|-----------|-----------|------------|
| K- 07 30 10 01 | G 3/8" | 23.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 02 | G 3/8" | 24.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 03 | G 3/8" | 24.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 04 | G 3/8" | 25.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 05 | G 3/8" | 25.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 06 | G 3/8" | 26.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 07 | G 3/8" | 26.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 08 | G 3/8" | 27.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 09 | G 3/8" | 27.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 10 | G 3/8" | 28.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 11 | G 3/8" | 29.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 12 | G 3/8" | 29.4 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 19 | G 3/8" | 30.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 20 | G 3/8" | 30.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 21 | G 3/8" | 31.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 22 | G 3/8" | 32.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 23 | G 3/8" | 33.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 24 | G 3/8" | 33.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 25 | G 3/8" | 34.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 26 | G 3/8" | 35.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 27 | G 3/8" | 35.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 28 | G 3/8" | 36.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 29 | G 3/8" | 36.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 30 | G 3/8" | 37.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 31 | G 3/8" | 37.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 32 | G 3/8" | 38.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 33 | G 3/8" | 38.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 34 | G 3/8" | 39.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 35 | G 3/8" | 39.5 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 43 | G 3/8" | 40.0 bar | 20,0 | 75,0 | 12,0 | 20 |
| K- 07 30 10 44 | G 3/8" | 40.5 bar | 20,0 | 82,0 | 12,0 | 20 |
| K- 07 30 10 45 | G 3/8" | 41.0 bar | 20,0 | 82,0 | 12,0 | 20 |
| K- 07 30 10 46 | G 3/8" | 41.5 bar | 20,0 | 82,0 | 12,0 | 20 |
| K- 07 30 10 47 | G 3/8" | 43.0 bar | 20,0 | 82,0 | 12,0 | 20 |
| K- 07 30 10 48 | G 3/8" | 44.0 bar | 20,0 | 82,0 | 12,0 | 20 |
| K- 07 30 10 49 | G 3/8" | 45.0 bar | 20,0 | 82,0 | 12,0 | 20 |
| K- 07 30 10 50 | G 3/8" | 47.0 bar | 20,0 | 82,0 | 12,0 | 20 |
| K- 07 30 10 57 | G 3/8" | 50.0 bar | 20,0 | 82,0 | 12,0 | 20 |
| K- 07 30 10 83 | G 1/2" | 0.2 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 10 84 | G 1/2" | 0.25 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 10 85 | G 1/2" | 0.3 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 10 86 | G 1/2" | 0.35 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 10 87 | G 1/2" | 0.38 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 10 88 | G 1/2" | 0.4 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 10 89 | G 1/2" | 0.5 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 10 90 | G 1/2" | 0.6 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 10 91 | G 1/2" | 0.7 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 10 92 | G 1/2" | 0.8 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 10 93 | G 1/2" | 0.83 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 10 94 | G 1/2" | 0.9 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 10 95 | G 1/2" | 1.0 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 10 96 | G 1/2" | 1.1 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 10 97 | G 1/2" | 1.2 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 10 98 | G 1/2" | 1.3 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 10 99 | G 1/2" | 1.4 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 00 | G 1/2" | 1.5 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 01 | G 1/2" | 1.6 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 02 | G 1/2" | 1.7 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 03 | G 1/2" | 1.8 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 04 | G 1/2" | 1.9 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 39 | G 1/2" | 2.0 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 40 | G 1/2" | 2.1 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 41 | G 1/2" | 2.2 bar | 24,0 | 63,0 | 14,0 | 24 |



货品

| 名称 | 螺纹 | 起动压力 | A (mm) | C (mm) | D (mm) | SW (mm) |
|----------------|--------|----------|-----------|-----------|-----------|------------|
| K- 07 30 11 42 | G 1/2" | 2.3 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 43 | G 1/2" | 2.5 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 44 | G 1/2" | 2.6 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 45 | G 1/2" | 2.7 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 46 | G 1/2" | 2.8 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 62 | G 1/2" | 3.0 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 63 | G 1/2" | 3.2 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 64 | G 1/2" | 3.3 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 65 | G 1/2" | 3.5 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 66 | G 1/2" | 3.6 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 67 | G 1/2" | 3.7 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 68 | G 1/2" | 3.8 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 69 | G 1/2" | 3.9 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 82 | G 1/2" | 4.0 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 83 | G 1/2" | 4.2 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 84 | G 1/2" | 4.3 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 85 | G 1/2" | 4.5 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 86 | G 1/2" | 4.6 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 87 | G 1/2" | 4.8 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 88 | G 1/2" | 4.9 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 96 | G 1/2" | 5.0 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 97 | G 1/2" | 5.2 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 98 | G 1/2" | 5.3 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 99 | G 1/2" | 5.4 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 00 | G 1/2" | 5.5 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 01 | G 1/2" | 5.6 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 02 | G 1/2" | 5.8 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 03 | G 1/2" | 5.9 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 05 | G 1/2" | 6.0 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 06 | G 1/2" | 6.2 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 07 | G 1/2" | 6.3 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 08 | G 1/2" | 6.4 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 09 | G 1/2" | 6.5 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 10 | G 1/2" | 6.6 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 11 | G 1/2" | 6.8 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 12 | G 1/2" | 7.0 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 13 | G 1/2" | 7.2 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 14 | G 1/2" | 7.4 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 15 | G 1/2" | 7.5 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 16 | G 1/2" | 7.6 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 17 | G 1/2" | 7.7 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 18 | G 1/2" | 8.0 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 19 | G 1/2" | 8.1 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 20 | G 1/2" | 8.3 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 21 | G 1/2" | 8.4 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 22 | G 1/2" | 8.5 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 23 | G 1/2" | 8.6 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 24 | G 1/2" | 8.7 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 25 | G 1/2" | 8.8 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 26 | G 1/2" | 9.0 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 27 | G 1/2" | 9.3 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 28 | G 1/2" | 9.5 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 29 | G 1/2" | 9.6 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 30 | G 1/2" | 9.8 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 12 31 | G 1/2" | 9.9 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 05 | G 1/2" | 10.0 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 06 | G 1/2" | 10.1 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 07 | G 1/2" | 10.2 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 08 | G 1/2" | 10.3 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 09 | G 1/2" | 10.5 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 10 | G 1/2" | 10.7 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 11 | G 1/2" | 10.8 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 12 | G 1/2" | 11.0 bar | 24,0 | 63,0 | 14,0 | 24 |



货品

| 名称 | 螺纹 | 起动压力 | A (mm) | C (mm) | D (mm) | SW (mm) |
|----------------|--------|----------|-----------|-----------|-----------|------------|
| K- 07 30 11 13 | G 1/2" | 11.5 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 14 | G 1/2" | 12.0 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 15 | G 1/2" | 12.5 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 16 | G 1/2" | 13.0 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 17 | G 1/2" | 13.2 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 18 | G 1/2" | 13.5 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 19 | G 1/2" | 14.0 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 20 | G 1/2" | 14.2 bar | 24,0 | 63,0 | 14,0 | 24 |
| K- 07 30 11 21 | G 1/2" | 14.3 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 22 | G 1/2" | 15.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 23 | G 1/2" | 15.1 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 24 | G 1/2" | 15.2 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 25 | G 1/2" | 15.4 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 26 | G 1/2" | 15.5 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 27 | G 1/2" | 16.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 28 | G 1/2" | 16.5 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 29 | G 1/2" | 16.8 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 30 | G 1/2" | 16.9 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 31 | G 1/2" | 17.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 32 | G 1/2" | 17.1 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 33 | G 1/2" | 17.5 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 34 | G 1/2" | 18.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 35 | G 1/2" | 18.5 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 36 | G 1/2" | 19.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 37 | G 1/2" | 19.5 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 38 | G 1/2" | 19.6 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 47 | G 1/2" | 20.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 48 | G 1/2" | 20.5 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 49 | G 1/2" | 21.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 50 | G 1/2" | 22.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 51 | G 1/2" | 23.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 52 | G 1/2" | 23.5 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 53 | G 1/2" | 24.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 54 | G 1/2" | 25.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 55 | G 1/2" | 25.5 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 56 | G 1/2" | 26.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 57 | G 1/2" | 27.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 58 | G 1/2" | 27.5 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 59 | G 1/2" | 28.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 60 | G 1/2" | 28.5 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 61 | G 1/2" | 29.5 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 70 | G 1/2" | 30.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 71 | G 1/2" | 30.5 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 72 | G 1/2" | 31.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 73 | G 1/2" | 32.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 74 | G 1/2" | 32.5 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 75 | G 1/2" | 33.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 76 | G 1/2" | 34.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 77 | G 1/2" | 34.5 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 78 | G 1/2" | 35.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 79 | G 1/2" | 36.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 80 | G 1/2" | 37.5 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 81 | G 1/2" | 39.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 89 | G 1/2" | 40.0 bar | 24,0 | 75,0 | 14,0 | 24 |
| K- 07 30 11 90 | G 1/2" | 40.5 bar | 24,0 | 82,0 | 14,0 | 24 |
| K- 07 30 11 91 | G 1/2" | 41.0 bar | 24,0 | 82,0 | 14,0 | 24 |
| K- 07 30 11 92 | G 1/2" | 42.0 bar | 24,0 | 82,0 | 14,0 | 24 |
| K- 07 30 11 93 | G 1/2" | 45.0 bar | 24,0 | 82,0 | 14,0 | 24 |
| K- 07 30 11 94 | G 1/2" | 46.0 bar | 24,0 | 82,0 | 14,0 | 24 |
| K- 07 30 11 95 | G 1/2" | 47.0 bar | 24,0 | 82,0 | 14,0 | 24 |
| K- 07 30 12 04 | G 1/2" | 50.0 bar | 24,0 | 82,0 | 14,0 | 24 |